

CHAPTER 6
 ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
1	CRANIOTOMY AGE >17 EXCEPT FOR TRAUMA	3.7452	7.9	5.4	1
2	CRANIOTOMY FOR TRAUMA AGE >17	4.1139	9.2	6.3	1
3	CRANIOTOMY AGE 0-17	2.1158	6.1	3.9	1
4	SPINAL PROCEDURES	2.0367	4.9	3.3	1
5	EXTRACRANIAL VASCULAR PROCEDURES	1.5301	2.7	2.0	1
6	CARPAL TUNNEL RELEASE	0.9153*	3.2	2.2	1
7	PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W CC	2.2239	6.2	4.1	1
8	PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W/O CC	1.2570	2.0	1.7	1
9	SPINAL DISORDERS & INJURIES	1.9512	8.4	4.2	1
10	NERVOUS SYSTEM NEOPLASMS W CC	1.3232	6.4	4.1	1
11	NERVOUS SYSTEM NEOPLASMS W/O CC	0.7790	3.8	2.7	1
12	DEGENERATIVE NERVOUS SYSTEM DISORDERS	1.1072	8.7	4.3	1
13	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA	0.9518	5.8	3.7	1
14	SPECIFIC CEREBROVASCULAR DISORDERS EXCEPT TIA	1.4012	5.7	4.0	1
15	TRANSIENT ISCHEMIC ATTACK & PRECEREBRAL OCCLUSIONS	0.7880	2.8	2.3	1
16	NONSPECIFIC CEREBROVASCULAR DISORDERS W CC	1.4357	6.4	4.3	1
17	NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC	0.5886	2.3	2.0	1
18	CRANIAL & PERIPHERAL NERVE DISORDERS W CC	1.1106	5.0	3.6	1
19	CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC	0.7142	3.1	2.4	1
20	NERVOUS SYSTEM INFECTION EXCEPT VIRAL MENINGITIS	2.0860	7.7	5.5	1
21	VIRAL MENINGITIS	0.6776	3.2	2.7	1
22	HYPERTENSIVE ENCEPHALOPATHY	1.6113	4.9	2.9	1
23	NONTRAUMATIC STUPOR & COMA	0.5827	2.2	1.8	1
24	SEIZURE & HEADACHE AGE >17 W CC	0.9789	4.0	3.0	1
25	SEIZURE & HEADACHE AGE >17 W/O CC	0.6411	2.8	2.2	1
26	SEIZURE & HEADACHE AGE 0-17	0.4906	2.4	1.9	1
27	TRAUMATIC STUPOR & COMA, COMA >1 HR	1.7913	7.3	3.7	1
28	TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W CC	1.3409	4.4	3.1	1
29	TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W/O CC	0.6981	3.0	2.0	1
30	TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 0-17	0.5872	2.8	2.0	1
31	CONCUSSION AGE >17 W CC	0.8941	2.4	1.9	1
32	CONCUSSION AGE >17 W/O CC	0.5580	1.6	1.4	1
33	CONCUSSION AGE 0-17	0.4223	1.6	1.4	1
34	OTHER DISORDERS OF NERVOUS SYSTEM W CC	1.4307	6.3	3.4	1
35	OTHER DISORDERS OF NERVOUS SYSTEM W/O CC	0.7179	3.1	2.3	1
36	RETINAL PROCEDURES	0.8354	1.3	1.2	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
 (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
 (3) w CC = with Complications or Comorbidities.
 (4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
37	ORBITAL PROCEDURES	1.0083	2.5	1.9	1
38	PRIMARY IRIS PROCEDURES	0.5365*	2.5	1.8	1
39	LENS PROCEDURES WITH OR WITHOUT VITRECTOMY	0.6414*	1.9	1.5	1
40	EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17	0.9566	2.6	2.0	1
41	EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE 0-17	0.5143	1.8	1.6	1
42	INTRAOCULAR PROCEDURES EXCEPT RETINA, IRIS & LENS	0.8938	3.0	2.3	1
43	HYPHEMA	0.5524*	3.4	2.6	1
44	ACUTE MAJOR EYE INFECTIONS	0.4386	3.3	2.9	1
45	NEUROLOGICAL EYE DISORDERS	0.6550	2.8	2.5	1
46	OTHER DISORDERS OF THE EYE AGE >17 W CC	0.8271	3.8	2.8	1
47	OTHER DISORDERS OF THE EYE AGE >17 W/O CC	0.4448	2.8	2.3	1
48	OTHER DISORDERS OF THE EYE AGE 0-17	0.4155	2.4	2.0	1
49	MAJOR HEAD & NECK PROCEDURES	2.2837	4.3	3.0	1
50	SIALOADENECTOMY	0.9700	1.8	1.7	1
51	SALIVARY GLAND PROCEDURES EXCEPT SIALOADENECTOMY	0.8807*	2.5	1.8	1
52	CLEFT LIP & PALATE REPAIR	0.7443	1.6	1.4	1
53	SINUS & MASTOID PROCEDURES AGE >17	1.1876	2.7	1.9	1
54	SINUS & MASTOID PROCEDURES AGE 0-17	1.0668	2.9	2.1	1
55	MISCELLANEOUS EAR, NOSE, MOUTH & THROAT PROCEDURES	1.3526	3.4	2.0	1
56	RHINOPLASTY	1.3441	1.9	1.5	1
57	T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17	0.7064	2.2	1.8	1
58	T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17	0.8721	3.4	2.5	1
59	TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17	0.7618	2.1	1.9	1
60	TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17	0.4115	1.6	1.4	1
61	MYRINGOTOMY W TUBE INSERTION AGE >17	1.8122	5.4	3.6	1
62	MYRINGOTOMY W TUBE INSERTION AGE 0-17	0.6680	2.5	1.8	1
63	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES	1.4655	2.4	1.7	1
64	EAR, NOSE, MOUTH & THROAT MALIGNANCY	1.2436	5.8	3.8	1
65	DYSEQUILIBRIUM	0.4631	2.1	1.8	1
66	EPISTAXIS	0.4732	2.6	2.2	1
67	EPIGLOTTITIS	0.5834	2.6	2.2	1
68	OTITIS MEDIA & URI AGE >17 W CC	0.5233	2.6	2.3	1
69	OTITIS MEDIA & URI AGE >17 W/O CC	0.4347	2.3	2.0	1
70	OTITIS MEDIA & URI AGE 0-17	0.3372	2.3	2.0	1
71	LARYNGOTRACHEITIS	0.2923	1.7	1.5	1
72	NASAL TRAUMA & DEFORMITY	0.5706	1.6	1.4	1
73	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17	0.6886	3.0	2.3	1
74	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17	0.4098	2.6	2.1	1
75	MAJOR CHEST PROCEDURES	2.7127	7.8	6.1	1
76	OTHER RESP SYSTEM O.R. PROCEDURES W CC	2.7640	9.4	7.0	1
77	OTHER RESP SYSTEM O.R. PROCEDURES W/O CC	1.2629	4.1	3.2	1
78	PULMONARY EMBOLISM	1.2879	5.8	5.1	1
79	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC	1.9980	8.1	6.4	1
80	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC	0.9709	5.9	4.5	1
81	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17	1.4352	6.3	4.4	1
82	RESPIRATORY NEOPLASMS	1.5606	7.6	4.6	1
83	MAJOR CHEST TRAUMA W CC	0.9539	4.4	3.2	1
84	MAJOR CHEST TRAUMA W/O CC	0.8273	2.6	2.2	1
85	PLEURAL EFFUSION W CC	1.1414	5.1	4.0	1
86	PLEURAL EFFUSION W/O CC	0.7601	3.6	2.7	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
87	PULMONARY EDEMA & RESPIRATORY FAILURE	1.5659	6.2	4.6	1
88	CHRONIC OBSTRUCTIVE PULMONARY DISEASE	0.9349	4.6	3.7	1
89	SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC	1.0306	4.9	4.0	1
90	SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC	0.6355	3.4	2.9	1
91	SIMPLE PNEUMONIA & PLEURISY AGE 0-17	0.4923	2.9	2.5	1
92	INTERSTITIAL LUNG DISEASE W CC	1.3426	6.5	5.0	1
93	INTERSTITIAL LUNG DISEASE W/O CC	0.6244	3.2	2.6	1
94	PNEUMOTHORAX W CC	1.1458	5.7	4.4	1
95	PNEUMOTHORAX W/O CC	0.5021	3.6	2.9	1
96	BRONCHITIS & ASTHMA AGE >17 W CC	0.7104	3.9	3.1	1
97	BRONCHITIS & ASTHMA AGE >17 W/O CC	0.5589	2.8	2.4	1
98	BRONCHITIS & ASTHMA AGE 0-17	0.4384	2.5	2.1	1
99	RESPIRATORY SIGNS & SYMPTOMS W CC	0.6826	3.0	2.2	1
100	RESPIRATORY SIGNS & SYMPTOMS W/O CC	0.4568	1.8	1.5	1
101	OTHER RESPIRATORY SYSTEM DIAGNOSES W CC	0.8970	3.6	2.7	1
102	OTHER RESPIRATORY SYSTEM DIAGNOSES W/O CC	0.5842	2.2	1.7	1
103	HEART TRANSPLANT	22.4925	68.8	38.1	1
104	CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W CARDIAC CATH	7.8882	8.9	6.3	1
105	CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH	5.7850	7.3	5.8	1
106	CORONARY BYPASS W PTCA	7.2867	8.0	7.1	1
107	CORONARY BYPASS W CARDIAC CATH	5.4230	8.2	7.5	2
108	OTHER CARDIOTHORACIC PROCEDURES	4.7218	7.8	5.6	1
109	CORONARY BYPASS W/O PTCA OR CARDIAC CATH	4.0002	6.0	5.5	1
110	MAJOR CARDIOVASCULAR PROCEDURES W CC	4.3193	8.5	6.3	1
111	MAJOR CARDIOVASCULAR PROCEDURES W/O CC	2.2333	4.2	3.5	1
112	PERCUTANEOUS CARDIOVASCULAR PROCEDURES	1.8990	2.6	2.0	1
113	AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE	3.5444	12.9	10.4	1
114	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS	1.8996	7.9	6.8	1
115	PRM CARD PACEM IMPL W AMI,HRT FAIL OR SHK,OR AICD LEAD OR GNRTR	3.9422	4.6	3.2	1
116	OTH PERM CARD PACEMAK IMPL OR PTCA W CORONARY ARTERY STENT IMPLN	2.6337	2.6	2.1	1
117	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT	1.8077	5.5	3.9	1
118	CARDIAC PACEMAKER DEVICE REPLACEMENT	1.5345	2.9	2.0	1
119	VEIN LIGATION & STRIPPING	1.1940	3.2	2.2	1
120	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	2.3838	7.7	4.8	1
121	CIRCULATORY DISORDERS W AMI & MAJOR COMP, DISCHARGED ALIVE	1.8185	4.9	3.7	1
122	CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE	1.2237	2.9	2.4	1
123	CIRCULATORY DISORDERS W AMI, EXPIRED	2.0929	4.0	2.4	1
124	CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH & COMPLEX DIAG	1.2925	3.0	2.4	1
125	CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG	1.0926	2.2	1.8	1
126	ACUTE & SUBACUTE ENDOCARDITIS	3.3078	9.8	7.3	1
127	HEART FAILURE & SHOCK	1.0333	4.5	3.4	1
128	DEEP VEIN THROMBOPHLEBITIS	0.7469	5.2	4.4	1
129	CARDIAC ARREST, UNEXPLAINED	1.5716	3.2	2.0	1
130	PERIPHERAL VASCULAR DISORDERS W CC	1.0387	5.5	4.3	1
131	PERIPHERAL VASCULAR DISORDERS W/O CC	0.6251	4.3	3.5	1
132	ATHEROSCLEROSIS W CC	0.7330	2.3	1.9	1
133	ATHEROSCLEROSIS W/O CC	0.8027	1.8	1.5	1
134	HYPERTENSION	0.6395	2.8	2.1	1
135	CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W CC	1.1413	4.7	3.2	1
136	CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W/O CC	0.7539	2.4	1.8	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
137	CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 0-17	0.9268	3.0	2.3	1
138	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC	0.7817	2.9	2.3	1
139	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC	0.4861	2.0	1.7	1
140	ANGINA PECTORIS	0.5272	1.9	1.6	1
141	SYNCOPE & COLLAPSE W CC	0.6445	2.6	2.1	1
142	SYNCOPE & COLLAPSE W/O CC	0.5073	1.9	1.6	1
143	CHEST PAIN	0.5135	1.5	1.4	1
144	OTHER CIRCULATORY SYSTEM DIAGNOSES W CC	1.3349	5.1	3.6	1
145	OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC	0.7706	2.5	2.0	1
146	RECTAL RESECTION W CC	2.8882	9.1	8.1	2
147	RECTAL RESECTION W/O CC	1.6791	5.8	5.4	1
148	MAJOR SMALL & LARGE BOWEL PROCEDURES W CC	3.1970	10.2	8.5	1
149	MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC	1.6459	5.8	5.3	1
150	PERITONEAL ADHESIOLYSIS W CC	2.5075	8.6	7.2	1
151	PERITONEAL ADHESIOLYSIS W/O CC	1.3315	4.7	3.9	1
152	MINOR SMALL & LARGE BOWEL PROCEDURES W CC	1.6850	5.9	5.3	1
153	MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC	1.4063	5.1	4.7	1
154	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W CC	3.8400	9.8	6.7	1
155	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W/O CC	1.3300	2.8	2.2	1
156	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE 0-17	1.3449	5.2	3.4	1
157	ANAL & STOMAL PROCEDURES W CC	1.3911	5.0	3.9	1
158	ANAL & STOMAL PROCEDURES W/O CC	0.6852	2.3	1.9	1
159	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W CC	1.2315	3.9	3.2	1
160	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W/O CC	0.9747	2.6	2.2	1
161	INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W CC	0.8410	3.1	2.5	1
162	INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W/O CC	0.8211	1.9	1.6	1
163	HERNIA PROCEDURES AGE 0-17	0.6121	2.0	1.6	1
164	APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC	1.9177	6.7	6.0	1
165	APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC	1.1960	4.0	3.4	1
166	APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC	1.2069	3.7	2.9	1
167	APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC	0.8097	2.0	1.7	1
168	MOUTH PROCEDURES W CC	1.4742	4.1	2.7	1
169	MOUTH PROCEDURES W/O CC	1.0487	2.5	1.9	1
170	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC	3.6555	11.0	7.1	1
171	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC	1.2091	3.9	3.2	1
172	DIGESTIVE MALIGNANCY W CC	1.7752	7.1	4.9	1
173	DIGESTIVE MALIGNANCY W/O CC	0.6081	29.0	3.9	1
174	G.I. HEMORRHAGE W CC	0.9132	3.5	2.9	1
175	G.I. HEMORRHAGE W/O CC	0.5037	2.4	2.0	1
176	COMPLICATED PEPTIC ULCER	1.0130	3.6	2.9	1
177	UNCOMPLICATED PEPTIC ULCER W CC	0.8991	3.5	3.0	1
178	UNCOMPLICATED PEPTIC ULCER W/O CC	0.7610	2.7	2.2	1
179	INFLAMMATORY BOWEL DISEASE	0.9720	5.0	3.7	1
180	G.I. OBSTRUCTION W CC	0.8702	4.4	3.3	1
181	G.I. OBSTRUCTION W/O CC	0.4623	2.8	2.4	1
182	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC	0.7432	3.3	2.6	1
183	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC	0.5788	2.5	2.0	1
184	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17	0.3113	2.2	1.9	1
185	DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17	0.9316	3.2	2.4	1
186	DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17	0.4859	2.4	2.0	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
187	DENTAL EXTRACTATIONS & RESTORATIONS	0.4453	2.0	1.8	1
188	OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC	1.0735	4.8	3.6	1
189	OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC	0.6075	2.9	2.2	1
190	OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17	0.6842	3.3	2.0	1
191	PANCREAS, LIVER & SHUNT PROCEDURES W CC	4.7756	14.3	9.7	1
192	PANCREAS, LIVER & SHUNT PROCEDURES W/O CC	2.6468	7.1	5.8	1
193	BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W CC	3.4295	11.2	8.5	1
194	BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC	1.8884	5.5	4.5	1
195	CHOLECYSTECTOMY W C.D.E. W CC	2.5819	7.7	6.4	1
196	CHOLECYSTECTOMY W C.D.E. W/O CC	1.4749	4.3	3.8	1
197	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC	2.4107	6.9	5.5	1
198	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC	1.3110	3.5	3.1	1
199	HEPATOBIILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY	2.2374	9.0	6.7	1
200	HEPATOBIILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY	2.5370	8.4	6.1	1
201	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES	6.0205	17.2	11.7	1
202	CIRRHOSIS & ALCOHOLIC HEPATITIS	1.6167	6.2	4.5	1
203	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS	1.4216	6.2	4.4	1
204	DISORDERS OF PANCREAS EXCEPT MALIGNANCY	1.2021	5.2	3.9	1
205	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W CC	1.3747	5.5	4.1	1
206	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W/O CC	0.7300	3.7	3.1	1
207	DISORDERS OF THE BILIARY TRACT W CC	1.0760	4.4	3.2	1
208	DISORDERS OF THE BILIARY TRACT W/O CC	0.6856	2.4	2.0	1
209	MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF LOWER EXTREMITY	2.3712	4.5	4.2	1
210	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC	2.3190	6.6	5.5	1
211	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC	1.5797	4.3	3.8	1
212	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17	1.2573	4.0	2.9	1
213	AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS	2.1505	7.8	6.0	1
214	NO LONGER VALID	-	-	-	-
215	NO LONGER VALID	-	-	-	-
216	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	2.0929	6.3	4.0	1
217	WND DEBRID & SKN GRFT EXCEPT HAND, FOR MUSCSKELET & CONN TISS DIS	3.0622	9.6	6.1	1
218	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W CC	1.6343	4.6	3.7	1
219	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W/O CC	1.1383	2.7	2.3	1
220	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE 0-17	0.8683	2.0	1.7	1
221	NO LONGER VALID	-	-	-	-
222	NO LONGER VALID	-	-	-	-
223	MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMITY PROC W CC	1.0870	2.3	1.8	1
224	SHOULDER, ELBOW OR FOREARM PROC, EXC MAJOR JOINT PROC, W/O CC	0.9573	1.7	1.5	1
225	FOOT PROCEDURES	1.0266	2.5	1.9	1
226	SOFT TISSUE PROCEDURES W CC	1.7127	5.6	3.8	1
227	SOFT TISSUE PROCEDURES W/O CC	0.8948	2.1	1.7	1
228	MAJOR THUMB OR JOINT PROC, OR OTH HAND OR WRIST PROC W CC	1.2403	3.9	2.5	1
229	HAND OR WRIST PROC, EXCEPT MAJOR JOINT PROC, W/O CC	0.7998	2.1	1.7	1
230	LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR	0.9677	2.5	1.9	1
231	LOCAL EXCISION & REMOVAL OF INT FIX DEVICES EXCEPT HIP & FEMUR	1.2688	3.2	2.3	1
232	ARTHROSCOPY	1.0186	1.6	1.4	1
233	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC	2.7846	7.4	4.9	1
234	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC	1.5017	3.3	2.6	1
235	FRACTURES OF FEMUR	0.7965	6.7	3.9	1
236	FRACTURES OF HIP & PELVIS	0.8039	7.4	4.5	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
237	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH	0.4993	2.8	2.3	1
238	OSTEOMYELITIS	1.3358	8.6	5.8	1
239	PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY	1.5702	6.4	4.4	1
240	CONNECTIVE TISSUE DISORDERS W CC	1.7194	6.1	4.5	1
241	CONNECTIVE TISSUE DISORDERS W/O CC	0.8499	4.3	3.2	1
242	SEPTIC ARTHRITIS	1.1079	5.4	4.4	1
243	MEDICAL BACK PROBLEMS	0.6215	3.4	2.5	1
244	BONE DISEASES & SPECIFIC ARTHROPATHIES W CC	0.9454	7.0	5.3	1
245	BONE DISEASES & SPECIFIC ARTHROPATHIES W/O CC	0.7940	6.9	4.7	1
246	NON-SPECIFIC ARTHROPATHIES	0.6183*	3.6	2.9	1
247	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE	0.5240	3.1	2.2	1
248	TENDONITIS, MYOSITIS & BURSITIS	0.7071	3.9	2.9	1
249	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	0.6978	4.9	2.6	1
250	FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W CC	0.5775	2.7	2.2	1
251	FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W/O CC	0.6025	2.4	1.7	1
252	FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE 0-17	0.3971	1.4	1.2	1
253	FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W CC	0.8595	4.9	3.4	1
254	FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W/O CC	0.4272	2.8	1.8	1
255	FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE 0-17	0.3473	1.5	1.3	1
256	OTHER MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DIAGNOSES	0.8327	4.8	3.1	1
257	TOTAL MASTECTOMY FOR MALIGNANCY W CC	1.1312	2.3	1.9	1
258	TOTAL MASTECTOMY FOR MALIGNANCY W/O CC	1.0232	2.0	1.7	1
259	SUBTOTAL MASTECTOMY FOR MALIGNANCY W CC	1.0482	1.9	1.3	1
260	SUBTOTAL MASTECTOMY FOR MALIGNANCY W/O CC	0.8106	1.2	1.1	1
261	BREAST PROC FOR NON-MALIGNANCY EXCEPT BIOPSY & LOCAL EXCISION	1.3535	2.2	1.7	1
262	BREAST BIOPSY & LOCAL EXCISION FOR NON-MALIGNANCY	1.0526	3.4	2.4	1
263	SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W CC	2.5588	11.9	8.6	1
264	SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W/O CC	1.1876	5.3	4.2	1
265	SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W CC	1.8052	4.6	3.1	1
266	SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W/O C	1.1381	3.1	2.3	1
267	PERIANAL & PILONIDAL PROCEDURES	0.8916	2.0	1.7	1
268	SKIN, SUBCUTANEOUS TISSUE & BREAST PLASTIC PROCEDURES	1.2088	2.0	1.8	1
269	OTHER SKIN, SUBCUT TISS & BREAST PROC W CC	1.5986	6.5	4.7	1
270	OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC	0.9000	2.9	2.5	1
271	SKIN ULCERS	1.9415	12.5	6.4	1
272	MAJOR SKIN DISORDERS W CC	0.9946	5.4	4.2	1
273	MAJOR SKIN DISORDERS W/O CC	0.5373	3.2	2.5	1
274	MALIGNANT BREAST DISORDERS W CC	1.7147	11.2	5.8	1
275	MALIGNANT BREAST DISORDERS W/O CC	0.6053	7.2	3.8	1
276	NON-MALIGANT BREAST DISORDERS	0.5250	3.1	2.6	1
277	CELLULITIS AGE >17 W CC	0.8548	5.0	4.0	1
278	CELLULITIS AGE >17 W/O CC	0.5050	3.3	2.8	1
279	CELLULITIS AGE 0-17	0.4164	2.9	2.5	1
280	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W CC	0.6058	2.1	1.6	1
281	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W/O CC	0.4782	1.8	1.5	1
282	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 0-17	0.3706	1.6	1.4	1
283	MINOR SKIN DISORDERS W CC	0.5780	3.5	2.9	1
284	MINOR SKIN DISORDERS W/O CC	0.3006	1.9	1.6	1
285	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DISORDERS	1.8102	7.1	5.8	1
286	ADRENAL & PITUITARY PROCEDURES	1.9555	4.5	3.7	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
287	SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS	1.6299	6.4	5.0	1
288	O.R. PROCEDURES FOR OBESITY	1.8126	4.0	3.6	1
289	PARATHYROID PROCEDURES	0.9406	2.0	1.6	1
290	THYROID PROCEDURES	0.9485	1.7	1.5	1
291	THYROGLOSSAL PROCEDURES	0.6091*	1.6	1.4	1
292	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC	3.1190	9.9	6.8	1
293	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC	1.3520	5.2	3.3	1
294	DIABETES AGE >35	0.7637	4.6	3.1	1
295	DIABETES AGE 0-35	0.5692	3.0	2.4	1
296	NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC	0.9247	4.4	3.3	1
297	NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC	0.4985	2.8	2.1	1
298	NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17	0.3201	2.4	2.0	1
299	INBORN ERRORS OF METABOLISM	1.2003	5.5	3.5	1
300	ENDOCRINE DISORDERS W CC	0.9564	4.3	3.2	1
301	ENDOCRINE DISORDERS W/O CC	0.4577	2.2	1.8	1
302	KIDNEY TRANSPLANT	3.3563	8.2	7.3	1
303	KIDNEY,URETER & MAJOR BLADDER PROCEDURES FOR NEOPLASM	2.3309	6.5	5.7	1
304	KIDNEY,URETER & MAJOR BLADDER PROC FOR NON-NEOPL W CC	1.8943	5.7	4.2	1
305	KIDNEY,URETER & MAJOR BLADDER PROC FOR NON-NEOPL W/O CC	1.1031	3.1	2.7	1
306	PROSTATECTOMY W CC	1.1185	3.5	2.2	1
307	PROSTATECTOMY W/O CC	0.8933	1.3	1.2	1
308	MINOR BLADDER PROCEDURES W CC	1.5688	4.8	3.6	1
309	MINOR BLADDER PROCEDURES W/O CC	1.0850	2.6	2.0	1
310	TRANSURETHRAL PROCEDURES W CC	1.0604	2.7	2.2	1
311	TRANSURETHRAL PROCEDURES W/O CC	0.7920	1.7	1.5	1
312	URETHRAL PROCEDURES, AGE >17 W CC	1.1292*	4.5	3.0	1
313	URETHRAL PROCEDURES, AGE >17 W/O CC	0.7153*	2.1	1.7	1
314	URETHRAL PROCEDURES, AGE 0-17	0.5498*	2.3	2.3	1
315	OTHER KIDNEY & URINARY TRACT O.R. PROCEDURES	2.2292	6.4	4.1	1
316	RENAL FAILURE	1.4773	6.3	4.5	1
317	ADMIT FOR RENAL DIALYSIS	0.8208*	3.2	2.1	1
318	KIDNEY & URINARY TRACT NEOPLASMS W CC	1.7547	6.7	4.5	1
319	KIDNEY & URINARY TRACT NEOPLASMS W/O CC	0.6704*	2.9	2.2	1
320	KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC	0.8090	4.0	3.2	1
321	KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O CC	0.5616	3.5	2.5	1
322	KIDNEY & URINARY TRACT INFECTIONS AGE 0-17	0.4578	3.2	2.7	1
323	URINARY STONES W CC, &/OR ESW LITHOTRIPSY	0.7582	2.4	1.8	1
324	URINARY STONES W/O CC	0.4322	1.6	1.4	1
325	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W CC	0.7181	3.5	2.7	1
326	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W/O CC	0.5621	2.4	1.9	1
327	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 0-17	0.3933*	3.1	3.1	1
328	URETHRAL STRICTURE AGE >17 W CC	0.8275*	3.9	2.8	1
329	URETHRAL STRICTURE AGE >17 W/O CC	0.5831*	2.0	1.7	1
330	URETHRAL STRICTURE AGE 0-17	0.3542*	1.6	1.6	1
331	OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W CC	1.0417	4.3	3.2	1
332	OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W/O CC	0.6536	2.7	2.1	1
333	OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17	0.7239	3.8	2.6	1
334	MAJOR MALE PELVIC PROCEDURES W CC	1.6988	3.9	3.6	1
335	MAJOR MALE PELVIC PROCEDURES W/O CC	1.3599	3.2	3.0	1
336	TRANSURETHRAL PROSTATECTOMY W CC	0.9162	2.7	2.2	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
337	TRANSURETHRAL PROSTATECTOMY W/O CC	0.7029	2.0	1.7	1
338	TESTES PROCEDURES, FOR MALIGNANCY	1.3209*	5.3	3.5	1
339	TESTES PROCEDURES, NON-MALIGNANCY AGE >17	0.7357	2.0	1.6	1
340	TESTES PROCEDURES, NON-MALIGNANCY AGE 0-17	0.6003	1.5	1.4	1
341	PENIS PROCEDURES	1.6773	2.4	1.8	1
342	CIRCUMCISION AGE >17	0.9146*	3.1	2.5	1
343	CIRCUMCISION AGE 0-17	0.1711*	1.7	1.7	1
344	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY	1.2357	2.4	1.6	1
345	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXCEPT FOR MALIGNANCY	0.9768*	3.8	2.6	1
346	MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W CC	0.6065	2.4	2.0	1
347	MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W/O CC	0.6573*	3.4	2.4	1
348	BENIGN PROSTATIC HYPERTROPHY W CC	0.7928*	4.2	3.2	1
349	BENIGN PROSTATIC HYPERTROPHY W/O CC	0.4862*	2.6	2.0	1
350	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM	0.5103	3.1	2.7	1
351	STERILIZATION, MALE	0.2624*	1.3	1.3	1
352	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES	0.7612*	3.8	2.8	1
353	PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY	1.6030	4.8	4.1	1
354	UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC	1.4722	4.5	3.8	1
355	UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC	1.0199	2.6	2.5	1
356	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	0.9194	2.1	1.9	1
357	UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY	1.8094	5.9	5.0	1
358	UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC	1.1459	3.2	2.8	1
359	UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC	0.9352	2.4	2.2	1
360	VAGINA, CERVIX & VULVA PROCEDURES	0.9869	2.6	2.2	1
361	LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION	1.1080	2.4	2.0	1
362	ENDOSCOPIC TUBAL INTERRUPTION	0.3354*	1.4	1.4	1
363	D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY	0.7632	2.1	1.8	1
364	D&C, CONIZATION EXCEPT FOR MALIGNANCY	0.6899	1.9	1.6	1
365	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES	1.2958	4.0	3.1	1
366	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC	1.2169	5.5	3.2	1
367	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC	0.6934	2.4	2.1	1
368	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM	0.6502	3.3	2.7	1
369	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS	0.4537	2.0	1.6	1
370	CESAREAN SECTION W CC	1.0047	4.6	3.9	1
371	CESAREAN SECTION W/O CC	0.7791	3.3	3.1	1
372	VAGINAL DELIVERY W COMPLICATING DIAGNOSES	0.5481	2.7	2.3	1
373	VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES	0.4110	2.0	1.9	1
374	VAGINAL DELIVERY W STERILIZATION &/OR D&C	0.6802	2.3	2.1	1
375	VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C	0.4828	2.7	2.2	1
376	POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE	0.4595	2.9	2.4	1
377	POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE	1.0334	3.1	2.4	1
378	ECTOPIC PREGNANCY	0.8448	2.1	1.9	1
379	THREATENED ABORTION	0.5275	3.6	2.5	1
380	ABORTION W/O D&C	0.3693	1.6	1.3	1
381	ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	0.5258	1.6	1.4	1
382	FALSE LABOR	0.3241	2.8	1.6	1
383	OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS	0.4193	2.8	2.1	1
384	OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS	0.4398	2.9	2.0	1
385	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	-	-	-	-
386	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	-	-	-	-

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
387	PREMATURITY W MAJOR PROBLEMS	-	-	-	-
388	PREMATURITY W/O MAJOR PROBLEMS	-	-	-	-
389	FULL TERM NEONATE W MAJOR PROBLEMS	-	-	-	-
390	NEONATE W OTHER SIGNIFICANT PROBLEMS	-	-	-	-
391	NORMAL NEWBORN	0.1088	1.9	1.8	1
392	SPLENECTOMY AGE >17	2.1454	7.2	5.7	1
393	SPLENECTOMY AGE 0-17	1.3461	4.2	3.5	1
394	OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS	1.1214	3.2	2.6	1
395	RED BLOOD CELL DISORDERS AGE >17	0.9448	4.7	3.1	1
396	RED BLOOD CELL DISORDERS AGE 0-17	0.7103	3.8	2.9	1
397	COAGULATION DISORDERS	1.4506	4.5	2.8	1
398	RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC	1.3928	5.7	4.2	1
399	RETICULOENDOTHELIAL & IMMUNITY DISORDERS W/O CC	0.5980	3.1	2.7	1
400	LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE	3.2101	8.0	4.7	1
401	LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W CC	3.9810	12.9	7.7	1
402	LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W/O CC	1.5844	5.1	3.8	1
403	LYMPHOMA & NON-ACUTE LEUKEMIA W CC	2.5119	9.2	6.3	1
404	LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC	1.0524	4.1	3.3	1
405	ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE 0-17	1.9244	7.1	4.8	1
406	MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W CC	2.5176	7.9	5.9	1
407	MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W/O CC	1.8070	3.5	2.7	1
408	MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R.PROC	1.7805	4.4	3.3	1
409	RADIOTHERAPY	1.2146	4.2	2.9	1
410	CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS	1.2202	3.5	2.9	1
411	HISTORY OF MALIGNANCY W/O ENDOSCOPY	0.3669*	2.3	2.0	1
412	HISTORY OF MALIGNANCY W ENDOSCOPY	0.5374*	2.7	2.0	1
413	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC	1.7795	6.9	5.1	1
414	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC	1.6235	4.8	3.5	1
415	O.R. PROCEDURE FOR INFECTIOUS & PARASITIC DISEASES	3.2236	10.7	7.3	1
416	SEPTICEMIA AGE >17	1.9048	6.5	5.0	1
417	SEPTICEMIA AGE 0-17	0.7341	4.4	3.6	1
418	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS	0.9875	5.3	3.8	1
419	FEVER OF UNKNOWN ORIGIN AGE >17 W CC	0.7699	4.1	3.3	1
420	FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC	0.7161	3.8	3.0	1
421	VIRAL ILLNESS AGE >17	0.6483	3.1	2.5	1
422	VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17	0.3360	2.3	2.0	1
423	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES	1.7339	7.6	4.7	1
424	O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS	2.5319*	13.5	8.7	1
425	ACUTE ADJUSTMENT REACTION & PSYCHOLOGICAL DYSFUNCTION	0.5747	3.0	2.4	1
426	DEPRESSIVE NEUROSES	0.4893	5.4	3.5	1
427	NEUROSES EXCEPT DEPRESSIVE	0.5243	5.2	3.6	1
428	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1.0171	11.4	7.1	1
429	ORGANIC DISTURBANCES & MENTAL RETARDATION	0.6999	7.0	4.6	1
430	PSYCHOSES	0.6954	7.1	5.1	1
431	CHILDHOOD MENTAL DISORDERS	1.0924	21.8	9.2	1
432	OTHER MENTAL DISORDER DIAGNOSES	0.7266*	4.8	3.2	1
433	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	0.4424	5.0	3.6	1
434	ALC/DRUG ABUSE OR DEPEND, DETOX OR OTH SYMPT TREAT W CC	0.6570	3.7	2.9	1
435	ALC/DRUG ABUSE OR DEPEND, DETOX OR OTH SYMPT TREAT W/O CC	-	-	-	-
436	ALC/DRUG DEPENDENCE W REHABILITATION THERAPY	0.6096	16.1	13.3	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
437	ALC/DRUG DEPENDENCE, COMBINED REHAB & DETOX THERAPY	0.6845	9.2	7.2	1
438	NO LONGER VALID	-	-	-	-
439	SKIN GRAFTS FOR INJURIES	1.3491	5.1	3.4	1
440	WOUND DEBRIDEMENTS FOR INJURIES	2.2002	8.0	4.6	1
441	HAND PROCEDURES FOR INJURIES	1.2355	3.2	2.5	1
442	OTHER O.R. PROCEDURES FOR INJURIES W CC	2.3277	7.0	4.6	1
443	OTHER O.R. PROCEDURES FOR INJURIES W/O CC	1.1131	3.2	2.4	1
444	TRAUMATIC INJURY AGE >17 W CC	0.6334	2.8	2.1	1
445	TRAUMATIC INJURY AGE >17 W/O CC	0.4903	2.3	1.5	1
446	TRAUMATIC INJURY AGE 0-17	0.3791	1.4	1.3	1
447	ALLERGIC REACTIONS AGE >17	0.4385	2.1	1.6	1
448	ALLERGIC REACTIONS AGE 0-17	0.2450	1.9	1.7	1
449	POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC	0.8772	2.9	2.0	1
450	POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W/O CC	0.4334	1.8	1.5	1
451	POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17	0.4128	1.9	1.5	1
452	COMPLICATIONS OF TREATMENT W CC	0.9454	4.3	3.0	1
453	COMPLICATIONS OF TREATMENT W/O CC	0.5563	2.8	2.2	1
454	OTHER INJURY, POISONING & TOXIC EFFECT DIAG W CC	1.1538	3.4	2.4	1
455	OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O CC	0.3967	1.9	1.4	1
456	NO LONGER VALID	-	-	-	-
457	NO LONGER VALID	-	-	-	-
458	NO LONGER VALID	-	-	-	-
459	NO LONGER VALID	-	-	-	-
460	NO LONGER VALID	-	-	-	-
461	O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES	2.0266	9.3	3.4	1
462	REHABILITATION	1.8940	13.8	10.4	1
463	SIGNS & SYMPTOMS W CC	0.7542	4.7	3.1	1
464	SIGNS & SYMPTOMS W/O CC	0.5624	3.4	2.1	1
465	AFTERCARE W HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS	0.6389*	3.4	2.1	1
466	AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS	1.6974	13.0	4.0	1
467	OTHER FACTORS INFLUENCING HEALTH STATUS	0.5260	2.9	1.9	1
468	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	2.9731	8.2	4.9	1
469	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	-	-	-	-
470	UNGROUPABLE	-	-	-	-
471	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY	3.5419	5.3	4.8	1
472	NO LONGER VALID	-	-	-	-
473	ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17	6.9106	20.6	12.0	1
474	NO LONGER VALID	-	-	-	-
475	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT	4.4207	10.7	7.2	1
476	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	1.3127	5.8	3.9	1
477	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	1.4180	5.0	3.4	1
478	OTHER VASCULAR PROCEDURES W CC	2.6134	5.9	4.1	1
479	OTHER VASCULAR PROCEDURES W/O CC	1.6096	2.8	2.2	1
480	LIVER TRANSPLANT	10.5038	21.1	15.5	1
481	BONE MARROW TRANSPLANT	12.0839	26.4	23.4	5
482	TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSES	3.3741	9.0	7.7	1
483	TRACHEOSTOMY EXCEPT FOR FACE, MOUTH & NECK DIAGNOSES	19.0954	38.6	30.4	3
484	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	7.8179	14.4	9.8	1
485	LIMB REATTACHMENT, HIP AND FEMUR PROC FOR MULTIPLE SIGNIFICANT T	4.9035	10.7	8.0	1
486	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA	4.7470	10.8	7.7	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
487	OTHER MULTIPLE SIGNIFICANT TRAUMA	1.9072	7.0	4.5	1
488	HIV W EXTENSIVE O.R. PROCEDURE	5.0587*	17.0	11.5	1
489	HIV W MAJOR RELATED CONDITION	2.2051	7.4	5.1	1
490	HIV W OR W/O OTHER RELATED CONDITION	1.8332	6.5	4.1	1
491	MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITY	2.0157	3.1	2.7	1
492	CHEMOTHERAPY W ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS	1.8465	6.6	4.2	1
493	LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC	1.6404	4.2	3.3	1
494	LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC	1.1479	2.3	1.9	1
495	LUNG TRANSPLANT	8.9490	21.3	19.0	4
496	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION	5.6620	8.2	6.4	1
497	SPINAL FUSION W CC,,	3.1828	5.0	3.8	1
498	SPINAL FUSION W/O CC,,	2.1213	2.6	2.1	1
499	BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W CC,,	1.5037	3.4	2.5	1
500	BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC,,	1.0490	1.9	1.6	1
501	KNEE PROCEDURES W PDX OF INFECTION W CC,,	2.9790	7.3	6.1	1
502	KNEE PROCEDURES W PDX OF INFECTION W/O CC,,	1.1239	4.5	3.8	1
503	KNEE PROCEDURES W/O PDX OF INFECTION,,	1.2076	2.3	1.8	1
504	EXTENSIVE 3RD DEGREE BURNS W SKIN GRAFT,,472	13.9931*	30.5	24.1	1
505	EXTENSIVE 3RD DEGREE BURNS W/O SKIN GRAFT,,457	2.2384*	4.7	2.5	1
506	FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W CC OR SIG TRAUMA	8.2376	24.1	15.1	1
507	FULL THICKNESS BURN W SKIN GRFT OR INHAL INJ W/O CC OR SIG TRAUM	2.1373	9.3	6.7	1
508	FULL THICKNESS BURN W/O SKIN GRFT OR INHAL INJ W CC OR SIG TRAUM	1.4765*	7.3	5.1	1
509	FULL THICKNESS BURN W/O SKIN GRFT OR INH INJ W/O CC OR SIG TRAUM	0.7073	3.7	3.0	1
510	NON-EXTENSIVE BURNS W CC OR SIGNIFICANT TRAUMA,,459	2.2292	9.0	6.5	1
511	NON-EXTENSIVE BURNS W/O CC OR SIGNIFICANT TRAUMA,,460	0.7324	4.2	2.8	1
600	NEONATE, DIED W/IN ONE DAY OF BIRTH	0.2879	1.0	1.0	1
601	NEONATE, TRANSFERRED <5 DAYS OLD	0.3763	1.5	1.3	1
602	NEONATE, BIRTHWT <750G, DISCHARGED ALIVE	23.0015	87.7	67.8	3
603	NEONATE, BIRTHWT <750G, DIED	12.8234	24.4	12.0	1
604	NEONATE, BIRTHWT 750-999G, DISCHARGED ALIVE	17.2424	68.3	57.9	6
605	NEONATE, BIRTHWT 750-999G, DIED	14.6165	27.2	9.2	1
606	NEONATE, BIRTHWT 1000-1499G, W SIGNIF OR PROC, DISCHARGED ALIVE	16.3699	66.7	54.6	3
607	NEONATE, BIRTHWT 1000-1499G, W/O SIGNIF OR PROC, DISCHARGED ALIV	6.7571	34.8	29.2	3
608	NEONATE, BIRTHWT 1000-1499G, DIED	9.5512	26.4	12.2	1
609	NEONATE, BIRTHWT 1500-1999G, W SIGNIF OR PROC, W MULT MAJOR PROB	12.7021	42.1	28.0	1
610	NEONATE, BIRTHWT 1500-1999G, W SIGNIF OR PROC, W/O MULT MAJOR PR	5.4980#	25.4	21.1	6
611	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MULT MAJOR PR	7.6857	30.7	26.4	4
612	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MAJOR PROB	4.0011	21.1	18.0	2
613	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MINOR PROB	2.6661	16.0	13.5	1
614	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W OTHER PROB	1.5370	10.8	8.1	1
615	NEONATE, BIRTHWT 2000-2499G, W SIGNIF OR PROC, W MULT MAJOR PROB	11.5131	48.5	35.9	3
616	NEONATE, BIRTHWT 2000-2499G, W SIGNIF OR PROC, W/O MULT MAJOR PR	4.9440#	17.3	15.7	3
617	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MULT MAJOR PR	3.3832	14.6	11.9	1
618	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MAJOR PROB	2.2403	11.9	9.7	1
619	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MINOR PROB	1.3456	8.9	7.2	1
620	NO LONGER VALID	-	-	-	-
621	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W OTHER PROB	0.4529	4.3	3.4	1
622	NEONATE, BIRTHWT >2499G, W SIGNIF OR PROC, W MULT MAJOR PROB	9.3266	26.1	15.2	1
623	NEONATE, BIRTHWT >2499G, W SIGNIF OR PROC, W/O MULT MAJOR PROB	3.0795	10.1	6.6	1
624	NEONATE, BIRTHWT >2499G, W MINOR ABDOM PROCEDURE	2.0485	8.4	2.7	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2001)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2000)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
625	NO LONGER VALID	-	-	-	-
626	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MULT MAJOR PROB	3.3948	12.4	7.5	1
627	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MAJOR PROB	1.0009	5.2	3.7	1
628	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MINOR PROB	0.5184	3.7	3.0	1
629	NO LONGER VALID	-	-	-	-
630	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W OTHER PROB	0.1872	2.4	2.1	1
631	BPD AND OTH CHRONIC RESPIRATORY DISEASES ARISING IN PERINATAL PE	0.9934	8.8	5.9	1
632	OTHER RESPIRATORY PROBLEMS AFTER BIRTH	0.5871	3.3	2.6	1
633	MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W CC	2.5547#	9.5	9.4	4
634	MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W/O CC	0.7317#	2.8	2.3	1
635	NEONATAL AFTERCARE FOR WEIGHT GAIN	0.9018#	9.2	8.6	4
636	NEONATAL DIAGNOSIS, AGE > 28 DAYS	2.8637	13.1	6.7	1
900	ALC/DRUG ABUSE OR DEPEND, DETOX OR OTH SYMPT TREAT AGE <= 21 W/O	0.4467	5.3	3.1	1
901	ALC/DRUG ABUSE OR DEPEND, DETOX OR OTH SYMPT TREAT AGE > 21 W/O	0.4931	4.4	3.3	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
 (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
 (3) w CC = with Complications or Comorbidities.
 (4) w/o CC = without Complications or Comorbidities.