

CHAPTER 6
 ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
1	CRANIOTOMY AGE >17 EXCEPT FOR TRAUMA	3.7962	7.8	5.3	1
2	CRANIOTOMY FOR TRAUMA AGE >17	4.4663	8.3	5.6	1
3	CRANIOTOMY AGE 0-17	2.2464	6.1	3.7	1
4	SPINAL PROCEDURES	1.9980	5.1	3.6	1
5	EXTRACRANIAL VASCULAR PROCEDURES	1.4631	2.4	1.8	1
6	CARPAL TUNNEL RELEASE	0.8025*	3.0	2.1	1
7	PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W CC	2.8379	7.7	4.6	1
8	PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W/O CC	1.3720	2.5	1.8	1
9	SPINAL DISORDERS & INJURIES	1.6851	8.3	3.5	1
10	NERVOUS SYSTEM NEOPLASMS W CC	1.3032	5.7	4.1	1
11	NERVOUS SYSTEM NEOPLASMS W/O CC	1.0260	4.8	2.9	1
12	DEGENERATIVE NERVOUS SYSTEM DISORDERS	1.4669	7.2	4.5	1
13	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA	0.8675	4.8	3.7	1
14	SPECIFIC CEREBROVASCULAR DISORDERS EXCEPT TIA	1.4362	5.8	4.0	1
15	TRANSIENT ISCHEMIC ATTACK & PRECEREBRAL OCCLUSIONS	0.7999	2.7	2.2	1
16	NONSPECIFIC CEREBROVASCULAR DISORDERS W CC	1.4592	6.3	4.2	1
17	NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC	0.8176	2.9	2.2	1
18	CRANIAL & PERIPHERAL NERVE DISORDERS W CC	1.0792	4.9	3.6	1
19	CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC	0.7013	3.0	2.4	1
20	NERVOUS SYSTEM INFECTION EXCEPT VIRAL MENINGITIS	2.1159	7.6	5.5	1
21	VIRAL MENINGITIS	0.6647	3.1	2.6	1
22	HYPERTENSIVE ENCEPHALOPATHY	1.1136	5.3	3.6	1
23	NONTRAUMATIC STUPOR & COMA	0.6410	2.7	2.1	1
24	SEIZURE & HEADACHE AGE >17 W CC	0.8812	3.8	2.9	1
25	SEIZURE & HEADACHE AGE >17 W/O CC	0.6335	2.8	2.3	1
26	SEIZURE & HEADACHE AGE 0-17	0.5457	2.5	2.0	1
27	TRAUMATIC STUPOR & COMA, COMA >1 HR	1.3840	4.1	2.7	1
28	TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W CC	1.4441	4.3	3.0	1
29	TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W/O CC	0.7009	2.8	2.2	1
30	TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 0-17	0.6168	3.0	2.1	1
31	CONCUSSION AGE >17 W CC	0.9167	2.6	2.0	1
32	CONCUSSION AGE >17 W/O CC	0.5602	1.6	1.4	1
33	CONCUSSION AGE 0-17	0.4243	1.6	1.4	1
34	OTHER DISORDERS OF NERVOUS SYSTEM W CC	1.3213	5.6	3.5	1
35	OTHER DISORDERS OF NERVOUS SYSTEM W/O CC	0.6736	2.7	2.0	1
36	RETINAL PROCEDURES	1.0940	2.7	1.9	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
 (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
 (3) w CC = with Complications or Comorbidities.
 (4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
37	ORBITAL PROCEDURES	0.9488	2.5	2.0	1
38	PRIMARY IRIS PROCEDURES	0.5274*	2.6	2.0	1
39	LENS PROCEDURES WITH OR WITHOUT VITRECTOMY	0.6644*	1.9	1.5	1
40	EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17	1.0222	3.8	3.0	1
41	EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE 0-17	0.3745*	1.6	1.6	1
42	INTRAOCULAR PROCEDURES EXCEPT RETINA, IRIS & LENS	0.5937	2.2	1.8	1
43	HYPHEMA	0.5082*	3.3	2.8	1
44	ACUTE MAJOR EYE INFECTIONS	0.4081	3.1	2.7	1
45	NEUROLOGICAL EYE DISORDERS	0.7683	2.9	2.5	1
46	OTHER DISORDERS OF THE EYE AGE >17 W CC	0.7584	2.3	1.9	1
47	OTHER DISORDERS OF THE EYE AGE >17 W/O CC	0.6556	3.0	2.4	1
48	OTHER DISORDERS OF THE EYE AGE 0-17	0.4565	2.9	2.2	1
49	MAJOR HEAD & NECK PROCEDURES	1.8163	3.0	2.1	1
50	SIALOADENECTOMY	0.9952	1.5	1.3	1
51	SALIVARY GLAND PROCEDURES EXCEPT SIALOADENECTOMY	0.8763*	2.7	1.8	1
52	CLEFT LIP & PALATE REPAIR	0.7798	1.6	1.4	1
53	SINUS & MASTOID PROCEDURES AGE >17	1.2334	2.3	1.8	1
54	SINUS & MASTOID PROCEDURES AGE 0-17	0.5347*	3.2	3.2	1
55	MISCELLANEOUS EAR, NOSE, MOUTH & THROAT PROCEDURES	1.2861	3.4	2.0	1
56	RHINOPLASTY	0.9078	1.9	1.5	1
57	T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17	0.6240	2.1	1.8	1
58	T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17	0.6558	2.8	2.3	1
59	TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17	0.5168	1.6	1.4	1
60	TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17	0.4680	1.9	1.5	1
61	MYRINGOTOMY W TUBE INSERTION AGE >17	1.5031*	5.7	3.3	1
62	MYRINGOTOMY W TUBE INSERTION AGE 0-17	0.7558	2.7	2.0	1
63	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES	1.2989	2.5	1.9	1
64	EAR, NOSE, MOUTH & THROAT MALIGNANCY	1.4718	6.0	3.5	1
65	DYSEQUILIBRIUM	0.5307	2.1	1.8	1
66	EPISTAXIS	0.3929	2.4	2.0	1
67	EPIGLOTTITIS	0.4215	1.9	1.8	1
68	OTITIS MEDIA & URI AGE >17 W CC	0.5379	2.8	2.3	1
69	OTITIS MEDIA & URI AGE >17 W/O CC	0.4583	2.4	2.0	1
70	OTITIS MEDIA & URI AGE 0-17	0.3296	2.2	1.9	1
71	LARYNGOTRACHEITIS	0.2502	1.7	1.5	1
72	NASAL TRAUMA & DEFORMITY	0.6808	2.7	1.7	1
73	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17	0.6155	2.8	2.3	1
74	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17	0.4689	2.4	2.0	1
75	MAJOR CHEST PROCEDURES	2.8149	8.0	6.3	1
76	OTHER RESP SYSTEM O.R. PROCEDURES W CC	2.9590	9.3	6.4	1
77	OTHER RESP SYSTEM O.R. PROCEDURES W/O CC	1.6753	5.3	4.1	1
78	PULMONARY EMBOLISM	1.2929	5.6	4.8	1
79	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC	2.1530	8.6	6.6	1
80	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC	0.9231	5.1	4.0	1
81	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17	1.6907	7.8	5.5	1
82	RESPIRATORY NEOPLASMS	1.6888	6.7	4.6	1
83	MAJOR CHEST TRAUMA W CC	1.2159	5.0	3.9	1
84	MAJOR CHEST TRAUMA W/O CC	0.6362	2.7	2.2	1
85	PLEURAL EFFUSION W CC	1.1065	4.8	4.0	1
86	PLEURAL EFFUSION W/O CC	0.6527	2.4	2.2	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
87	PULMONARY EDEMA & RESPIRATORY FAILURE	1.9630	8.5	5.0	1
88	CHRONIC OBSTRUCTIVE PULMONARY DISEASE	0.9276	4.5	3.6	1
89	SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC	1.0883	4.9	4.1	1
90	SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC	0.6282	3.1	2.7	1
91	SIMPLE PNEUMONIA & PLEURISY AGE 0-17	0.4579	2.8	2.4	1
92	INTERSTITIAL LUNG DISEASE W CC	1.2029	5.1	4.2	1
93	INTERSTITIAL LUNG DISEASE W/O CC	0.8764	3.4	2.8	1
94	PNEUMOTHORAX W CC	1.1299	5.8	4.3	1
95	PNEUMOTHORAX W/O CC	0.5653	3.2	2.7	1
96	BRONCHITIS & ASTHMA AGE >17 W CC	0.7615	3.9	3.1	1
97	BRONCHITIS & ASTHMA AGE >17 W/O CC	0.5689	2.8	2.4	1
98	BRONCHITIS & ASTHMA AGE 0-17	0.4311	2.5	2.1	1
99	RESPIRATORY SIGNS & SYMPTOMS W CC	0.7242	3.1	2.3	1
100	RESPIRATORY SIGNS & SYMPTOMS W/O CC	0.5187	1.9	1.6	1
101	OTHER RESPIRATORY SYSTEM DIAGNOSES W CC	0.8933	3.5	2.6	1
102	OTHER RESPIRATORY SYSTEM DIAGNOSES W/O CC	0.5254	1.9	1.5	1
103	HEART TRANSPLANT	21.5139	44.3	27.4	1
104	CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W CARD CATH	8.1266	12.5	10.6	1
105	CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W/O CARD CATH	5.8686	7.5	6.3	1
106	CORONARY BYPASS W PTCA	7.9077	9.5	7.9	1
107	CORONARY BYPASS W CARDIAC CATH	5.3830	8.2	7.5	2
108	OTHER CARDIOTHORACIC PROCEDURES	4.2616	6.9	5.3	1
109	CORONARY BYPASS W/O PTCA OR CARDIAC CATH	3.8983	6.0	5.5	1
110	MAJOR CARDIOVASCULAR PROCEDURES W CC	4.2074	7.3	5.5	1
111	MAJOR CARDIOVASCULAR PROCEDURES W/O CC	2.3826	4.1	3.3	1
112	NO LONGER VALID	-	-	-	-
113	AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE	4.0719	14.3	10.8	1
114	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS	2.5821	8.1	5.9	1
115	PRM CARD PACEM IMPL W AMI,HRT FAIL OR SHK,OR AICD LEAD OR GN	4.0565	5.2	2.8	1
116	OTHER PERMANENT CARDIAC PACEMAKER IMPLANT	2.4877	3.6	2.7	1
117	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT	1.9032	3.9	2.6	1
118	CARDIAC PACEMAKER DEVICE REPLACEMENT	1.8027	2.5	1.5	1
119	VEIN LIGATION & STRIPPING	0.9798	3.0	2.1	1
120	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	2.9794	8.6	5.1	1
121	CIRCULATORY DISORDERS W AMI & MAJOR COMP, DISCHARGED ALIVE	1.7578	4.4	3.4	1
122	CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE	1.2160	2.9	2.4	1
123	CIRCULATORY DISORDERS W AMI, EXPIRED	2.2393	4.0	2.6	1
124	CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH & COMPLEX DIAG	1.3271	3.0	2.4	1
125	CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG	1.1410	2.2	1.8	1
126	ACUTE & SUBACUTE ENDOCARDITIS	2.8361	7.9	5.8	1
127	HEART FAILURE & SHOCK	1.0978	4.6	3.5	1
128	DEEP VEIN THROMBOPHLEBITIS	0.7725	5.7	4.8	1
129	CARDIAC ARREST, UNEXPLAINED	1.4541	2.3	1.6	1
130	PERIPHERAL VASCULAR DISORDERS W CC	0.9608	5.0	4.1	1
131	PERIPHERAL VASCULAR DISORDERS W/O CC	0.6274	3.9	3.2	1
132	ATHEROSCLEROSIS W CC	0.7079	2.2	1.8	1
133	ATHEROSCLEROSIS W/O CC	0.7355	1.8	1.5	1
134	HYPERTENSION	0.5995	2.5	2.0	1
135	CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W CC	0.9839	4.2	2.6	1
136	CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W/O CC	0.5677	1.6	1.4	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
137	CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 0-17	0.9797	4.7	2.3	1
138	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC	0.7827	3.0	2.4	1
139	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC	0.4834	1.9	1.6	1
140	ANGINA PECTORIS	0.5615	1.8	1.6	1
141	SYNCOPE & COLLAPSE W CC	0.7106	2.6	2.1	1
142	SYNCOPE & COLLAPSE W/O CC	0.5790	2.0	1.6	1
143	CHEST PAIN	0.5199	1.6	1.4	1
144	OTHER CIRCULATORY SYSTEM DIAGNOSES W CC	1.3411	5.4	3.8	1
145	OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC	0.6261	2.1	1.7	1
146	RECTAL RESECTION W CC	2.5783	7.9	7.3	2
147	RECTAL RESECTION W/O CC	1.7978	6.2	5.7	1
148	MAJOR SMALL & LARGE BOWEL PROCEDURES W CC	3.2560	10.2	8.4	1
149	MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC	1.7750	5.8	5.2	1
150	PERITONEAL ADHESIOLYSIS W CC	2.2825	8.2	6.5	1
151	PERITONEAL ADHESIOLYSIS W/O CC	1.4379	5.1	4.2	1
152	MINOR SMALL & LARGE BOWEL PROCEDURES W CC	1.6648	6.6	5.8	1
153	MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC	1.0785	4.7	4.1	1
154	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W CC	3.4049	9.2	6.6	1
155	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W/O CC	1.3277	2.9	2.2	1
156	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE 0-17	1.1914	4.9	3.5	1
157	ANAL & STOMAL PROCEDURES W CC	1.0609	4.2	3.0	1
158	ANAL & STOMAL PROCEDURES W/O CC	0.7534	2.5	2.0	1
159	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W CC	1.2729	3.8	3.2	1
160	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W/O CC	0.9451	2.6	2.2	1
161	INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W CC	1.2300	4.3	3.2	1
162	INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W/O CC	0.7829	1.6	1.4	1
163	HERNIA PROCEDURES AGE 0-17	0.5912	1.6	1.4	1
164	APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC	1.8323	6.8	5.9	1
165	APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC	1.2531	4.1	3.4	1
166	APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC	1.1518	3.2	2.5	1
167	APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC	0.8424	1.9	1.6	1
168	MOUTH PROCEDURES W CC	1.3282	3.3	2.5	1
169	MOUTH PROCEDURES W/O CC	0.7369	2.5	2.0	1
170	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC	3.2870	9.9	6.3	1
171	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC	1.1125	3.6	2.6	1
172	DIGESTIVE MALIGNANCY W CC	1.9362	7.7	5.0	1
173	DIGESTIVE MALIGNANCY W/O CC	1.6827	4.6	3.0	1
174	G.I. HEMORRHAGE W CC	0.9935	3.8	3.1	1
175	G.I. HEMORRHAGE W/O CC	0.5347	2.3	2.0	1
176	COMPLICATED PEPTIC ULCER	1.0842	3.8	3.1	1
177	UNCOMPLICATED PEPTIC ULCER W CC	0.9507	3.3	2.8	1
178	UNCOMPLICATED PEPTIC ULCER W/O CC	0.7831	2.9	2.5	1
179	INFLAMMATORY BOWEL DISEASE	1.0244	5.1	3.9	1
180	G.I. OBSTRUCTION W CC	0.9329	4.7	3.7	1
181	G.I. OBSTRUCTION W/O CC	0.4909	2.8	2.4	1
182	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC	0.7792	3.5	2.7	1
183	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC	0.5880	2.4	2.0	1
184	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17	0.3282	2.3	1.9	1
185	DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17	0.8432	3.8	2.6	1
186	DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17	0.4684	2.5	2.1	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
187	DENTAL EXTRACTATIONS & RESTORATIONS	1.8387	7.3	4.7	1
188	OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC	1.1101	4.7	3.5	1
189	OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC	0.6089	2.8	2.2	1
190	OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17	0.6330	3.3	2.1	1
191	PANCREAS, LIVER & SHUNT PROCEDURES W CC	5.0069	12.4	8.8	1
192	PANCREAS, LIVER & SHUNT PROCEDURES W/O CC	1.9777	5.8	4.9	1
193	BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W CC	4.0887	12.1	9.0	1
194	BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC	1.8756	5.0	4.5	1
195	CHOLECYSTECTOMY W C.D.E. W CC	2.5140	6.9	6.1	1
196	CHOLECYSTECTOMY W C.D.E. W/O CC	1.8421	4.5	3.8	1
197	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC	2.3174	6.7	5.6	1
198	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC	1.2820	3.9	3.5	1
199	HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY	1.7111	5.1	3.8	1
200	HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY	3.1082	10.8	7.1	1
201	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES	5.9406	12.0	8.2	1
202	CIRRHOSIS & ALCOHOLIC HEPATITIS	1.7977	6.6	4.6	1
203	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS	1.5879	5.9	4.2	1
204	DISORDERS OF PANCREAS EXCEPT MALIGNANCY	1.1700	5.1	3.9	1
205	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W CC	1.3581	5.1	3.7	1
206	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W/O CC	0.7942	3.8	3.1	1
207	DISORDERS OF THE BILIARY TRACT W CC	1.0241	4.0	3.1	1
208	DISORDERS OF THE BILIARY TRACT W/O CC	0.6230	2.4	1.9	1
209	MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF LOWER EXTREMITY	2.3564	4.4	4.1	1
210	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC	2.6145	7.3	6.2	1
211	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC	1.4894	4.1	3.6	1
212	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17	1.0977	3.4	2.5	1
213	AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS	1.8409	6.8	5.1	1
214	NO LONGER VALID	-	-	-	-
215	NO LONGER VALID	-	-	-	-
216	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	1.9070	5.9	3.5	1
217	WND DEBRID & SKN GRFT EXCEPT HAND, FOR MUSCSKELET & CONN TISS DIS	2.9975	8.7	5.7	1
218	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W CC	2.0376	4.9	3.9	1
219	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W/O CC	1.1639	2.6	2.2	1
220	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE 0-17	0.9013	2.1	1.7	1
221	NO LONGER VALID	-	-	-	-
222	NO LONGER VALID	-	-	-	-
223	MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMITY PROC W CC	1.0986	2.3	1.8	1
224	SHOULDER, ELBOW OR FOREARM PROC, EXC MAJOR JOINT PROC, W/O CC	0.9876	1.8	1.6	1
225	FOOT PROCEDURES	0.9991	2.8	2.0	1
226	SOFT TISSUE PROCEDURES W CC	1.6242	5.4	3.7	1
227	SOFT TISSUE PROCEDURES W/O CC	0.9198	2.3	1.8	1
228	MAJOR THUMB OR JOINT PROC, OR OTH HAND OR WRIST PROC W CC	1.2137	3.5	2.5	1
229	HAND OR WRIST PROC, EXCEPT MAJOR JOINT PROC, W/O CC	0.8553	2.0	1.6	1
230	LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR	0.9914	4.2	2.6	1
231	LOCAL EXCISION & REMOVAL OF INT FIX DEVICES EXCEPT HIP & FEMUR	1.4167	3.5	2.4	1
232	ARTHROSCOPY	0.9815	1.7	1.3	1
233	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC	2.5770	5.7	4.3	1
234	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC	1.4512	3.1	2.5	1
235	FRACTURES OF FEMUR	0.7247	4.6	2.6	1
236	FRACTURES OF HIP & PELVIS	0.7936	5.4	3.4	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
237	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH	0.5889	2.5	2.2	1
238	OSTEOMYELITIS	1.2043	7.0	5.1	1
239	PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY	1.5646	7.0	4.9	1
240	CONNECTIVE TISSUE DISORDERS W CC	1.6630	6.8	5.0	1
241	CONNECTIVE TISSUE DISORDERS W/O CC	0.6863	3.4	2.8	1
242	SEPTIC ARTHRITIS	1.0454	5.5	4.0	1
243	MEDICAL BACK PROBLEMS	0.6719	3.2	2.5	1
244	BONE DISEASES & SPECIFIC ARTHROPATHIES W CC	0.8046	5.5	3.9	1
245	BONE DISEASES & SPECIFIC ARTHROPATHIES W/O CC	0.7295	4.8	3.6	1
246	NON-SPECIFIC ARTHROPATHIES	0.7265	3.0	2.5	1
247	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE	0.5623	2.3	1.8	1
248	TENDONITIS, MYOSITIS & BURSITIS	0.7603	3.8	2.8	1
249	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	0.6422	4.4	2.6	1
250	FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W CC	0.9969	4.4	2.8	1
251	FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W/O CC	0.4301	1.5	1.4	1
252	FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE 0-17	0.4390	1.3	1.1	1
253	FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W CC	0.8474	4.1	3.0	1
254	FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W/O CC	0.4536	2.4	1.8	1
255	FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE 0-17	0.4386	2.0	1.5	1
256	OTHER MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DIAGNOSES	0.6538	3.4	2.5	1
257	TOTAL MASTECTOMY FOR MALIGNANCY W CC	1.2373	2.5	2.1	1
258	TOTAL MASTECTOMY FOR MALIGNANCY W/O CC	1.2182	2.3	1.9	1
259	SUBTOTAL MASTECTOMY FOR MALIGNANCY W CC	1.0150	2.2	1.6	1
260	SUBTOTAL MASTECTOMY FOR MALIGNANCY W/O CC	0.8450	1.2	1.1	1
261	BREAST PROC FOR NON-MALIGNANCY EXCEPT BIOPSY & LOCAL EXCISION	1.2452	1.9	1.5	1
262	BREAST BIOPSY & LOCAL EXCISION FOR NON-MALIGNANCY	1.0975	4.0	2.4	1
263	SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W CC	2.8585	12.8	8.5	1
264	SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W/O CC	1.0265	4.6	3.5	1
265	SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W CC	2.0650	5.7	4.1	1
266	SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W/O C	1.1624	2.7	2.2	1
267	PERIANAL & PILONIDAL PROCEDURES	1.0441*	4.5	3.3	1
268	SKIN, SUBCUTANEOUS TISSUE & BREAST PLASTIC PROCEDURES	1.3891	2.7	2.0	1
269	OTHER SKIN, SUBCUT TISS & BREAST PROC W CC	1.5325	5.6	4.0	1
270	OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC	0.9611	3.0	2.2	1
271	SKIN ULCERS	1.2259	8.1	5.0	1
272	MAJOR SKIN DISORDERS W CC	2.1935	7.5	4.9	1
273	MAJOR SKIN DISORDERS W/O CC	0.6568	3.8	3.2	1
274	MALIGNANT BREAST DISORDERS W CC	0.8766	3.8	3.0	1
275	MALIGNANT BREAST DISORDERS W/O CC	0.7378*	4.6	3.1	1
276	NON-MALIGANT BREAST DISORDERS	0.7475	3.7	2.7	1
277	CELLULITIS AGE >17 W CC	0.8600	4.9	3.9	1
278	CELLULITIS AGE >17 W/O CC	0.5018	3.5	2.9	1
279	CELLULITIS AGE 0-17	0.4214	2.9	2.5	1
280	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W CC	0.7626	3.0	2.0	1
281	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W/O CC	0.4836	1.6	1.4	1
282	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 0-17	0.3089	1.4	1.2	1
283	MINOR SKIN DISORDERS W CC	0.6397	3.9	3.1	1
284	MINOR SKIN DISORDERS W/O CC	0.4253	2.6	2.0	1
285	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DISORDERS	2.7071	10.6	7.1	1
286	ADRENAL & PITUITARY PROCEDURES	1.7290	4.1	3.6	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
287	SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS	1.7536	8.8	7.1	1
288	O.R. PROCEDURES FOR OBESITY	1.9333	4.0	3.5	1
289	PARATHYROID PROCEDURES	0.9259	1.8	1.5	1
290	THYROID PROCEDURES	0.9510	1.7	1.4	1
291	THYROGLOSSAL PROCEDURES	0.6620*	1.8	1.5	1
292	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC	3.3549	11.7	8.2	1
293	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC	1.9617	6.8	3.5	1
294	DIABETES AGE >35	0.8216	3.8	3.0	1
295	DIABETES AGE 0-35	0.5106	2.7	2.3	1
296	NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC	0.9777	4.5	3.3	1
297	NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC	0.5058	3.6	2.0	1
298	NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17	0.2878	2.3	1.9	1
299	INBORN ERRORS OF METABOLISM	0.4145	3.0	2.3	1
300	ENDOCRINE DISORDERS W CC	1.0172	4.2	3.1	1
301	ENDOCRINE DISORDERS W/O CC	0.5621	2.2	1.8	1
302	KIDNEY TRANSPLANT	3.0882	7.9	6.8	1
303	KIDNEY,URETER & MAJOR BLADDER PROCEDURES FOR NEOPLASM	2.1863	6.5	5.7	1
304	KIDNEY,URETER & MAJOR BLADDER PROC FOR NON-NEOPL W CC	1.6409	4.9	3.9	1
305	KIDNEY,URETER & MAJOR BLADDER PROC FOR NON-NEOPL W/O CC	1.1525	3.1	2.6	1
306	PROSTATECTOMY W CC	1.7924	9.0	3.7	1
307	PROSTATECTOMY W/O CC	0.6716*	2.2	1.9	1
308	MINOR BLADDER PROCEDURES W CC	1.6829	5.5	3.6	1
309	MINOR BLADDER PROCEDURES W/O CC	1.0582	2.2	1.8	1
310	TRANSURETHRAL PROCEDURES W CC	1.1088	2.8	2.1	1
311	TRANSURETHRAL PROCEDURES W/O CC	0.8798	1.7	1.5	1
312	URETHRAL PROCEDURES, AGE >17 W CC	1.1968*	4.8	3.3	1
313	URETHRAL PROCEDURES, AGE >17 W/O CC	1.0605	2.5	2.3	1
314	URETHRAL PROCEDURES, AGE 0-17	0.5488*	2.3	2.3	1
315	OTHER KIDNEY & URINARY TRACT O.R. PROCEDURES	1.9494	5.5	3.2	1
316	RENAL FAILURE	1.5938	6.2	4.4	1
317	ADMIT FOR RENAL DIALYSIS	0.5808	2.6	2.2	1
318	KIDNEY & URINARY TRACT NEOPLASMS W CC	1.5370	6.2	4.9	1
319	KIDNEY & URINARY TRACT NEOPLASMS W/O CC	1.4584	3.0	2.8	1
320	KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC	0.8216	4.2	3.3	1
321	KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O CC	0.5401	2.9	2.5	1
322	KIDNEY & URINARY TRACT INFECTIONS AGE 0-17	0.4278	3.1	2.6	1
323	URINARY STONES W CC, &/OR ESW LITHOTRIPSY	0.7805	2.3	1.8	1
324	URINARY STONES W/O CC	0.4211	1.6	1.4	1
325	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W CC	0.6610	3.4	2.4	1
326	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W/O CC	0.4709	2.3	1.9	1
327	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 0-17	0.4276	2.9	2.3	1
328	URETHRAL STRICTURE AGE >17 W CC	0.8067*	3.9	2.9	1
329	URETHRAL STRICTURE AGE >17 W/O CC	0.4948*	2.0	1.6	1
330	URETHRAL STRICTURE AGE 0-17	0.3535*	1.6	1.6	1
331	OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W CC	1.1117	4.6	3.4	1
332	OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W/O CC	0.5993	2.8	2.2	1
333	OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17	0.6767	4.2	3.0	1
334	MAJOR MALE PELVIC PROCEDURES W CC	1.5428	3.9	3.5	1
335	MAJOR MALE PELVIC PROCEDURES W/O CC	1.3800	3.2	3.0	1
336	TRANSURETHRAL PROSTATECTOMY W CC	0.8686	2.4	2.0	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
337	TRANSURETHRAL PROSTATECTOMY W/O CC	0.7120	1.9	1.7	1
338	TESTES PROCEDURES, FOR MALIGNANCY	1.3532*	5.6	3.7	1
339	TESTES PROCEDURES, NON-MALIGNANCY AGE >17	0.6936	1.5	1.3	1
340	TESTES PROCEDURES, NON-MALIGNANCY AGE 0-17	0.5816	1.5	1.3	1
341	PENIS PROCEDURES	1.3919	2.6	1.7	1
342	CIRCUMCISION AGE >17	0.8716*	3.3	2.5	1
343	CIRCUMCISION AGE 0-17	0.1707*	1.7	1.7	1
344	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY	1.5124	2.2	1.7	1
345	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXCEPT FOR MALIGNANCY	1.0155*	4.0	2.7	1
346	MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W CC	0.8376	5.3	3.8	1
347	MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W/O CC	0.6283*	3.0	2.3	1
348	BENIGN PROSTATIC HYPERTROPHY W CC	0.7768*	4.4	3.4	1
349	BENIGN PROSTATIC HYPERTROPHY W/O CC	0.4582*	2.5	2.0	1
350	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM	0.5503	3.0	2.6	1
351	STERILIZATION, MALE	0.2620*	1.3	1.3	1
352	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES	0.5013	2.7	2.3	1
353	PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY	1.6911	4.5	4.0	1
354	UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC	1.3385	3.9	3.5	1
355	UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC	1.0267	2.7	2.4	1
356	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	0.8947	2.0	1.8	1
357	UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY	2.2177	6.5	5.1	1
358	UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC	1.1505	3.1	2.8	1
359	UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC	0.9616	2.4	2.2	1
360	VAGINA, CERVIX & VULVA PROCEDURES	0.9837	2.5	2.1	1
361	LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION	0.8820	2.6	2.2	1
362	ENDOSCOPIC TUBAL INTERRUPTION	0.3349*	1.4	1.4	1
363	D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY	0.7565	2.0	1.8	1
364	D&C, CONIZATION EXCEPT FOR MALIGNANCY	0.6721	1.7	1.5	1
365	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES	1.4277	4.5	3.4	1
366	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC	1.8333	6.7	4.3	1
367	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC	0.6930	3.1	2.2	1
368	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM	0.6169	3.0	2.5	1
369	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS	0.4397	2.0	1.6	1
370	CESAREAN SECTION W CC	0.9569	4.5	3.8	1
371	CESAREAN SECTION W/O CC	0.7614	3.4	3.1	1
372	VAGINAL DELIVERY W COMPLICATING DIAGNOSES	0.5241	2.7	2.4	1
373	VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES	0.4097	2.0	1.9	1
374	VAGINAL DELIVERY W STERILIZATION &/OR D&C	0.6907	2.3	2.1	1
375	VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C	0.4631	2.4	2.2	1
376	POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE	0.4636	2.8	2.3	1
377	POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE	0.8924	3.2	2.3	1
378	ECTOPIC PREGNANCY	0.8735	2.0	1.7	1
379	THREATENED ABORTION	0.5040	3.7	2.5	1
380	ABORTION W/O D&C	0.4102	1.8	1.4	1
381	ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	0.5908	1.6	1.4	1
382	FALSE LABOR	0.2335	1.9	1.4	1
383	OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS	0.4298	2.9	2.2	1
384	OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS	0.3768	2.4	1.8	1
385	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	-	-	-	-
386	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	-	-	-	-

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
387	PREMATURITY W MAJOR PROBLEMS	-	-	-	-
388	PREMATURITY W/O MAJOR PROBLEMS	-	-	-	-
389	FULL TERM NEONATE W MAJOR PROBLEMS	-	-	-	-
390	NEONATE W OTHER SIGNIFICANT PROBLEMS	-	-	-	-
391	NORMAL NEWBORN	0.1091	1.9	1.8	1
392	SPLENECTOMY AGE >17	2.3394	6.4	5.1	1
393	SPLENECTOMY AGE 0-17	1.2747	3.5	2.9	1
394	OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS	1.3189	3.3	2.5	1
395	RED BLOOD CELL DISORDERS AGE >17	0.9816	4.8	3.3	1
396	RED BLOOD CELL DISORDERS AGE 0-17	0.7428	3.9	3.0	1
397	COAGULATION DISORDERS	1.0503	3.7	2.7	1
398	RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC	1.4734	5.7	4.4	1
399	RETICULOENDOTHELIAL & IMMUNITY DISORDERS W/O CC	0.5762	3.1	2.7	1
400	LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE	3.2492	7.9	4.5	1
401	LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W CC	3.3689	11.4	7.8	1
402	LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W/O CC	1.3904	4.4	2.8	1
403	LYMPHOMA & NON-ACUTE LEUKEMIA W CC	2.2064	7.7	5.4	1
404	LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC	1.1352	4.0	3.1	1
405	ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE 0-17	3.0654	10.2	6.6	1
406	MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W CC	2.7596	7.6	5.9	1
407	MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W/O CC	1.4488	4.5	3.9	1
408	MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R.PROC	1.9599	5.9	3.6	1
409	RADIOTHERAPY	0.9011	3.8	2.6	1
410	CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS	1.3367	3.8	3.1	1
411	HISTORY OF MALIGNANCY W/O ENDOSCOPY	0.4974*	2.3	1.8	1
412	HISTORY OF MALIGNANCY W ENDOSCOPY	0.6613*	2.4	1.9	1
413	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC	1.5601	6.5	4.9	1
414	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC	1.3576	4.6	3.4	1
415	O.R. PROCEDURE FOR INFECTIOUS & PARASITIC DISEASES	3.5766	10.9	7.3	1
416	SEPTICEMIA AGE >17	1.8625	6.6	5.0	1
417	SEPTICEMIA AGE 0-17	0.8971	4.6	3.6	1
418	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS	0.8955	4.6	3.6	1
419	FEVER OF UNKNOWN ORIGIN AGE >17 W CC	0.9922	4.7	3.6	1
420	FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC	0.7102	3.4	2.7	1
421	VIRAL ILLNESS AGE >17	0.7342	3.2	2.6	1
422	VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17	0.3771	2.5	2.1	1
423	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES	1.4532	5.9	4.1	1
424	O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS	2.7215*	15.9	10.9	1
425	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	0.5939	3.0	2.3	1
426	DEPRESSIVE NEUROSES	0.3828	4.6	3.3	1
427	NEUROSES EXCEPT DEPRESSIVE	0.3591	4.7	3.4	1
428	DISORDERS OF PERSONALITY & IMPULSE CONTROL	0.7205	8.0	5.6	1
429	ORGANIC DISTURBANCES & MENTAL RETARDATION	0.9255	5.7	4.6	1
430	PSYCHOSES	0.6135	6.5	4.9	1
431	CHILDHOOD MENTAL DISORDERS	0.5889	7.6	5.1	1
432	OTHER MENTAL DISORDER DIAGNOSES	0.9062	11.5	3.3	1
433	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	0.3543	4.2	2.8	1
434	NO LONGER VALID	-	-	-	-
435	NO LONGER VALID	-	-	-	-
436	NO LONGER VALID	-	-	-	-

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
437	NO LONGER VALID	-	-	-	-
438	NO LONGER VALID	-	-	-	-
439	SKIN GRAFTS FOR INJURIES	2.5466	8.5	4.8	1
440	WOUND DEBRIDEMENTS FOR INJURIES	1.5753	6.8	4.5	1
441	HAND PROCEDURES FOR INJURIES	1.2160	3.3	2.6	1
442	OTHER O.R. PROCEDURES FOR INJURIES W CC	2.3476	6.9	4.7	1
443	OTHER O.R. PROCEDURES FOR INJURIES W/O CC	1.0537	2.8	2.2	1
444	TRAUMATIC INJURY AGE >17 W CC	0.6523	2.8	1.9	1
445	TRAUMATIC INJURY AGE >17 W/O CC	0.5253	1.9	1.5	1
446	TRAUMATIC INJURY AGE 0-17	0.3468	1.4	1.3	1
447	ALLERGIC REACTIONS AGE >17	0.3656	1.9	1.5	1
448	ALLERGIC REACTIONS AGE 0-17	0.1080*	2.9	2.9	1
449	POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC	0.8419	2.9	2.2	1
450	POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W/O CC	0.4160	1.6	1.4	1
451	POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17	0.3890	1.7	1.4	1
452	COMPLICATIONS OF TREATMENT W CC	0.9710	4.1	3.1	1
453	COMPLICATIONS OF TREATMENT W/O CC	0.5673	2.6	2.0	1
454	OTHER INJURY, POISONING & TOXIC EFFECT DIAG W CC	1.3453	4.4	2.7	1
455	OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O CC	0.4115	1.5	1.3	1
456	NO LONGER VALID	-	-	-	-
457	NO LONGER VALID	-	-	-	-
458	NO LONGER VALID	-	-	-	-
459	NO LONGER VALID	-	-	-	-
460	NO LONGER VALID	-	-	-	-
461	O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES	1.4730	6.1	2.5	1
462	REHABILITATION	1.9660	14.9	10.3	1
463	SIGNS & SYMPTOMS W CC	0.8302	4.6	2.9	1
464	SIGNS & SYMPTOMS W/O CC	0.6656	3.4	2.2	1
465	AFTERCARE W HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS	0.6044*	3.1	2.1	1
466	AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS	0.6639	3.9	2.4	1
467	OTHER FACTORS INFLUENCING HEALTH STATUS	0.4952	2.7	2.0	1
468	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	2.8402	8.0	4.6	1
469	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	-	-	-	-
470	UNGROUPABLE	-	-	-	-
471	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY	3.2241	5.1	4.7	1
472	NO LONGER VALID	-	-	-	-
473	ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17	7.1325	19.4	11.8	1
474	NO LONGER VALID	-	-	-	-
475	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT	4.6689	11.7	7.7	1
476	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	2.5436*	12.3	10.0	1
477	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	1.6647	5.3	3.4	1
478	OTHER VASCULAR PROCEDURES W CC	2.3615	5.4	3.8	1
479	OTHER VASCULAR PROCEDURES W/O CC	1.6759	3.2	2.4	1
480	LIVER TRANSPLANT	10.2743	17.0	14.0	2
481	BONE MARROW TRANSPLANT	10.4595	25.7	22.9	5
482	TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSES	3.8225	9.7	7.6	1
483	TRACHEOSTOMY EXCEPT FOR FACE, MOUTH & NECK DIAGNOSES	19.2473	38.1	29.4	3
484	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	8.2492	13.8	10.1	1
485	LIMB REATTACHMENT, HIP AND FEMUR PROC FOR MULTIPLE SIGNIFICANT T	6.2158	12.2	9.6	1
486	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA	5.5186	11.2	7.7	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
487	OTHER MULTIPLE SIGNIFICANT TRAUMA	2.1414	6.5	4.3	1
488	HIV W EXTENSIVE O.R. PROCEDURE	7.4025	19.8	14.6	1
489	HIV W MAJOR RELATED CONDITION	2.0324	7.7	5.8	1
490	HIV W OR W/O OTHER RELATED CONDITION	1.2022	4.2	3.2	1
491	MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITY	1.8834	2.8	2.3	1
492	CHEMOTHERAPY W ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS	1.6577	6.0	3.8	1
493	LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC	1.6487	4.3	3.5	1
494	LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC	1.1474	2.3	1.9	1
495	LUNG TRANSPLANT	8.7976	19.4	15.0	2
496	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION	4.8905	6.0	4.7	1
497	SPINAL FUSION EXCEPT CERVICAL W CC,,	3.8573	5.4	4.7	1
498	SPINAL FUSION EXCEPT CERVICAL W/O CC,,	3.1345	3.9	3.5	1
499	BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W CC,,	1.4765	3.5	2.6	1
500	BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC,,	1.0106	1.9	1.6	1
501	KNEE PROCEDURES W PDX OF INFECTION W CC,,	2.6810	8.2	5.9	1
502	KNEE PROCEDURES W PDX OF INFECTION W/O CC,,	0.9808	3.8	3.2	1
503	KNEE PROCEDURES W/O PDX OF INFECTION,,	1.3382	2.3	1.8	1
504	EXTENSIVE 3RD DEGREE BURNS W SKIN GRAFT,,	15.7319*	34.7	28.8	1
505	EXTENSIVE 3RD DEGREE BURNS W/O SKIN GRAFT,,	1.6643*	3.4	2.0	1
506	FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W CC OR SIG TRAUMA	6.9807	22.1	16.2	1
507	FULL THICKNESS BURN W SKIN GRFT OR INHAL INJ W/O CC OR SIG TRAUM	3.3970	10.1	6.2	1
508	FULL THICKNESS BURN W/O SKIN GRFT OR INHAL INJ W CC OR SIG TRAUM	1.4393*	8.3	6.1	1
509	FULL THICKNESS BURN W/O SKIN GRFT OR INH INJ W/O CC OR SIG TRAUM	0.6220	4.6	2.8	1
510	NON-EXTENSIVE BURNS W CC OR SIGNIFICANT TRAUMA,,	1.8315	8.1	5.1	1
511	NON-EXTENSIVE BURNS W/O CC OR SIGNIFICANT TRAUMA,,	0.8365	4.4	3.0	1
512	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT,,	6.4172*	14.9	12.7	1
513	PANCREAS TRANSPLANT	6.4824*	11.1	9.7	1
514	CARDIAC DEFIBRILLATOR IMPLANT W CARDIAC CATH	6.9706	6.9	4.9	1
515	CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH	5.4917	5.2	3.7	1
516	PERCUTANEOUS CARDIOVASC PROC W AMI	2.8539	3.6	3.1	1
517	PERC CARDIO PROC W CORONARY ARTERY STENT W/O AMI	2.4535	2.1	1.7	1
518	PERC CARDIO PROC W/O CORONARY ARTERY STENT OR AMI	1.8621	2.3	1.8	1
519	CERVICAL SPINAL FUSION W CC	1.9745	2.6	2.0	1
520	CERVICAL SPINAL FUSION W/O CC	1.6541	1.6	1.4	1
521	ALCOHOL/DRUG ABUSE OR DEPENDENCE W CC	0.7041	5.3	3.7	1
522	ALC/DRUG ABUSE OR DEPEND W REHABILITATION THERAPY W/O CC	0.6850	13.6	10.2	1
523	ALC/DRUG ABUSE OR DEPEND W/O REHABILITATION THERAPY W/O CC	0.4437*	4.3	3.5	1
600	NEONATE, DIED W/IN ONE DAY OF BIRTH	0.4729	1.0	1.0	1
601	NEONATE, TRANSFERRED <5 DAYS OLD	0.4516	1.6	1.4	1
602	NEONATE, BIRTHWT <750G, DISCHARGED ALIVE	23.0527	81.1	52.3	1
603	NEONATE, BIRTHWT <750G, DIED	9.6317	20.0	11.2	1
604	NEONATE, BIRTHWT 750-999G, DISCHARGED ALIVE	16.4529	65.6	53.6	4
605	NEONATE, BIRTHWT 750-999G, DIED	7.3433	18.1	9.8	1
606	NEONATE, BIRTHWT 1000-1499G, W SIGNIF OR PROC, DISCHARGED ALIVE	13.1519#	64.4	54.2	6
607	NEONATE, BIRTHWT 1000-1499G, W/O SIGNIF OR PROC, DISCHARGED ALIV	7.3156	35.3	28.1	2
608	NEONATE, BIRTHWT 1000-1499G, DIED	10.0278#	23.6	12.2	1
609	NEONATE, BIRTHWT 1500-1999G, W SIGNIF OR PROC, W MULT MAJOR PROB	16.0648	53.5	32.0	1
610	NEONATE, BIRTHWT 1500-1999G, W SIGNIF OR PROC, W/O MULT MAJOR PR	4.6417#	23.9	20.6	11
611	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MULT MAJOR PR	5.5078	26.6	22.1	3
612	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MAJOR PROB	3.6833	20.6	17.0	2

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2002)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2001)

DRG #	DESCRIPTION	TRICARE/ CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT- STAY THRESHOLD
613	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MINOR PROB	2.8872	16.9	14.0	1
614	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W OTHER PROB	1.5564	11.0	8.8	1
615	NEONATE, BIRTHWT 2000-2499G, W SIGNIF OR PROC, W MULT MAJOR PROB	8.0146	40.3	26.0	1
616	NEONATE, BIRTHWT 2000-2499G, W SIGNIF OR PROC, W/O MULT MAJOR PR	3.8813#	16.4	14.9	3
617	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MULT MAJOR PR	3.8221	14.7	11.7	1
618	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MAJOR PROB	2.2850	11.4	9.5	1
619	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MINOR PROB	1.6218	9.3	7.7	1
620	NO LONGER VALID	-	-	-	-
621	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W OTHER PROB	0.4994	4.7	3.7	1
622	NEONATE, BIRTHWT >2499G, W SIGNIF OR PROC, W MULT MAJOR PROB	8.5825	25.1	16.2	1
623	NEONATE, BIRTHWT >2499G, W SIGNIF OR PROC, W/O MULT MAJOR PROB	3.1910	11.7	6.1	1
624	NEONATE, BIRTHWT >2499G, W MINOR ABDOM PROCEDURE	0.5431	2.8	2.4	1
625	NO LONGER VALID	-	-	-	-
626	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MULT MAJOR PROB	3.0011	11.4	7.5	1
627	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MAJOR PROB	1.0425	5.4	3.8	1
628	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MINOR PROB	0.5305	3.8	3.1	1
629	NO LONGER VALID	-	-	-	-
630	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W OTHER PROB	0.1850	2.4	2.2	1
631	BPD AND OTH CHRONIC RESPIRATORY DISEASES ARISING IN PERINATAL PE	2.1996	9.7	6.4	1
632	OTHER RESPIRATORY PROBLEMS AFTER BIRTH	1.0505#	7.9	3.8	1
633	MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W CC	2.0523#	9.5	9.4	4
634	MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W/O CC	0.8235#	2.5	2.4	1
635	NEONATAL AFTERCARE FOR WEIGHT GAIN	0.7220#	6.0	5.8	5
636	NEONATAL DIAGNOSIS, AGE > 28 DAYS	2.6927	13.1	6.6	1
900	ALC/DRUG ABUSE OR DEPEND, W/O REHAB THERAPY AGE <= 21 W/O CC	0.4690	5.1	2.7	1
901	ALC/DRUG ABUSE OR DEPEND, W/O REHAB THERAPY AGE > 21 W/O CC	0.4338	5.0	3.3	1

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.