

CHAPTER 6
ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 1 | CRANIOTOMY AGE >17 W CC | 3.8351 | 8.5 | 6.0 | 1 |
| 2 | CRANIOTOMY AGE >17 W/O CC | 2.4196 | 4.3 | 3.4 | 1 |
| 3 | CRANIOTOMY AGE 0-17 | 2.2548 | 7.1 | 4.1 | 1 |
| 4 | NO LONGER VALID | - | - | - | - |
| 5 | NO LONGER VALID | - | - | - | - |
| 6 | CARPAL TUNNEL RELEASE | 0.8713* | 3.4 | 2.2 | 1 |
| 7 | PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W CC | 2.4576 | 7.2 | 4.2 | 1 |
| 8 | PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W/O CC | 1.3394 | 2.1 | 1.6 | 1 |
| 9 | SPINAL DISORDERS & INJURIES | 1.1153 | 15.1 | 4.7 | 1 |
| 10 | NERVOUS SYSTEM NEOPLASMS W CC | 1.3031 | 6.7 | 4.0 | 1 |
| 11 | NERVOUS SYSTEM NEOPLASMS W/O CC | 0.8093 | 4.6 | 2.7 | 1 |
| 12 | DEGENERATIVE NERVOUS SYSTEM DISORDERS | 1.2570 | 12.1 | 5.3 | 1 |
| 13 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA | 0.8495 | 7.6 | 3.9 | 1 |
| 14 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION | 1.5033 | 5.8 | 3.9 | 1 |
| 15 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION W/O INFARCT | 1.1124 | 9.3 | 4.3 | 1 |
| 16 | NONSPECIFIC CEREBROVASCULAR DISORDERS W CC | 1.2866 | 5.7 | 4.0 | 1 |
| 17 | NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC | 0.7046 | 2.6 | 2.0 | 1 |
| 18 | CRANIAL & PERIPHERAL NERVE DISORDERS W CC | 1.2844 | 6.1 | 4.2 | 1 |
| 19 | CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC | 0.7269 | 3.2 | 2.3 | 1 |
| 20 | NERVOUS SYSTEM INFECTION EXCEPT VIRAL MENINGITIS | 2.3026 | 8.5 | 6.0 | 1 |
| 21 | VIRAL MENINGITIS | 0.6571 | 3.1 | 2.6 | 1 |
| 22 | HYPERTENSIVE ENCEPHALOPATHY | 0.7670 | 3.1 | 2.8 | 1 |
| 23 | NONTRAUMATIC STUPOR & COMA | 1.1736 | 3.9 | 2.6 | 1 |
| 24 | SEIZURE & HEADACHE AGE >17 W CC | 0.9536 | 4.2 | 2.9 | 1 |
| 25 | SEIZURE & HEADACHE AGE >17 W/O CC | 0.6471 | 2.8 | 2.3 | 1 |
| 26 | SEIZURE & HEADACHE AGE 0-17 | 0.5228 | 2.5 | 2.0 | 1 |
| 27 | TRAUMATIC STUPOR & COMA, COMA >1 HR | 1.2227 | 5.7 | 2.9 | 1 |
| 28 | TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W CC | 1.3259 | 6.6 | 3.2 | 1 |
| 29 | TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W/O CC | 0.8517 | 3.2 | 2.2 | 1 |
| 30 | TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 0-17 | 0.6221 | 3.1 | 1.9 | 1 |
| 31 | CONCUSSION AGE >17 W CC | 1.1301 | 2.6 | 1.8 | 1 |
| 32 | CONCUSSION AGE >17 W/O CC | 0.6868 | 1.8 | 1.5 | 1 |
| 33 | CONCUSSION AGE 0-17 | 0.4543 | 1.3 | 1.2 | 1 |
| 34 | OTHER DISORDERS OF NERVOUS SYSTEM W CC | 1.2462 | 9.4 | 3.3 | 1 |
| 35 | OTHER DISORDERS OF NERVOUS SYSTEM W/O CC | 0.6902 | 3.8 | 2.2 | 1 |
| 36 | RETINAL PROCEDURES | 1.3663 | 2.4 | 1.6 | 1 |
| 37 | ORBITAL PROCEDURES | 1.2308 | 2.7 | 2.1 | 1 |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|------------------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 38 | PRIMARY IRIS PROCEDURES | 0.5847* | 2.3 | 1.7 | 1 |
| 39 | LENS PROCEDURES WITH OR WITHOUT VITRECTOMY | 0.6973* | 2.2 | 1.6 | 1 |
| 40 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17 | 1.0652 | 4.0 | 2.8 | 1 |
| 41 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE 0-17 | 1.2131 | 2.8 | 2.0 | 1 |
| 42 | INTRAOCULAR PROCEDURES EXCEPT RETINA, IRIS & LENS | 0.8823 | 3.7 | 2.6 | 1 |
| 43 | HYPHEMA | 0.7161* | 3.5 | 2.7 | 1 |
| 44 | ACUTE MAJOR EYE INFECTIONS | 0.4007 | 3.2 | 2.8 | 1 |
| 45 | NEUROLOGICAL EYE DISORDERS | 0.6549 | 3.1 | 2.5 | 1 |
| 46 | OTHER DISORDERS OF THE EYE AGE >17 W CC | 0.6788 | 4.5 | 3.2 | 1 |
| 47 | OTHER DISORDERS OF THE EYE AGE >17 W/O CC | 0.6095 | 6.0 | 2.7 | 1 |
| 48 | OTHER DISORDERS OF THE EYE AGE 0-17 | 0.4176 | 2.7 | 2.1 | 1 |
| 49 | MAJOR HEAD & NECK PROCEDURES | 1.6479 | 2.8 | 2.1 | 1 |
| 50 | SIALOADENECTOMY | 0.9367 | 1.6 | 1.4 | 1 |
| 51 | SALIVARY GLAND PROCEDURES EXCEPT SIALOADENECTOMY | 0.8833* | 2.9 | 1.8 | 1 |
| 52 | CLEFT LIP & PALATE REPAIR | 0.7198 | 1.7 | 1.4 | 1 |
| 53 | SINUS & MASTOID PROCEDURES AGE >17 | 1.2340 | 2.5 | 2.0 | 1 |
| 54 | SINUS & MASTOID PROCEDURES AGE 0-17 | 1.5617 | 4.7 | 3.2 | 1 |
| 55 | MISCELLANEOUS EAR, NOSE, MOUTH & THROAT PROCEDURES | 1.2638 | 3.6 | 2.3 | 1 |
| 56 | RHINOPLASTY | 0.7807 | 1.4 | 1.3 | 1 |
| 57 | T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17 | 0.6838 | 2.1 | 1.7 | 1 |
| 58 | T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17 | 0.6062 | 2.5 | 2.1 | 1 |
| 59 | TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17 | 0.7320 | 1.9 | 1.6 | 1 |
| 60 | TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17 | 0.5480 | 2.0 | 1.5 | 1 |
| 61 | MYRINGOTOMY W TUBE INSERTION AGE >17 | 1.7002* | 5.8 | 3.3 | 1 |
| 62 | MYRINGOTOMY W TUBE INSERTION AGE 0-17 | 0.5559 | 1.7 | 1.4 | 1 |
| 63 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES | 1.4441 | 2.5 | 1.9 | 1 |
| 64 | EAR, NOSE, MOUTH & THROAT MALIGNANCY | 1.3521 | 6.1 | 3.9 | 1 |
| 65 | DYSEQUILIBRIUM | 0.6084 | 2.4 | 2.0 | 1 |
| 66 | EPISTAXIS | 0.6171 | 2.9 | 2.2 | 1 |
| 67 | EPIGLOTTITIS | 0.6628 | 2.6 | 2.3 | 1 |
| 68 | OTITIS MEDIA & URI AGE >17 W CC | 0.5748 | 2.8 | 2.2 | 1 |
| 69 | OTITIS MEDIA & URI AGE >17 W/O CC | 0.4566 | 2.4 | 2.0 | 1 |
| 70 | OTITIS MEDIA & URI AGE 0-17 | 0.3260 | 2.4 | 2.0 | 1 |
| 71 | LARYNGOTRACHEITIS | 0.2751 | 1.7 | 1.5 | 1 |
| 72 | NASAL TRAUMA & DEFORMITY | 0.6582 | 1.3 | 1.2 | 1 |
| 73 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 | 0.7315 | 3.0 | 2.4 | 1 |
| 74 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17 | 0.4743 | 2.7 | 2.1 | 1 |
| 75 | MAJOR CHEST PROCEDURES | 2.6879 | 8.0 | 6.1 | 1 |
| 76 | OTHER RESP SYSTEM O.R. PROCEDURES W CC | 2.8213 | 9.2 | 6.6 | 1 |
| 77 | OTHER RESP SYSTEM O.R. PROCEDURES W/O CC | 1.2767 | 3.8 | 2.9 | 1 |
| 78 | PULMONARY EMBOLISM | 1.2881 | 5.7 | 4.9 | 1 |
| 79 | RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC | 1.9988 | 8.7 | 6.7 | 1 |
| 80 | RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC | 1.0680 | 5.7 | 4.6 | 1 |
| 81 | RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 | 1.8108 | 7.9 | 5.8 | 1 |
| 82 | RESPIRATORY NEOPLASMS | 1.6527 | 6.8 | 4.7 | 1 |
| 83 | MAJOR CHEST TRAUMA W CC | 0.9330 | 3.7 | 2.9 | 1 |
| 84 | MAJOR CHEST TRAUMA W/O CC | 0.7188 | 2.9 | 2.2 | 1 |
| 85 | PLEURAL EFFUSION W CC | 1.1773 | 4.9 | 3.8 | 1 |
| 86 | PLEURAL EFFUSION W/O CC | 0.6395 | 4.0 | 2.9 | 1 |
| 87 | PULMONARY EDEMA & RESPIRATORY FAILURE | 1.4830 | 7.0 | 4.7 | 1 |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|------------------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 88 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 0.9703 | 4.6 | 3.6 | 1 |
| 89 | SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC | 1.0803 | 4.9 | 4.0 | 1 |
| 90 | SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC | 0.6502 | 3.6 | 2.9 | 1 |
| 91 | SIMPLE PNEUMONIA & PLEURISY AGE 0-17 | 0.4795 | 2.9 | 2.4 | 1 |
| 92 | INTERSTITIAL LUNG DISEASE W CC | 1.1157 | 5.2 | 4.3 | 1 |
| 93 | INTERSTITIAL LUNG DISEASE W/O CC | 0.8893 | 4.7 | 3.3 | 1 |
| 94 | PNEUMOTHORAX W CC | 1.1242 | 5.3 | 4.1 | 1 |
| 95 | PNEUMOTHORAX W/O CC | 0.5042 | 3.1 | 2.6 | 1 |
| 96 | BRONCHITIS & ASTHMA AGE >17 W CC | 0.7870 | 3.7 | 3.0 | 1 |
| 97 | BRONCHITIS & ASTHMA AGE >17 W/O CC | 0.5374 | 2.8 | 2.4 | 1 |
| 98 | BRONCHITIS & ASTHMA AGE 0-17 | 0.4225 | 2.5 | 2.1 | 1 |
| 99 | RESPIRATORY SIGNS & SYMPTOMS W CC | 0.6580 | 3.1 | 2.2 | 1 |
| 100 | RESPIRATORY SIGNS & SYMPTOMS W/O CC | 0.5395 | 1.9 | 1.6 | 1 |
| 101 | OTHER RESPIRATORY SYSTEM DIAGNOSES W CC | 1.0222 | 3.9 | 2.8 | 1 |
| 102 | OTHER RESPIRATORY SYSTEM DIAGNOSES W/O CC | 0.5970 | 2.4 | 1.8 | 1 |
| 103 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM | 14.4156 | 28.8 | 16.9 | 1 |
| 104 | CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W CARDIAC CATH | 7.9550 | 11.8 | 10.2 | 3 |
| 105 | CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH | 5.6011 | 8.0 | 6.6 | 2 |
| 106 | CORONARY BYPASS W PTCA | 6.7356 | 8.5 | 6.8 | 1 |
| 107 | CORONARY BYPASS W CARDIAC CATH | 5.4261 | 8.5 | 7.7 | 3 |
| 108 | OTHER CARDIOTHORACIC PROCEDURES | 4.1617 | 6.5 | 4.7 | 1 |
| 109 | CORONARY BYPASS W/O CARDIAC CATH | 4.2440 | 6.2 | 5.6 | 2 |
| 110 | MAJOR CARDIOVASCULAR PROCEDURES W CC | 3.9499 | 7.9 | 5.7 | 1 |
| 111 | MAJOR CARDIOVASCULAR PROCEDURES W/O CC | 2.4156 | 4.1 | 3.3 | 1 |
| 112 | NO LONGER VALID | - | - | - | - |
| 113 | AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE | 4.0456 | 13.4 | 10.5 | 2 |
| 114 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS | 2.3745 | 9.5 | 6.8 | 1 |
| 115 | PRM CARD PACEM IMPL W AMI/HF/SHOCK OR AICD LEAD OR GNRTR PROC | 4.7265 | 4.5 | 2.7 | 1 |
| 116 | OTHER PERMANENT CARDIAC PACEMAKER IMPLANT | 2.7221 | 3.3 | 2.4 | 1 |
| 117 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT | 2.0738 | 3.9 | 2.7 | 1 |
| 118 | CARDIAC PACEMAKER DEVICE REPLACEMENT | 2.0471 | 2.6 | 1.6 | 1 |
| 119 | VEIN LIGATION & STRIPPING | 2.2844 | 4.7 | 2.8 | 1 |
| 120 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 2.9445 | 8.4 | 4.9 | 1 |
| 121 | CIRCULATORY DISORDERS W AMI & MAJOR COMP, DISCHARGED ALIVE | 1.6274 | 4.5 | 3.4 | 1 |
| 122 | CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE | 1.1169 | 2.5 | 2.1 | 1 |
| 123 | CIRCULATORY DISORDERS W AMI, EXPIRED | 2.0239 | 3.8 | 2.3 | 1 |
| 124 | CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH & COMPLEX DIAG | 1.3745 | 3.1 | 2.4 | 1 |
| 125 | CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG | 1.1687 | 2.2 | 1.8 | 1 |
| 126 | ACUTE & SUBACUTE ENDOCARDITIS | 2.5663 | 9.6 | 6.7 | 1 |
| 127 | HEART FAILURE & SHOCK | 1.1203 | 4.8 | 3.6 | 1 |
| 128 | DEEP VEIN THROMBOPHLEBITIS | 0.8020 | 4.6 | 3.8 | 1 |
| 129 | CARDIAC ARREST, UNEXPLAINED | 0.7169 | 1.6 | 1.3 | 1 |
| 130 | PERIPHERAL VASCULAR DISORDERS W CC | 1.0130 | 5.5 | 3.9 | 1 |
| 131 | PERIPHERAL VASCULAR DISORDERS W/O CC | 0.7194 | 3.9 | 2.9 | 1 |
| 132 | ATHEROSCLEROSIS W CC | 0.6516 | 2.3 | 1.8 | 1 |
| 133 | ATHEROSCLEROSIS W/O CC | 0.8057 | 3.1 | 1.8 | 1 |
| 134 | HYPERTENSION | 0.7012 | 3.6 | 2.2 | 1 |
| 135 | CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W CC | 0.7462 | 2.9 | 2.2 | 1 |
| 136 | CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W/O CC | 0.5575 | 2.9 | 2.0 | 1 |
| 137 | CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 0-17 | 0.8710 | 3.9 | 2.6 | 1 |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|---------------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 138 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC | 0.7830 | 2.9 | 2.3 | 1 |
| 139 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC | 0.5100 | 2.0 | 1.7 | 1 |
| 140 | ANGINA PECTORIS | 0.5475 | 1.8 | 1.5 | 1 |
| 141 | SYNCOPE & COLLAPSE W CC | 0.7507 | 2.8 | 2.2 | 1 |
| 142 | SYNCOPE & COLLAPSE W/O CC | 0.6279 | 2.0 | 1.7 | 1 |
| 143 | CHEST PAIN | 0.5883 | 1.6 | 1.4 | 1 |
| 144 | OTHER CIRCULATORY SYSTEM DIAGNOSES W CC | 1.4595 | 5.5 | 3.7 | 1 |
| 145 | OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC | 0.6133 | 2.5 | 1.9 | 1 |
| 146 | RECTAL RESECTION W CC | 2.8039 | 8.6 | 7.7 | 3 |
| 147 | RECTAL RESECTION W/O CC | 1.8190 | 5.7 | 5.4 | 2 |
| 148 | MAJOR SMALL & LARGE BOWEL PROCEDURES W CC | 3.4012 | 10.6 | 8.6 | 2 |
| 149 | MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC | 1.6850 | 5.5 | 5.0 | 1 |
| 150 | PERITONEAL ADHESIOLYSIS W CC | 2.4636 | 8.6 | 6.4 | 1 |
| 151 | PERITONEAL ADHESIOLYSIS W/O CC | 1.3410 | 4.2 | 3.3 | 1 |
| 152 | MINOR SMALL & LARGE BOWEL PROCEDURES W CC | 1.7992 | 6.8 | 5.8 | 2 |
| 153 | MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC | 1.1772 | 4.7 | 4.1 | 1 |
| 154 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W CC | 3.3977 | 9.6 | 7.0 | 1 |
| 155 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W/O CC | 1.2981 | 2.7 | 2.1 | 1 |
| 156 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE 0-17 | 0.9691 | 4.2 | 3.0 | 1 |
| 157 | ANAL & STOMAL PROCEDURES W CC | 1.2351 | 4.5 | 3.3 | 1 |
| 158 | ANAL & STOMAL PROCEDURES W/O CC | 0.7053 | 2.4 | 2.0 | 1 |
| 159 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W CC | 1.4619 | 4.3 | 3.5 | 1 |
| 160 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W/O CC | 0.9965 | 2.5 | 2.1 | 1 |
| 161 | INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W CC | 1.4002 | 4.1 | 2.8 | 1 |
| 162 | INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W/O CC | 0.8169 | 1.7 | 1.5 | 1 |
| 163 | HERNIA PROCEDURES AGE 0-17 | 0.5741 | 1.9 | 1.6 | 1 |
| 164 | APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC | 1.9958 | 6.6 | 5.6 | 1 |
| 165 | APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC | 1.2493 | 3.9 | 3.3 | 1 |
| 166 | APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC | 1.2183 | 3.1 | 2.5 | 1 |
| 167 | APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC | 0.9158 | 1.8 | 1.6 | 1 |
| 168 | MOUTH PROCEDURES W CC | 1.2380 | 3.6 | 2.6 | 1 |
| 169 | MOUTH PROCEDURES W/O CC | 1.0603 | 2.2 | 1.8 | 1 |
| 170 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC | 2.7245 | 9.0 | 5.9 | 1 |
| 171 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC | 1.2833 | 4.3 | 3.2 | 1 |
| 172 | DIGESTIVE MALIGNANCY W CC | 1.5523 | 6.8 | 4.6 | 1 |
| 173 | DIGESTIVE MALIGNANCY W/O CC | 0.7668 | 4.6 | 3.5 | 1 |
| 174 | G.I. HEMORRHAGE W CC | 0.9757 | 3.7 | 3.0 | 1 |
| 175 | G.I. HEMORRHAGE W/O CC | 0.5880 | 2.4 | 2.0 | 1 |
| 176 | COMPLICATED PEPTIC ULCER | 1.4912 | 5.0 | 3.6 | 1 |
| 177 | UNCOMPLICATED PEPTIC ULCER W CC | 0.8917 | 3.8 | 2.9 | 1 |
| 178 | UNCOMPLICATED PEPTIC ULCER W/O CC | 0.7121 | 2.6 | 2.2 | 1 |
| 179 | INFLAMMATORY BOWEL DISEASE | 1.0551 | 5.1 | 4.0 | 1 |
| 180 | G.I. OBSTRUCTION W CC | 0.9532 | 4.7 | 3.5 | 1 |
| 181 | G.I. OBSTRUCTION W/O CC | 0.5630 | 2.9 | 2.4 | 1 |
| 182 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC | 0.8028 | 3.6 | 2.8 | 1 |
| 183 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC | 0.6381 | 2.6 | 2.1 | 1 |
| 184 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 | 0.3308 | 2.4 | 2.0 | 1 |
| 185 | DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 | 1.1531 | 3.9 | 2.5 | 1 |
| 186 | DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 | 0.4237 | 2.3 | 1.9 | 1 |
| 187 | DENTAL EXTRACTIONS & RESTORATIONS | 0.7643 | 3.8 | 2.8 | 1 |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002
CHAPTER 6, ADDENDUM C (FY 2005)
DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|-------------------------------------------------------------------|------------------------|----------------|---------------|----------------------|
| 188 | OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC | 1.0488 | 4.6 | 3.4 | 1 |
| 189 | OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC | 0.6064 | 2.6 | 2.1 | 1 |
| 190 | OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 | 0.5644 | 3.0 | 2.1 | 1 |
| 191 | PANCREAS, LIVER & SHUNT PROCEDURES W CC | 5.2528 | 13.8 | 9.9 | 1 |
| 192 | PANCREAS, LIVER & SHUNT PROCEDURES W/O CC | 2.2012 | 6.4 | 5.2 | 1 |
| 193 | BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W CC | 4.1095 | 10.5 | 7.7 | 1 |
| 194 | BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC | 1.5772 | 5.8 | 4.7 | 1 |
| 195 | CHOLECYSTECTOMY W C.D.E. W CC | 2.2282 | 5.5 | 4.7 | 1 |
| 196 | CHOLECYSTECTOMY W C.D.E. W/O CC | 1.4375 | 4.2 | 3.7 | 1 |
| 197 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC | 2.2343 | 6.8 | 5.7 | 1 |
| 198 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC | 1.3767 | 4.0 | 3.4 | 1 |
| 199 | HEPATOBIILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY | 3.0277 | 10.2 | 7.9 | 1 |
| 200 | HEPATOBIILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY | 3.5369 | 9.1 | 5.1 | 1 |
| 201 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES | 5.0395 | 11.6 | 7.9 | 1 |
| 202 | CIRRHOSIS & ALCOHOLIC HEPATITIS | 1.5437 | 6.4 | 4.6 | 1 |
| 203 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS | 1.5431 | 6.0 | 4.1 | 1 |
| 204 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 1.1632 | 5.1 | 3.8 | 1 |
| 205 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W CC | 1.4797 | 5.9 | 4.2 | 1 |
| 206 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W/O CC | 0.8037 | 3.5 | 2.6 | 1 |
| 207 | DISORDERS OF THE BILIARY TRACT W CC | 1.0621 | 3.8 | 3.0 | 1 |
| 208 | DISORDERS OF THE BILIARY TRACT W/O CC | 0.6330 | 2.5 | 2.0 | 1 |
| 209 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF LOWER EXTREMITY | 2.3663 | 4.0 | 3.7 | 1 |
| 210 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC | 2.5261 | 7.0 | 5.8 | 1 |
| 211 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC | 1.4977 | 3.7 | 3.2 | 1 |
| 212 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17 | 1.1360 | 3.1 | 2.5 | 1 |
| 213 | AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS | 2.0865 | 7.4 | 5.2 | 1 |
| 214 | NO LONGER VALID | - | - | - | - |
| 215 | NO LONGER VALID | - | - | - | - |
| 216 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE | 1.8635 | 5.6 | 3.6 | 1 |
| 217 | WND DEBRID & SKN GRFT EXCEPT HAND, FOR MUSCSKELET & CONN TISS DIS | 3.0143 | 8.7 | 5.9 | 1 |
| 218 | LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W CC | 1.8364 | 4.6 | 3.5 | 1 |
| 219 | LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W/O CC | 1.2527 | 2.7 | 2.3 | 1 |
| 220 | LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE 0-17 | 0.8860 | 1.9 | 1.6 | 1 |
| 221 | NO LONGER VALID | - | - | - | - |
| 222 | NO LONGER VALID | - | - | - | - |
| 223 | MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMITY PROC W CC | 1.2396 | 2.5 | 1.9 | 1 |
| 224 | SHOULDER, ELBOW OR FOREARM PROC, EXC MAJOR JOINT PROC, W/O CC | 1.0679 | 1.7 | 1.5 | 1 |
| 225 | FOOT PROCEDURES | 1.2154 | 2.7 | 2.1 | 1 |
| 226 | SOFT TISSUE PROCEDURES W CC | 1.6100 | 5.1 | 3.5 | 1 |
| 227 | SOFT TISSUE PROCEDURES W/O CC | 0.9988 | 2.1 | 1.7 | 1 |
| 228 | MAJOR THUMB OR JOINT PROC, OR OTH HAND OR WRIST PROC W CC | 1.2369 | 2.7 | 2.1 | 1 |
| 229 | HAND OR WRIST PROC, EXCEPT MAJOR JOINT PROC, W/O CC | 0.8938 | 2.1 | 1.7 | 1 |
| 230 | LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR | 0.8968 | 2.5 | 1.9 | 1 |
| 231 | NO LONGER VALID | - | - | - | - |
| 232 | ARTHROSCOPY | 1.1804 | 1.6 | 1.4 | 1 |
| 233 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC | 2.8631 | 7.1 | 5.1 | 1 |
| 234 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC | 1.4052 | 2.7 | 2.1 | 1 |
| 235 | FRACTURES OF FEMUR | 0.5754 | 4.0 | 2.1 | 1 |
| 236 | FRACTURES OF HIP & PELVIS | 0.6692 | 9.1 | 4.7 | 1 |
| 237 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH | 0.7354 | 5.1 | 2.3 | 1 |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|------------------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 238 | OSTEOMYELITIS | 1.0683 | 7.8 | 5.3 | 1 |
| 239 | PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY | 1.4459 | 6.2 | 4.4 | 1 |
| 240 | CONNECTIVE TISSUE DISORDERS W CC | 1.6643 | 6.6 | 4.6 | 1 |
| 241 | CONNECTIVE TISSUE DISORDERS W/O CC | 0.8546 | 4.5 | 3.1 | 1 |
| 242 | SEPTIC ARTHRITIS | 1.0593 | 7.4 | 4.6 | 1 |
| 243 | MEDICAL BACK PROBLEMS | 0.6868 | 3.5 | 2.5 | 1 |
| 244 | BONE DISEASES & SPECIFIC ARTHROPATHIES W CC | 0.9261 | 5.8 | 4.3 | 1 |
| 245 | BONE DISEASES & SPECIFIC ARTHROPATHIES W/O CC | 0.5508 | 10.7 | 4.9 | 1 |
| 246 | NON-SPECIFIC ARTHROPATHIES | 0.7425 | 5.8 | 3.4 | 1 |
| 247 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE | 0.5234 | 3.5 | 2.2 | 1 |
| 248 | TENDONITIS, MYOSITIS & BURSTITIS | 0.7336 | 3.9 | 2.9 | 1 |
| 249 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE | 0.7991 | 10.7 | 4.6 | 1 |
| 250 | FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W CC | 0.6512 | 5.1 | 3.0 | 1 |
| 251 | FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W/O CC | 0.6179 | 2.7 | 1.8 | 1 |
| 252 | FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE 0-17 | 0.3598 | 1.3 | 1.2 | 1 |
| 253 | FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W CC | 0.7637 | 9.4 | 4.4 | 1 |
| 254 | FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W/O CC | 0.5968 | 4.9 | 2.4 | 1 |
| 255 | FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE 0-17 | 0.4701 | 1.9 | 1.5 | 1 |
| 256 | OTHER MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DIAGNOSES | 0.6396 | 4.8 | 2.8 | 1 |
| 257 | TOTAL MASTECTOMY FOR MALIGNANCY W CC | 1.2570 | 2.3 | 1.9 | 1 |
| 258 | TOTAL MASTECTOMY FOR MALIGNANCY W/O CC | 1.2274 | 2.1 | 1.8 | 1 |
| 259 | SUBTOTAL MASTECTOMY FOR MALIGNANCY W CC | 1.2925 | 2.1 | 1.6 | 1 |
| 260 | SUBTOTAL MASTECTOMY FOR MALIGNANCY W/O CC | 0.8850 | 1.4 | 1.3 | 1 |
| 261 | BREAST PROC FOR NON-MALIGNANCY EXCEPT BIOPSY & LOCAL EXCISION | 1.1200 | 1.5 | 1.3 | 1 |
| 262 | BREAST BIOPSY & LOCAL EXCISION FOR NON-MALIGNANCY | 0.9249 | 3.4 | 2.8 | 1 |
| 263 | SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W CC | 2.5337 | 10.4 | 8.0 | 1 |
| 264 | SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W/O CC | 1.1251 | 5.4 | 4.3 | 1 |
| 265 | SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W CC | 1.9676 | 5.9 | 4.2 | 1 |
| 266 | SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W/O C | 1.2622 | 3.2 | 2.4 | 1 |
| 267 | PERIANAL & PILONIDAL PROCEDURES | 0.6118 | 2.8 | 2.2 | 1 |
| 268 | SKIN, SUBCUTANEOUS TISSUE & BREAST PLASTIC PROCEDURES | 1.4066 | 2.1 | 1.8 | 1 |
| 269 | OTHER SKIN, SUBCUT TISS & BREAST PROC W CC | 1.8101 | 7.1 | 4.8 | 1 |
| 270 | OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC | 0.9967 | 3.4 | 2.6 | 1 |
| 271 | SKIN ULCERS | 2.0811 | 18.0 | 8.8 | 1 |
| 272 | MAJOR SKIN DISORDERS W CC | 1.5499 | 7.8 | 5.4 | 1 |
| 273 | MAJOR SKIN DISORDERS W/O CC | 0.6562 | 3.7 | 3.0 | 1 |
| 274 | MALIGNANT BREAST DISORDERS W CC | 1.0271 | 5.7 | 3.8 | 1 |
| 275 | MALIGNANT BREAST DISORDERS W/O CC | 0.6366* | 3.0 | 2.2 | 1 |
| 276 | NON-MALIGANT BREAST DISORDERS | 0.4607 | 3.2 | 2.6 | 1 |
| 277 | CELLULITIS AGE >17 W CC | 0.9218 | 5.5 | 4.2 | 1 |
| 278 | CELLULITIS AGE >17 W/O CC | 0.5565 | 3.8 | 3.0 | 1 |
| 279 | CELLULITIS AGE 0-17 | 0.4356 | 3.0 | 2.6 | 1 |
| 280 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W CC | 0.6313 | 2.3 | 1.8 | 1 |
| 281 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W/O CC | 0.5243 | 2.2 | 1.5 | 1 |
| 282 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 0-17 | 0.4901 | 1.8 | 1.5 | 1 |
| 283 | MINOR SKIN DISORDERS W CC | 0.6495 | 4.6 | 3.0 | 1 |
| 284 | MINOR SKIN DISORDERS W/O CC | 0.3726 | 3.0 | 2.3 | 1 |
| 285 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DISORDERS | 2.2711 | 9.7 | 8.1 | 2 |
| 286 | ADRENAL & PITUITARY PROCEDURES | 1.9796 | 4.2 | 3.6 | 1 |
| 287 | SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS | 2.0654 | 8.9 | 6.4 | 1 |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|---------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 288 | O.R. PROCEDURES FOR OBESITY | 2.1521 | 3.2 | 2.9 | 1 |
| 289 | PARATHYROID PROCEDURES | 0.9102 | 1.7 | 1.4 | 1 |
| 290 | THYROID PROCEDURES | 0.9497 | 1.6 | 1.4 | 1 |
| 291 | THYROGLOSSAL PROCEDURES | 0.7712* | 1.5 | 1.3 | 1 |
| 292 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC | 3.3267 | 9.7 | 6.7 | 1 |
| 293 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC | 1.4962 | 2.6 | 2.1 | 1 |
| 294 | DIABETES AGE >35 | 0.7881 | 4.0 | 2.9 | 1 |
| 295 | DIABETES AGE 0-35 | 0.5061 | 2.7 | 2.3 | 1 |
| 296 | NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC | 0.8223 | 4.5 | 3.1 | 1 |
| 297 | NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC | 0.4638 | 3.0 | 2.1 | 1 |
| 298 | NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17 | 0.2782 | 2.2 | 1.8 | 1 |
| 299 | INBORN ERRORS OF METABOLISM | 0.6501 | 3.8 | 2.6 | 1 |
| 300 | ENDOCRINE DISORDERS W CC | 0.8640 | 4.3 | 3.2 | 1 |
| 301 | ENDOCRINE DISORDERS W/O CC | 0.5564 | 2.3 | 1.8 | 1 |
| 302 | KIDNEY TRANSPLANT | 3.4651 | 7.6 | 6.8 | 2 |
| 303 | KIDNEY,URETER & MAJOR BLADDER PROCEDURES FOR NEOPLASM | 2.1921 | 5.6 | 4.6 | 1 |
| 304 | KIDNEY,URETER & MAJOR BLADDER PROC FOR NON-NEOPL W CC | 1.6210 | 4.7 | 3.8 | 1 |
| 305 | KIDNEY,URETER & MAJOR BLADDER PROC FOR NON-NEOPL W/O CC | 1.0512 | 2.6 | 2.2 | 1 |
| 306 | PROSTATECTOMY W CC | 0.9710 | 3.1 | 2.4 | 1 |
| 307 | PROSTATECTOMY W/O CC | 0.6248 | 1.9 | 1.7 | 1 |
| 308 | MINOR BLADDER PROCEDURES W CC | 1.9253 | 4.4 | 3.0 | 1 |
| 309 | MINOR BLADDER PROCEDURES W/O CC | 1.0820 | 2.0 | 1.6 | 1 |
| 310 | TRANSURETHRAL PROCEDURES W CC | 1.1112 | 2.4 | 1.9 | 1 |
| 311 | TRANSURETHRAL PROCEDURES W/O CC | 0.8923 | 1.8 | 1.6 | 1 |
| 312 | URETHRAL PROCEDURES, AGE >17 W CC | 1.5849 | 4.6 | 3.0 | 1 |
| 313 | URETHRAL PROCEDURES, AGE >17 W/O CC | 0.7298* | 2.2 | 1.7 | 1 |
| 314 | URETHRAL PROCEDURES, AGE 0-17 | 0.5537* | 2.3 | 2.3 | 1 |
| 315 | OTHER KIDNEY & URINARY TRACT PROCEDURES | 2.0618 | 5.9 | 3.4 | 1 |
| 316 | RENAL FAILURE | 1.4990 | 6.8 | 4.6 | 1 |
| 317 | ADMIT FOR RENAL DIALYSIS | 1.0645 | 4.0 | 3.0 | 1 |
| 318 | KIDNEY & URINARY TRACT NEOPLASMS W CC | 1.8528 | 6.0 | 4.5 | 1 |
| 319 | KIDNEY & URINARY TRACT NEOPLASMS W/O CC | 1.1770 | 4.4 | 3.1 | 1 |
| 320 | KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC | 0.8577 | 4.4 | 3.3 | 1 |
| 321 | KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O CC | 0.5942 | 3.1 | 2.6 | 1 |
| 322 | KIDNEY & URINARY TRACT INFECTIONS AGE 0-17 | 0.4106 | 3.0 | 2.6 | 1 |
| 323 | URINARY STONES W CC, &/OR ESW LITHOTRIPSY | 0.7455 | 2.2 | 1.8 | 1 |
| 324 | URINARY STONES W/O CC | 0.4680 | 1.6 | 1.4 | 1 |
| 325 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W CC | 0.6443 | 3.3 | 2.4 | 1 |
| 326 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W/O CC | 0.5192 | 2.0 | 1.6 | 1 |
| 327 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 0-17 | 0.4140* | 3.1 | 3.1 | 1 |
| 328 | URETHRAL STRICTURE AGE >17 W CC | 0.7529* | 3.4 | 2.5 | 1 |
| 329 | URETHRAL STRICTURE AGE >17 W/O CC | 0.5052* | 2.2 | 1.6 | 1 |
| 330 | URETHRAL STRICTURE AGE 0-17 | 0.3565* | 1.6 | 1.6 | 1 |
| 331 | OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W CC | 1.1872 | 4.8 | 3.6 | 1 |
| 332 | OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W/O CC | 0.8056 | 5.1 | 2.8 | 1 |
| 333 | OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17 | 0.5541 | 3.2 | 2.6 | 1 |
| 334 | MAJOR MALE PELVIC PROCEDURES W CC | 1.5198 | 3.5 | 3.1 | 1 |
| 335 | MAJOR MALE PELVIC PROCEDURES W/O CC | 1.3756 | 2.8 | 2.6 | 1 |
| 336 | TRANSURETHRAL PROSTATECTOMY W CC | 0.8524 | 2.6 | 2.1 | 1 |
| 337 | TRANSURETHRAL PROSTATECTOMY W/O CC | 0.6852 | 1.7 | 1.5 | 1 |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|----------------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 338 | TESTES PROCEDURES, FOR MALIGNANCY | 1.3472* | 5.7 | 3.4 | 1 |
| 339 | TESTES PROCEDURES, NON-MALIGNANCY AGE >17 | 0.8531 | 2.5 | 1.8 | 1 |
| 340 | TESTES PROCEDURES, NON-MALIGNANCY AGE 0-17 | 0.4929 | 1.5 | 1.3 | 1 |
| 341 | PENIS PROCEDURES | 1.5012 | 2.4 | 1.8 | 1 |
| 342 | CIRCUMCISION AGE >17 | 0.8819* | 3.2 | 2.4 | 1 |
| 343 | CIRCUMCISION AGE 0-17 | 0.1723* | 1.7 | 1.7 | 1 |
| 344 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY | 1.2311 | 2.2 | 1.7 | 1 |
| 345 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXCEPT FOR MALIGNANCY | 1.3245* | 4.9 | 3.1 | 1 |
| 346 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W CC | 1.4376 | 5.3 | 3.5 | 1 |
| 347 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W/O CC | 0.5847* | 2.7 | 2.0 | 1 |
| 348 | BENIGN PROSTATIC HYPERTROPHY W CC | 0.8092* | 4.1 | 3.2 | 1 |
| 349 | BENIGN PROSTATIC HYPERTROPHY W/O CC | 0.4972* | 2.5 | 2.0 | 1 |
| 350 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM | 0.5706 | 3.0 | 2.4 | 1 |
| 351 | STERILIZATION, MALE | 0.2643* | 1.3 | 1.3 | 1 |
| 352 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES | 0.7149 | 4.3 | 3.2 | 1 |
| 353 | PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY | 1.4749 | 4.2 | 3.6 | 1 |
| 354 | UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC | 1.3336 | 4.1 | 3.5 | 1 |
| 355 | UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC | 1.0169 | 2.5 | 2.3 | 1 |
| 356 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 0.9196 | 1.7 | 1.5 | 1 |
| 357 | UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY | 1.8015 | 5.5 | 4.5 | 1 |
| 358 | UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC | 1.1502 | 3.0 | 2.6 | 1 |
| 359 | UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC | 0.9454 | 2.2 | 2.0 | 1 |
| 360 | VAGINA, CERVIX & VULVA PROCEDURES | 1.0523 | 2.3 | 2.0 | 1 |
| 361 | LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION | 1.0039 | 2.3 | 2.0 | 1 |
| 362 | ENDOSCOPIC TUBAL INTERRUPTION | 0.3378* | 1.4 | 1.4 | 1 |
| 363 | D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY | 0.9929 | 3.1 | 2.5 | 1 |
| 364 | D&C, CONIZATION EXCEPT FOR MALIGNANCY | 0.6519 | 1.8 | 1.5 | 1 |
| 365 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES | 1.3388 | 3.7 | 3.0 | 1 |
| 366 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC | 1.2776 | 5.0 | 3.7 | 1 |
| 367 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC | 0.8237 | 5.3 | 2.9 | 1 |
| 368 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM | 0.6239 | 3.1 | 2.6 | 1 |
| 369 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS | 0.5620 | 1.9 | 1.6 | 1 |
| 370 | CESAREAN SECTION W CC | 0.8948 | 4.4 | 3.8 | 1 |
| 371 | CESAREAN SECTION W/O CC | 0.7280 | 3.3 | 3.1 | 1 |
| 372 | VAGINAL DELIVERY W COMPLICATING DIAGNOSES | 0.5016 | 2.7 | 2.4 | 1 |
| 373 | VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES | 0.4039 | 2.1 | 1.9 | 1 |
| 374 | VAGINAL DELIVERY W STERILIZATION &/OR D&C | 0.6709 | 2.3 | 2.1 | 1 |
| 375 | VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C | 0.4285 | 2.5 | 2.2 | 1 |
| 376 | POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE | 0.4867 | 2.7 | 2.2 | 1 |
| 377 | POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE | 1.2715 | 3.6 | 2.7 | 1 |
| 378 | ECTOPIC PREGNANCY | 0.8952 | 1.9 | 1.7 | 1 |
| 379 | THREATENED ABORTION | 0.4990 | 3.7 | 2.4 | 1 |
| 380 | ABORTION W/O D&C | 0.3612 | 1.5 | 1.3 | 1 |
| 381 | ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 0.5644 | 1.5 | 1.3 | 1 |
| 382 | FALSE LABOR | 0.3446 | 1.8 | 1.5 | 1 |
| 383 | OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS | 0.4419 | 2.9 | 2.2 | 1 |
| 384 | OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS | 0.4473 | 3.1 | 2.1 | 1 |
| 385 | NO LONGER VALID | - | - | - | - |
| 386 | NO LONGER VALID | - | - | - | - |
| 387 | NO LONGER VALID | - | - | - | - |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|---------------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 388 | NO LONGER VALID | - | - | - | - |
| 389 | NO LONGER VALID | - | - | - | - |
| 390 | NO LONGER VALID | - | - | - | - |
| 391 | NORMAL NEWBORN | 0.1054 | 2.0 | 1.9 | 1 |
| 392 | SPLENECTOMY AGE >17 | 2.4149 | 5.8 | 4.5 | 1 |
| 393 | SPLENECTOMY AGE 0-17 | 1.6390 | 5.4 | 3.6 | 1 |
| 394 | OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS | 1.6418 | 5.4 | 3.3 | 1 |
| 395 | RED BLOOD CELL DISORDERS AGE >17 | 0.9157 | 4.0 | 2.9 | 1 |
| 396 | RED BLOOD CELL DISORDERS AGE 0-17 | 0.6104 | 3.8 | 2.9 | 1 |
| 397 | COAGULATION DISORDERS | 1.1113 | 3.4 | 2.6 | 1 |
| 398 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC | 1.1268 | 4.8 | 3.7 | 1 |
| 399 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS W/O CC | 0.4914 | 3.1 | 2.6 | 1 |
| 400 | NO LONGER VALID | - | - | - | - |
| 401 | LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W CC | 4.4470 | 12.2 | 7.9 | 1 |
| 402 | LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W/O CC | 1.1703 | 3.0 | 2.4 | 1 |
| 403 | LYMPHOMA & NON-ACUTE LEUKEMIA W CC | 2.1533 | 8.2 | 5.4 | 1 |
| 404 | LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC | 1.1459 | 4.6 | 3.3 | 1 |
| 405 | ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE 0-17 | 2.9558 | 10.8 | 6.1 | 1 |
| 406 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W CC | 2.8984 | 6.2 | 4.7 | 1 |
| 407 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W/O CC | 1.7207 | 3.7 | 3.1 | 1 |
| 408 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R.PROC | 2.9763 | 7.8 | 4.4 | 1 |
| 409 | RADIOTHERAPY | 0.7457 | 3.4 | 2.5 | 1 |
| 410 | CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS | 1.2227 | 3.7 | 3.0 | 1 |
| 411 | HISTORY OF MALIGNANCY W/O ENDOSCOPY | 0.4386* | 4.7 | 4.7 | 1 |
| 412 | HISTORY OF MALIGNANCY W ENDOSCOPY | 0.7131* | 1.6 | 1.2 | 1 |
| 413 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC | 1.7475 | 5.9 | 4.3 | 1 |
| 414 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC | 0.8820 | 4.8 | 2.8 | 1 |
| 415 | O.R. PROCEDURE FOR INFECTIOUS & PARASITIC DISEASES | 3.2980 | 10.4 | 6.8 | 1 |
| 416 | SEPTICEMIA AGE >17 | 2.1723 | 8.5 | 5.4 | 1 |
| 417 | SEPTICEMIA AGE 0-17 | 1.0781 | 5.3 | 3.8 | 1 |
| 418 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS | 0.9082 | 4.8 | 3.8 | 1 |
| 419 | FEVER OF UNKNOWN ORIGIN AGE >17 W CC | 0.8334 | 3.9 | 3.0 | 1 |
| 420 | FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC | 0.8007 | 3.4 | 2.9 | 1 |
| 421 | VIRAL ILLNESS AGE >17 | 0.7430 | 3.3 | 2.5 | 1 |
| 422 | VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17 | 0.3313 | 2.4 | 2.1 | 1 |
| 423 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES | 1.2082 | 6.9 | 4.3 | 1 |
| 424 | O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS | 2.7003* | 13.0 | 7.6 | 1 |
| 425 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 0.5237 | 3.0 | 2.1 | 1 |
| 426 | DEPRESSIVE NEUROSES | 0.4101 | 4.3 | 3.0 | 1 |
| 427 | NEUROSES EXCEPT DEPRESSIVE | 0.4115 | 3.9 | 2.9 | 1 |
| 428 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 1.0609 | 13.4 | 6.9 | 1 |
| 429 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 0.8142 | 10.4 | 4.6 | 1 |
| 430 | PSYCHOSES | 0.5463 | 6.3 | 4.7 | 1 |
| 431 | CHILDHOOD MENTAL DISORDERS | 0.6430 | 7.6 | 6.0 | 1 |
| 432 | OTHER MENTAL DISORDER DIAGNOSES | 0.7199* | 4.5 | 3.1 | 1 |
| 433 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 0.2943 | 5.3 | 4.1 | 1 |
| 434 | NO LONGER VALID | - | - | - | - |
| 435 | NO LONGER VALID | - | - | - | - |
| 436 | NO LONGER VALID | - | - | - | - |
| 437 | NO LONGER VALID | - | - | - | - |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|------------------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 438 | NO LONGER VALID | - | - | - | - |
| 439 | SKIN GRAFTS FOR INJURIES | 2.5677 | 8.7 | 6.2 | 1 |
| 440 | WOUND DEBRIDEMENTS FOR INJURIES | 1.7550 | 6.7 | 4.2 | 1 |
| 441 | HAND PROCEDURES FOR INJURIES | 0.9904 | 2.4 | 2.0 | 1 |
| 442 | OTHER O.R. PROCEDURES FOR INJURIES W CC | 2.5049 | 7.3 | 4.8 | 1 |
| 443 | OTHER O.R. PROCEDURES FOR INJURIES W/O CC | 1.0913 | 2.7 | 2.1 | 1 |
| 444 | TRAUMATIC INJURY AGE >17 W CC | 0.7678 | 5.4 | 2.6 | 1 |
| 445 | TRAUMATIC INJURY AGE >17 W/O CC | 0.7616 | 4.1 | 2.1 | 1 |
| 446 | TRAUMATIC INJURY AGE 0-17 | 0.5054 | 1.3 | 1.3 | 1 |
| 447 | ALLERGIC REACTIONS AGE >17 | 0.4836 | 2.0 | 1.6 | 1 |
| 448 | ALLERGIC REACTIONS AGE 0-17 | 0.1939 | 1.5 | 1.4 | 1 |
| 449 | POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC | 0.8935 | 2.9 | 2.1 | 1 |
| 450 | POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W/O CC | 0.3965 | 1.8 | 1.4 | 1 |
| 451 | POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17 | 0.3910 | 1.9 | 1.5 | 1 |
| 452 | COMPLICATIONS OF TREATMENT W CC | 0.9356 | 4.2 | 2.9 | 1 |
| 453 | COMPLICATIONS OF TREATMENT W/O CC | 0.5869 | 2.7 | 2.1 | 1 |
| 454 | OTHER INJURY, POISONING & TOXIC EFFECT DIAG W CC | 1.1806 | 3.5 | 2.3 | 1 |
| 455 | OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O CC | 0.4645 | 2.2 | 1.5 | 1 |
| 456 | NO LONGER VALID | - | - | - | - |
| 457 | NO LONGER VALID | - | - | - | - |
| 458 | NO LONGER VALID | - | - | - | - |
| 459 | NO LONGER VALID | - | - | - | - |
| 460 | NO LONGER VALID | - | - | - | - |
| 461 | O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES | 1.5562 | 3.8 | 2.3 | 1 |
| 462 | REHABILITATION | 1.4243 | 14.9 | 10.8 | 2 |
| 463 | SIGNS & SYMPTOMS W CC | 0.6400 | 4.8 | 3.0 | 1 |
| 464 | SIGNS & SYMPTOMS W/O CC | 0.5568 | 7.6 | 2.9 | 1 |
| 465 | AFTERCARE W HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS | 0.6633* | 2.9 | 2.0 | 1 |
| 466 | AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS | 1.1805 | 12.5 | 5.6 | 1 |
| 467 | OTHER FACTORS INFLUENCING HEALTH STATUS | 0.4387 | 4.5 | 2.8 | 1 |
| 468 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 2.8872 | 8.0 | 4.7 | 1 |
| 469 | PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | - | - | - | - |
| 470 | UNGROUPABLE | - | - | - | - |
| 471 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY | 3.4037 | 4.7 | 4.4 | 2 |
| 472 | NO LONGER VALID | - | - | - | - |
| 473 | ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17 | 6.0576 | 15.3 | 8.0 | 1 |
| 474 | NO LONGER VALID | - | - | - | - |
| 475 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT | 3.9489 | 10.0 | 7.1 | 1 |
| 476 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 1.5143 | 6.5 | 4.4 | 1 |
| 477 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 1.7528 | 6.1 | 3.7 | 1 |
| 478 | OTHER VASCULAR PROCEDURES W CC | 2.5142 | 5.4 | 3.6 | 1 |
| 479 | OTHER VASCULAR PROCEDURES W/O CC | 1.6402 | 2.6 | 2.1 | 1 |
| 480 | LIVER TRANSPLANT AND/OR INTESTINAL TRANSPLANT | 11.0289 | 19.5 | 14.4 | 3 |
| 481 | BONE MARROW TRANSPLANT | 9.5722 | 26.9 | 23.7 | 8 |
| 482 | TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSES | 3.1309 | 9.3 | 7.5 | 2 |
| 483 | NO LONGER VALID | - | - | - | - |
| 484 | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 6.2416 | 10.6 | 6.9 | 1 |
| 485 | LIMB REATTACHMENT, HIP AND FEMUR PROC FOR MULTIPLE SIGNIFICANT T | 5.3796 | 10.9 | 8.1 | 1 |
| 486 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA | 5.0738 | 11.4 | 8.4 | 1 |
| 487 | OTHER MULTIPLE SIGNIFICANT TRAUMA | 1.9553 | 6.7 | 4.5 | 1 |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|------------------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 488 | HIV W EXTENSIVE O.R. PROCEDURE | 5.4269* | 17.0 | 11.9 | 1 |
| 489 | HIV W MAJOR RELATED CONDITION | 2.2745 | 8.3 | 6.2 | 1 |
| 490 | HIV W OR W/O OTHER RELATED CONDITION | 0.8082 | 4.5 | 3.5 | 1 |
| 491 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITY | 2.0655 | 2.4 | 2.1 | 1 |
| 492 | CHEMO W ACUTE LEUKEMIA AS SDX OR W USE OF HIGH DOSE CHEMO AGENT | 2.2683 | 6.9 | 4.2 | 1 |
| 493 | LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC | 1.7743 | 4.6 | 3.8 | 1 |
| 494 | LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC | 1.1972 | 2.4 | 2.1 | 1 |
| 495 | LUNG TRANSPLANT | 10.0058 | 19.8 | 14.9 | 3 |
| 496 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION | 5.9578 | 5.9 | 4.8 | 1 |
| 497 | SPINAL FUSION EXCEPT CERVICAL W CC | 4.7402 | 5.3 | 4.6 | 1 |
| 498 | SPINAL FUSION EXCEPT CERVICAL W/O CC | 3.5924 | 3.5 | 3.1 | 1 |
| 499 | BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W CC | 1.4991 | 3.3 | 2.4 | 1 |
| 500 | BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC | 1.0673 | 1.8 | 1.5 | 1 |
| 501 | KNEE PROCEDURES W PDX OF INFECTION W CC | 1.8604 | 7.2 | 5.2 | 1 |
| 502 | KNEE PROCEDURES W PDX OF INFECTION W/O CC | 1.7178 | 4.8 | 4.1 | 1 |
| 503 | KNEE PROCEDURES W/O PDX OF INFECTION | 1.3331 | 2.2 | 1.8 | 1 |
| 504 | EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W SKIN GRAF | 14.4370* | 29.3 | 23.1 | 1 |
| 505 | EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W/O SKIN GR | 2.0787* | 4.4 | 2.3 | 1 |
| 506 | FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W CC OR SIG TRAUMA | 6.2669 | 16.7 | 11.6 | 1 |
| 507 | FULL THICKNESS BURN W SKIN GRFT OR INHAL INJ W/O CC OR SIG TRAUM | 1.4504 | 5.4 | 3.9 | 1 |
| 508 | FULL THICKNESS BURN W/O SKIN GRFT OR INHAL INJ W CC OR SIG TRAUM | 1.4827* | 7.3 | 5.1 | 1 |
| 509 | FULL THICKNESS BURN W/O SKIN GRFT OR INH INJ W/O CC OR SIG TRAUM | 0.8456 | 7.3 | 4.2 | 1 |
| 510 | NON-EXTENSIVE BURNS W CC OR SIGNIFICANT TRAUMA | 2.4186 | 8.4 | 5.5 | 1 |
| 511 | NON-EXTENSIVE BURNS W/O CC OR SIGNIFICANT TRAUMA | 0.9100 | 4.0 | 2.7 | 1 |
| 512 | SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT | 6.6824* | 13.9 | 11.4 | 1 |
| 513 | PANCREAS TRANSPLANT | 7.0165* | 10.0 | 8.9 | 1 |
| 514 | NO LONGER VALID | - | - | - | - |
| 515 | CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH | 5.9091 | 3.6 | 2.2 | 1 |
| 516 | PERCUTANEOUS CARDIOVASCULAR PROCEDURES W AMI | 2.6398 | 3.4 | 3.0 | 1 |
| 517 | PERCUTANEOUS CARDIOVASCULAR PROC W NON-DRUG ELUTING STENT W/O AM | 2.3462 | 2.0 | 1.6 | 1 |
| 518 | PERCUTANEOUS CARDIOVASC PROC W/O CORONARY ARTERY STENT OR AMI | 1.9962 | 2.3 | 1.7 | 1 |
| 519 | CERVICAL SPINAL FUSION W CC | 2.3043 | 2.8 | 2.0 | 1 |
| 520 | CERVICAL SPINAL FUSION W/O CC | 1.9552 | 1.5 | 1.3 | 1 |
| 521 | ALCOHOL/DRUG ABUSE OR DEPENDENCE W CC | 0.8712 | 5.6 | 3.8 | 1 |
| 522 | ALCOHOL/DRUG ABUSE OR DEPENDENCE W REHABILITATION THERAPY W/O CC | 0.8530 | 15.5 | 13.2 | 3 |
| 523 | NO LONGER VALID | - | - | - | - |
| 524 | TRANSIENT ISCHEMIA | 0.7741 | 2.5 | 2.0 | 1 |
| 525 | OTHER HEART ASSIST SYSTEM IMPLANT | 12.6261* | 15.8 | 8.2 | 1 |
| 526 | PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W AMI | 3.2171 | 3.2 | 2.8 | 1 |
| 527 | PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W/O AMI | 2.6738 | 1.8 | 1.5 | 1 |
| 528 | INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE | 8.6261 | 15.1 | 12.2 | 3 |
| 529 | VENTRICULAR SHUNT PROCEDURES W CC | 2.3718 | 6.7 | 3.9 | 1 |
| 530 | VENTRICULAR SHUNT PROCEDURES W/O CC | 1.2933 | 3.3 | 2.5 | 1 |
| 531 | SPINAL PROCEDURES W CC | 3.3624 | 7.7 | 5.7 | 1 |
| 532 | SPINAL PROCEDURES W/O CC | 1.7700 | 3.4 | 2.7 | 1 |
| 533 | EXTRACRANIAL PROCEDURES W CC | 1.7079 | 3.1 | 2.1 | 1 |
| 534 | EXTRACRANIAL PROCEDURES W/O CC | 1.3261 | 1.8 | 1.5 | 1 |
| 535 | CARDIAC DEFIB IMPLANT W CARDIAC CATH W AMI/HF/SHOCK | 8.2611 | 8.4 | 5.3 | 1 |
| 536 | CARDIAC DEFIB IMPLANT W CARDIAC CATH W/O AMI/HF/SHOCK | 6.9381 | 4.7 | 3.0 | 1 |
| 537 | LOCAL EXCISION & REMOVAL OF INT FIX DEVICES EXCEPT HIP & FEMUR W | 1.8522 | 4.9 | 3.5 | 1 |

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.55-M, AUGUST 1, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND
GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS
(EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

| DRG # | DESCRIPTION | TRICARE/ CHAMPUS WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT- STAY THRESHOLD |
|-------|------------------------------------------------------------------|-------------------------------|-------------------|---------------------|-----------------------------|
| 538 | LOCAL EXCISION & REMOVAL OF INT FIX DEVICES EXCEPT HIP & FEMUR W | 1.1280 | 2.3 | 1.8 | 1 |
| 539 | LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W CC | 3.2395 | 10.2 | 6.6 | 1 |
| 540 | LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W/O CC | 1.5817 | 4.0 | 2.9 | 1 |
| 541 | TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK DIAG W MAJ O.R. | 21.3636 | 42.9 | 34.9 | 9 |
| 542 | TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK DIAG W/O MAJ O. | 16.1059 | 34.1 | 26.5 | 5 |
| 543 | CRANIOTOMY W IMPLANT OF CHEMO AGENT OR ACUTE COMPLEX CNS PDX | 5.8985 | 12.3 | 8.5 | 1 |
| 600 | NEONATE, DIED W/IN ONE DAY OF BIRTH | 0.3876 | 1.0 | 1.0 | 1 |
| 601 | NEONATE, TRANSFERRED <5 DAYS OLD | 0.3460 | 1.5 | 1.3 | 1 |
| 602 | NEONATE, BIRTHWT <750G, DISCHARGED ALIVE | 25.9273 | 94.3 | 75.2 | 16 |
| 603 | NEONATE, BIRTHWT <750G, DIED | 8.0397 | 12.7 | 9.3 | 1 |
| 604 | NEONATE, BIRTHWT 750-999G, DISCHARGED ALIVE | 19.2858 | 70.1 | 62.4 | 21 |
| 605 | NEONATE, BIRTHWT 750-999G, DIED | 9.0579# | 24.7 | 10.7 | 1 |
| 606 | NEONATE, BIRTHWT 1000-1499G, W SIGNIF OR PROC, DISCHARGED ALIVE | 15.9796 | 72.0 | 59.9 | 14 |
| 607 | NEONATE, BIRTHWT 1000-1499G, W/O SIGNIF OR PROC, DISCHARGED ALIV | 7.6152 | 39.8 | 35.5 | 13 |
| 608 | NEONATE, BIRTHWT 1000-1499G, DIED | 7.0837# | 20.1 | 10.1 | 1 |
| 609 | NEONATE, BIRTHWT 1500-1999G, W SIGNIF OR PROC, W MULT MAJOR PROB | 9.9933# | 39.7 | 28.9 | 4 |
| 610 | NEONATE, BIRTHWT 1500-1999G, W SIGNIF OR PROC, W/O MULT MAJOR PR | 3.6770# | 23.7 | 23.1 | 16 |
| 611 | NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MULT MAJOR PR | 5.3098 | 27.0 | 22.8 | 6 |
| 612 | NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MAJOR PROB | 3.1109 | 19.2 | 16.9 | 5 |
| 613 | NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MINOR PROB | 4.2425 | 27.0 | 22.6 | 6 |
| 614 | NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W OTHER PROB | 1.9143 | 13.9 | 11.1 | 2 |
| 615 | NEONATE, BIRTHWT 2000-2499G, W SIGNIF OR PROC, W MULT MAJOR PROB | 7.3683 | 36.0 | 26.4 | 3 |
| 616 | NEONATE, BIRTHWT 2000-2499G, W SIGNIF OR PROC, W/O MULT MAJOR PR | 4.2335# | 20.3 | 17.7 | 5 |
| 617 | NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MULT MAJOR PR | 3.5590 | 16.0 | 12.8 | 3 |
| 618 | NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MAJOR PROB | 2.2219 | 12.7 | 10.2 | 2 |
| 619 | NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MINOR PROB | 1.7085 | 9.8 | 7.3 | 1 |
| 620 | NO LONGER VALID | - | - | - | - |
| 621 | NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W OTHER PROB | 0.8084 | 6.3 | 4.6 | 1 |
| 622 | NEONATE, BIRTHWT >2499G, W SIGNIF OR PROC, W MULT MAJOR PROB | 10.1763 | 29.2 | 19.3 | 3 |
| 623 | NEONATE, BIRTHWT >2499G, W SIGNIF OR PROC, W/O MULT MAJOR PROB | 2.2182 | 8.3 | 4.9 | 1 |
| 624 | NEONATE, BIRTHWT >2499G, W MINOR ABDOM PROCEDURE | 0.5399 | 2.5 | 2.3 | 1 |
| 625 | NO LONGER VALID | - | - | - | - |
| 626 | NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MULT MAJOR PROB | 2.8381 | 10.6 | 6.9 | 1 |
| 627 | NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MAJOR PROB | 0.8182 | 4.7 | 3.7 | 1 |
| 628 | NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MINOR PROB | 0.3536 | 3.0 | 2.5 | 1 |
| 629 | NO LONGER VALID | - | - | - | - |
| 630 | NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W OTHER PROB | 0.2285 | 2.6 | 2.3 | 1 |
| 631 | BPD AND OTH CHRONIC RESPIRATORY DISEASES ARISING IN PERINATAL PE | 1.7751 | 21.9 | 6.3 | 1 |
| 632 | OTHER RESPIRATORY PROBLEMS AFTER BIRTH | 0.7216 | 5.4 | 3.1 | 1 |
| 633 | MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W CC | 1.5422# | 7.4 | 7.4 | 4 |
| 634 | MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W/O CC | 0.8244# | 5.0 | 3.4 | 1 |
| 635 | NEONATAL AFTERCARE FOR WEIGHT GAIN | 0.4409# | 3.4 | 3.2 | 3 |
| 636 | NEONATAL DIAGNOSIS, AGE > 28 DAYS | 1.0751 | 6.7 | 3.4 | 1 |
| 900 | ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY AGE | 0.4595 | 7.1 | 4.4 | 1 |
| 901 | ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY AGE | 0.4660 | 6.2 | 4.1 | 1 |

- Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.