

Chapter 6

Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

Revision:

Effective for admissions on or after October 1, 2014. The second column labeled "POST ACUTE" indicates whether the DRG is subject to the post acute care transfer policy. The third column labeled "SPEC PAY" indicates whether the DRG is subject to the post acute care special payment provision.

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 1 | No | No | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM W MCC | 24.3816 | 43.2 | 32.4 | 7 |
| 2 | No | No | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM W/O MCC | 17.3320 | 26.9 | 18.2 | 4 |
| 3 | Yes | No | ECMO OR TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK W MAJ O.R. | 19.2381 | 34.9 | 26.9 | 6 |
| 4 | Yes | No | TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK W/O MAJ O.R. | 13.5202 | 30.0 | 23.0 | 5 |
| 5 | No | No | LIVER TRANSPLANT W MCC OR INTESTINAL TRANSPLANT | 15.8101 | 23.2 | 16.1 | 3 |
| 6 | No | No | LIVER TRANSPLANT W/O MCC | 6.0126 | 8.8 | 8.2 | 3 |
| 7 | No | No | LUNG TRANSPLANT | 8.4556 | 14.0 | 12.9 | 5 |
| 8 | No | No | SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT | 5.9165 | 11.4 | 9.8 | 3 |
| 10 | No | No | PANCREAS TRANSPLANT | 4.5342 | 9.7 | 7.9 | 2 |
| 11 | No | No | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSES W MCC | 4.5432 | 11.6 | 10.0 | 3 |
| 12 | No | No | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSES W CC | 3.5958 | 9.2 | 8.3 | 3 |
| 13 | No | No | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSES W/O CC/MCC | 2.4033 | 6.7 | 5.7 | 1 |
| 14 | No | No | ALLOGENEIC BONE MARROW TRANSPLANT | 13.1188 | 34.1 | 26.7 | 5 |
| 16 | No | No | AUTOLOGOUS BONE MARROW TRANSPLANT W CC/ MCC | 5.2676 | 18.6 | 17.1 | 6 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 17 | No | No | AUTOLOGOUS BONE MARROW TRANSPLANT W/O CC/ MCC | 3.9427 | 11.8 | 6.8 | 1 |
| 20 | No | No | INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE W MCC | 9.1363 | 17.0 | 14.3 | 4 |
| 21 | No | No | INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE W CC | 5.5333 | 11.9 | 11.4 | 6 |
| 22 | No | No | INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE W/O CC/MCC | 4.9877 | 7.9 | 6.4 | 2 |
| 23 | Yes | No | CRANIO W MAJOR DEV IMPL/ACUTE COMPLEX CNS PDX W MCC OR CHEMO IMPLANT | 5.6178 | 11.8 | 8.5 | 1 |
| 24 | Yes | No | CRANIO W MAJOR DEV IMPL/ACUTE COMPLEX CNS PDX W/O MCC | 4.1136 | 7.0 | 4.5 | 1 |
| 25 | Yes | No | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES AGE >17 W MCC | 4.5081 | 9.3 | 6.8 | 1 |
| 26 | Yes | No | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES AGE >17 W CC | 3.3375 | 5.7 | 4.1 | 1 |
| 27 | Yes | No | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES AGE >17 W/O CC/MCC | 2.4209 | 3.0 | 2.4 | 1 |
| 28 | Yes | Yes | SPINAL PROCEDURES W MCC | 4.1613 | 8.3 | 6.0 | 1 |
| 29 | Yes | Yes | SPINAL PROCEDURES W CC OR SPINAL NEUROSTIMULATORS | 2.9358 | 5.8 | 4.2 | 1 |
| 30 | Yes | Yes | SPINAL PROCEDURES W/O CC/MCC | 1.7205 | 3.0 | 2.3 | 1 |
| 31 | Yes | No | VENTRICULAR SHUNT PROCEDURES AGE >17 W MCC | 4.1741 | 12.4 | 8.4 | 1 |
| 32 | Yes | No | VENTRICULAR SHUNT PROCEDURES AGE >17 W CC | 1.8208 | 3.9 | 2.8 | 1 |
| 33 | Yes | No | VENTRICULAR SHUNT PROCEDURES AGE >17 W/O CC/ MCC | 1.4873 | 2.3 | 1.9 | 1 |
| 34 | No | No | CAROTID ARTERY STENT PROCEDURE W MCC | 4.1079 | 6.7 | 4.5 | 1 |
| 35 | No | No | CAROTID ARTERY STENT PROCEDURE W CC | 2.4807 | 2.5 | 1.8 | 1 |
| 36 | No | No | CAROTID ARTERY STENT PROCEDURE W/O CC/MCC | 1.8430 | 1.4 | 1.2 | 1 |
| 37 | No | No | EXTRACRANIAL PROCEDURES W MCC | 2.5584 | 5.9 | 4.7 | 1 |
| 38 | No | No | EXTRACRANIAL PROCEDURES W CC | 1.7229 | 3.4 | 2.4 | 1 |
| 39 | No | No | EXTRACRANIAL PROCEDURES W/O CC/MCC | 1.2595 | 1.5 | 1.3 | 1 |
| 40 | Yes | Yes | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROC W MCC | 3.3556 | 11.1 | 6.3 | 1 |
| 41 | Yes | Yes | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROC W CC OR PERIPH NEUROSTIM | 2.1247 | 4.5 | 3.2 | 1 |
| 42 | Yes | Yes | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROC W/O CC/MCC | 1.7865 | 2.5 | 2.1 | 1 |
| 52 | No | No | SPINAL DISORDERS & INJURIES W CC/MCC | 2.4720 | 6.7 | 5.1 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 53 | No | No | SPINAL DISORDERS & INJURIES W/O CC/MCC | 1.0670 | 3.7 | 2.8 | 1 |
| 54 | Yes | No | NERVOUS SYSTEM NEOPLASMS W MCC | 1.2928 | 4.7 | 3.4 | 1 |
| 55 | Yes | No | NERVOUS SYSTEM NEOPLASMS W/O MCC | 1.2096 | 3.5 | 2.4 | 1 |
| 56 | Yes | No | DEGENERATIVE NERVOUS SYSTEM DISORDERS W MCC | 1.9422 | 7.9 | 5.8 | 1 |
| 57 | Yes | No | DEGENERATIVE NERVOUS SYSTEM DISORDERS W/O MCC | 1.1095 | 4.4 | 3.0 | 1 |
| 58 | No | No | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA W MCC | 1.4370 | 5.9 | 4.2 | 1 |
| 59 | No | No | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA W CC | 0.9311 | 4.2 | 3.4 | 1 |
| 60 | No | No | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA W/O CC/MCC | 0.9091 | 3.7 | 3.0 | 1 |
| 61 | No | No | ACUTE ISCHEMIC STROKE W USE OF THROMBOLYTIC AGENT W MCC | 3.1716 | 7.2 | 5.4 | 1 |
| 62 | No | No | ACUTE ISCHEMIC STROKE W USE OF THROMBOLYTIC AGENT W CC | 2.1799 | 4.2 | 3.6 | 1 |
| 63 | No | No | ACUTE ISCHEMIC STROKE W USE OF THROMBOLYTIC AGENT W/O CC/MCC | 1.6808 | 3.1 | 2.7 | 1 |
| 64 | Yes | No | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION W MCC | 2.0048 | 6.1 | 4.3 | 1 |
| 65 | Yes | No | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION W CC OR TPA IN 24 HRS | 1.2541 | 4.0 | 3.2 | 1 |
| 66 | Yes | No | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION W/O CC/MCC | 0.9667 | 2.7 | 2.2 | 1 |
| 67 | No | No | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION W/O INFARCT W MCC | 2.3140 | 4.8 | 3.4 | 1 |
| 68 | No | No | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION W/O INFARCT W/O MCC | 1.1588 | 2.3 | 1.9 | 1 |
| 69 | No | No | TRANSIENT ISCHEMIA | 0.8225 | 2.0 | 1.6 | 1 |
| 70 | Yes | No | NONSPECIFIC CEREBROVASCULAR DISORDERS W MCC | 1.8743 | 6.5 | 4.6 | 1 |
| 71 | Yes | No | NONSPECIFIC CEREBROVASCULAR DISORDERS W CC | 1.1334 | 4.6 | 3.0 | 1 |
| 72 | Yes | No | NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC/MCC | 0.7565 | 2.3 | 1.8 | 1 |
| 73 | No | No | CRANIAL & PERIPHERAL NERVE DISORDERS W MCC | 1.4796 | 6.0 | 3.9 | 1 |
| 74 | No | No | CRANIAL & PERIPHERAL NERVE DISORDERS W/O MCC | 0.9614 | 3.4 | 2.6 | 1 |
| 75 | No | No | VIRAL MENINGITIS W CC/MCC | 1.0789 | 4.3 | 3.4 | 1 |
| 76 | No | No | VIRAL MENINGITIS W/O CC/MCC | 0.6658 | 3.0 | 2.6 | 1 |
| 77 | No | No | HYPERTENSIVE ENCEPHALOPATHY W MCC | 1.5438 | 5.2 | 4.6 | 1 |
| 78 | No | No | HYPERTENSIVE ENCEPHALOPATHY W CC | 1.0401 | 3.8 | 3.0 | 1 |
| 79 | No | No | HYPERTENSIVE ENCEPHALOPATHY W/O CC/MCC | 0.7411 | 2.7 | 2.2 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 80 | No | No | NONTRAUMATIC STUPOR & COMA W MCC | 1.4197 | 5.1 | 3.7 | 1 |
| 81 | No | No | NONTRAUMATIC STUPOR & COMA W/O MCC | 0.7522 | 2.8 | 2.1 | 1 |
| 82 | No | No | TRAUMATIC STUPOR & COMA, COMA >1 HR W MCC | 2.2414 | 4.8 | 2.7 | 1 |
| 83 | No | No | TRAUMATIC STUPOR & COMA, COMA >1 HR W CC | 1.5180 | 4.4 | 3.1 | 1 |
| 84 | No | No | TRAUMATIC STUPOR & COMA, COMA >1 HR W/O CC/ MCC | 0.7265 | 2.2 | 1.8 | 1 |
| 85 | Yes | No | TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W MCC | 2.8443 | 8.5 | 5.8 | 1 |
| 86 | Yes | No | TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W CC | 1.1449 | 3.9 | 2.6 | 1 |
| 87 | Yes | No | TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W/ O CC/MCC | 0.7037 | 2.0 | 1.7 | 1 |
| 88 | No | No | CONCUSSION AGE >17 W MCC | 1.6098 | 3.1 | 2.2 | 1 |
| 89 | No | No | CONCUSSION AGE >17 W CC | 0.9501 | 2.5 | 1.9 | 1 |
| 90 | No | No | CONCUSSION AGE >17 W/O CC/MCC | 0.7901 | 1.5 | 1.3 | 1 |
| 91 | Yes | No | OTHER DISORDERS OF NERVOUS SYSTEM W MCC | 1.7783 | 6.6 | 4.0 | 1 |
| 92 | Yes | No | OTHER DISORDERS OF NERVOUS SYSTEM W CC | 1.0409 | 3.5 | 2.5 | 1 |
| 93 | Yes | No | OTHER DISORDERS OF NERVOUS SYSTEM W/O CC/MCC | 0.8050 | 2.4 | 1.9 | 1 |
| 94 | No | No | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM W MCC | 3.2334 | 10.3 | 8.1 | 1 |
| 95 | No | No | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM W CC | 2.5125 | 7.2 | 5.9 | 1 |
| 96 | No | No | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM W/O CC/MCC | 2.1846 | 5.6 | 4.6 | 1 |
| 97 | No | No | NON-BACTERIAL INFECT OF NERVOUS SYS EXC VIRAL MENINGITIS W MCC | 3.2715 | 11.8 | 7.2 | 1 |
| 98 | No | No | NON-BACTERIAL INFECT OF NERVOUS SYS EXC VIRAL MENINGITIS W CC | 1.4870 | 5.9 | 4.2 | 1 |
| 99 | No | No | NON-BACTERIAL INFECT OF NERVOUS SYS EXC VIRAL MENINGITIS W/O CC/MCC | 0.9816 | 4.2 | 3.4 | 1 |
| 100 | Yes | No | SEIZURES AGE >17 W MCC | 1.5184 | 5.3 | 3.6 | 1 |
| 101 | Yes | No | SEIZURES AGE >17 W/O MCC | 0.7403 | 3.0 | 2.4 | 1 |
| 102 | No | No | HEADACHES AGE >17 W MCC | 1.1230 | 4.0 | 2.6 | 1 |
| 103 | No | No | HEADACHES AGE >17 W/O MCC | 0.7780 | 3.0 | 2.2 | 1 |
| 104 | No | No | CRANIOTOMY, VENTRICULAR SHUNT & ENDOVASC INTRACRANIAL PROC AGE 0-17 | 2.7590 | 6.2 | 3.6 | 1 |
| 105 | No | No | TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 0-17 | 0.5530 | 2.4 | 1.6 | 1 |
| 106 | No | No | CONCUSSION AGE 0-17 | 0.4692 | 1.5 | 1.2 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 107 | No | No | SEIZURES & HEADACHES AGE 0-17 | 0.5662 | 2.3 | 1.8 | 1 |
| 108 | No | No | EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE 0-17 | 1.4553 | 5.6 | 2.6 | 1 |
| 109 | No | No | OTHER DISORDERS OF THE EYE AGE 0-17 | 0.5116 | 2.0 | 1.6 | 1 |
| 110 | No | No | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES AGE 0-17 | 0.8078 | 2.1 | 1.7 | 1 |
| 111 | No | No | SINUS & MASTOID PROCEDURES AGE 0-17 | 2.3404 | 6.6 | 4.3 | 1 |
| 112 | No | No | OTITIS MEDIA & URI AGE 0-17 | 0.2908 | 1.9 | 1.6 | 1 |
| 113 | No | No | ORBITAL PROCEDURES W CC/MCC | 1.7401 | 3.5 | 2.9 | 1 |
| 114 | No | No | ORBITAL PROCEDURES W/O CC/MCC | 1.1069 | 2.1 | 1.7 | 1 |
| 115 | No | No | EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17 | 1.7813 | 4.8 | 2.8 | 1 |
| 116 | No | No | INTRAOCULAR PROCEDURES W CC/MCC | 1.5546 | 4.5 | 3.2 | 1 |
| 117 | No | No | INTRAOCULAR PROCEDURES W/O CC/MCC | 0.6242 | 1.4 | 1.3 | 1 |
| 118 | No | No | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17 | 0.5051 | 2.2 | 1.8 | 1 |
| 119 | No | No | DENTAL & ORAL DISEASES AGE 0-17 | 0.5217 | 2.6 | 2.1 | 1 |
| 120 | No | No | RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 | 2.0990 | 8.5 | 6.5 | 1 |
| 121 | No | No | ACUTE MAJOR EYE INFECTIONS W CC/MCC | 0.6800 | 3.1 | 2.7 | 1 |
| 122 | No | No | ACUTE MAJOR EYE INFECTIONS W/O CC/MCC | 0.4352 | 3.1 | 2.7 | 1 |
| 123 | No | No | NEUROLOGICAL EYE DISORDERS | 0.8171 | 2.6 | 2.1 | 1 |
| 124 | No | No | OTHER DISORDERS OF THE EYE AGE >17 W MCC | 1.5262 | 4.9 | 3.5 | 1 |
| 125 | No | No | OTHER DISORDERS OF THE EYE AGE >17 W/O MCC | 0.6501 | 2.9 | 2.2 | 1 |
| 129 | No | No | MAJOR HEAD & NECK PROCEDURES W CC/MCC OR MAJOR DEVICE | 2.5943 | 6.2 | 3.3 | 1 |
| 130 | No | No | MAJOR HEAD & NECK PROCEDURES W/O CC/MCC | 1.4953 | 2.4 | 2.0 | 1 |
| 131 | No | No | CRANIAL/FACIAL PROCEDURES W CC/MCC | 2.1743 | 3.2 | 2.3 | 1 |
| 132 | No | No | CRANIAL/FACIAL PROCEDURES W/O CC/MCC | 1.5989 | 1.5 | 1.4 | 1 |
| 133 | No | No | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES AGE >17 W CC/MCC | 1.4566 | 3.3 | 2.4 | 1 |
| 134 | No | No | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES AGE >17 W/O CC/MCC | 0.8634 | 1.8 | 1.5 | 1 |
| 135 | No | No | SINUS & MASTOID PROCEDURES AGE >17 W CC/MCC | 2.4339 | 7.0 | 4.7 | 1 |
| 136 | No | No | SINUS & MASTOID PROCEDURES AGE >17 W/O CC/MCC | 0.8966 | 1.2 | 1.1 | 1 |
| 137 | No | No | MOUTH PROCEDURES W CC/MCC | 0.9507 | 3.2 | 2.7 | 1 |
| 138 | No | No | MOUTH PROCEDURES W/O CC/MCC | 0.7342 | 2.4 | 2.0 | 1 |
| 139 | No | No | SALIVARY GLAND PROCEDURES | 1.0926 | 1.4 | 1.2 | 1 |
| 140 | No | No | SIMPLE PNEUMONIA & PLEURISY AGE 0-17 | 0.4864 | 2.8 | 2.3 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|--|------------|----------|--|----------------|----------------|---------------|----------------------|
| 141 | No | No | BRONCHITIS & ASTHMA AGE 0-17 | 0.4029 | 2.4 | 2.0 | 1 |
| 142 | No | No | CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 0-17 | 2.7221 | 13.9 | 4.0 | 1 |
| 143 | No | No | STOMACH, ESOPHAGEAL & DUODENAL PROC AGE 0-17 | 1.3729 | 4.9 | 3.0 | 1 |
| 144 | No | No | HERNIA PROCEDURES AGE 0-17 | 1.1616 | 3.1 | 1.9 | 1 |
| 145 | No | No | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 | 0.4181 | 2.5 | 1.9 | 1 |
| 146 | No | No | EAR, NOSE, MOUTH & THROAT MALIGNANCY W MCC | 2.1921 | 8.2 | 5.8 | 1 |
| 147 | No | No | EAR, NOSE, MOUTH & THROAT MALIGNANCY W CC | 1.1797 | 4.8 | 2.9 | 1 |
| 148 | No | No | EAR, NOSE, MOUTH & THROAT MALIGNANCY W/O CC/MCC | 0.9377 | 2.5 | 2.1 | 1 |
| 149 | No | No | DYSEQUILIBRIUM | 0.7057 | 2.1 | 1.8 | 1 |
| 150 | No | No | EPISTAXIS W MCC | 9.2780 | 14.5 | 3.6 | 1 |
| 151 | No | No | EPISTAXIS W/O MCC | 0.6015 | 2.1 | 1.8 | 1 |
| 152 | No | No | OTITIS MEDIA & URI AGE >17 W MCC | 0.8666 | 3.8 | 3.2 | 1 |
| 153 | No | No | OTITIS MEDIA & URI AGE >17 W/O MCC | 0.5645 | 2.3 | 2.0 | 1 |
| 154 | No | No | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 W MCC | 1.2670 | 4.5 | 3.5 | 1 |
| 155 | No | No | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 W CC | 0.7795 | 2.8 | 2.3 | 1 |
| 156 | No | No | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 W/O CC/MCC | 0.5493 | 2.3 | 2.0 | 1 |
| 157 | No | No | DENTAL & ORAL DISEASES AGE >17 W MCC | 1.3260 | 5.4 | 3.9 | 1 |
| 158 | No | No | DENTAL & ORAL DISEASES AGE >17 W CC | 0.8763 | 3.4 | 2.6 | 1 |
| 159 | No | No | DENTAL & ORAL DISEASES AGE >17 W/O CC/MCC | 0.6738 | 2.6 | 2.0 | 1 |
| 160 | No | No | OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 | 0.6153 | 2.9 | 2.0 | 1 |
| 161 | No | No | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17 | 1.4741 | 2.7 | 2.3 | 1 |
| 162 | No | No | LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR AGE 0-17 | 0.9720 | 1.9 | 1.6 | 1 |
| 163 | Yes | No | MAJOR CHEST PROCEDURES W MCC | 4.7570 | 11.9 | 9.9 | 2 |
| 164 | Yes | No | MAJOR CHEST PROCEDURES W CC | 2.5698 | 6.1 | 4.8 | 1 |
| 165 | Yes | No | MAJOR CHEST PROCEDURES W/O CC/MCC | 1.8051 | 4.1 | 3.4 | 1 |
| 166 | Yes | No | OTHER RESP SYSTEM O.R. PROCEDURES W MCC | 3.3293 | 9.0 | 7.3 | 1 |
| 167 | Yes | No | OTHER RESP SYSTEM O.R. PROCEDURES W CC | 2.0342 | 5.6 | 4.4 | 1 |
| 168 | Yes | No | OTHER RESP SYSTEM O.R. PROCEDURES W/O CC/MCC | 1.4098 | 3.3 | 2.5 | 1 |
| Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs. (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs. (3) w CC = with Complications or Comorbidities. (4) w/o CC = without Complications or Comorbidities. | | | | | | | |

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 169 | No | No | FX, SPRN, STRN & DISL EXCEPT FEMUR, HIP, PELVIS & THIGH AGE 0-17 | 0.3439 | 1.3 | 1.2 | 1 |
| 170 | No | No | CELLULITIS AGE 0-17 | 0.3683 | 2.3 | 2.0 | 1 |
| 171 | No | No | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 0-17 | 0.4649 | 1.5 | 1.3 | 1 |
| 172 | No | No | MISC DISORDERS OF NUTRITION,METABOLISM,FLUIDS/ ELECTROLYTES 0-17 | 0.4089 | 2.9 | 2.1 | 1 |
| 173 | No | No | URETHRAL PROCEDURES AGE 0-17 | 0.9549 | 2.9 | 2.3 | 1 |
| 174 | No | No | KIDNEY & URINARY TRACT INFECTIONS AGE 0-17 | 0.3729 | 2.5 | 2.2 | 1 |
| 175 | Yes | No | PULMONARY EMBOLISM W MCC | 1.5107 | 5.8 | 4.4 | 1 |
| 176 | Yes | No | PULMONARY EMBOLISM W/O MCC | 0.8249 | 3.4 | 2.8 | 1 |
| 177 | Yes | No | RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W MCC | 2.1685 | 8.4 | 6.8 | 1 |
| 178 | Yes | No | RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC | 1.5568 | 6.5 | 5.1 | 1 |
| 179 | Yes | No | RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC/MCC | 1.1278 | 4.6 | 3.3 | 1 |
| 180 | No | No | RESPIRATORY NEOPLASMS W MCC | 2.1383 | 7.8 | 5.6 | 1 |
| 181 | No | No | RESPIRATORY NEOPLASMS W CC | 1.3448 | 4.9 | 3.5 | 1 |
| 182 | No | No | RESPIRATORY NEOPLASMS W/O CC/MCC | 1.2402 | 3.3 | 2.8 | 1 |
| 183 | No | No | MAJOR CHEST TRAUMA W MCC | 1.1368 | 4.4 | 3.6 | 1 |
| 184 | No | No | MAJOR CHEST TRAUMA W CC | 1.0165 | 3.1 | 2.5 | 1 |
| 185 | No | No | MAJOR CHEST TRAUMA W/O CC/MCC | 0.6472 | 1.6 | 1.4 | 1 |
| 186 | Yes | No | PLEURAL EFFUSION W MCC | 1.2936 | 5.1 | 4.0 | 1 |
| 187 | Yes | No | PLEURAL EFFUSION W CC | 0.9469 | 3.5 | 2.9 | 1 |
| 188 | Yes | No | PLEURAL EFFUSION W/O CC/MCC | 0.7489 | 3.4 | 2.6 | 1 |
| 189 | No | No | PULMONARY EDEMA & RESPIRATORY FAILURE | 1.2707 | 4.7 | 3.5 | 1 |
| 190 | Yes | No | CHRONIC OBSTRUCTIVE PULMONARY DISEASE W MCC | 1.1354 | 4.7 | 3.8 | 1 |
| 191 | Yes | No | CHRONIC OBSTRUCTIVE PULMONARY DISEASE W CC | 0.9377 | 3.9 | 3.2 | 1 |
| 192 | Yes | No | CHRONIC OBSTRUCTIVE PULMONARY DISEASE W/O CC/ MCC | 0.6717 | 3.0 | 2.5 | 1 |
| 193 | Yes | No | SIMPLE PNEUMONIA & PLEURISY AGE >17 W MCC | 1.4278 | 5.4 | 4.3 | 1 |
| 194 | Yes | No | SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC | 0.9035 | 3.8 | 3.3 | 1 |
| 195 | Yes | No | SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC/MCC | 0.7138 | 3.0 | 2.5 | 1 |
| 196 | Yes | No | INTERSTITIAL LUNG DISEASE W MCC | 1.9621 | 7.6 | 6.2 | 1 |
| 197 | Yes | No | INTERSTITIAL LUNG DISEASE W CC | 1.0203 | 4.5 | 3.5 | 1 |
| 198 | Yes | No | INTERSTITIAL LUNG DISEASE W/O CC/MCC | 0.8167 | 2.9 | 2.3 | 1 |
| 199 | No | No | PNEUMOTHORAX W MCC | 1.3109 | 5.9 | 4.7 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 200 | No | No | PNEUMOTHORAX W CC | 0.8873 | 3.3 | 2.5 | 1 |
| 201 | No | No | PNEUMOTHORAX W/O CC/MCC | 0.5436 | 3.1 | 2.4 | 1 |
| 202 | No | No | BRONCHITIS & ASTHMA AGE >17 W CC/MCC | 0.7892 | 3.6 | 2.9 | 1 |
| 203 | No | No | BRONCHITIS & ASTHMA AGE >17 W/O CC/MCC | 0.5534 | 2.7 | 2.3 | 1 |
| 204 | No | No | RESPIRATORY SIGNS & SYMPTOMS | 0.6347 | 2.4 | 1.9 | 1 |
| 205 | Yes | No | OTHER RESPIRATORY SYSTEM DIAGNOSES W MCC | 2.0047 | 5.8 | 3.9 | 1 |
| 206 | Yes | No | OTHER RESPIRATORY SYSTEM DIAGNOSES W/O MCC | 0.6712 | 2.5 | 1.9 | 1 |
| 207 | Yes | No | RESPIRATORY SYSTEM DIAGNOSIS W VENTILATOR SUPPORT 96+ HOURS | 6.2061 | 16.1 | 13.3 | 4 |
| 208 | No | No | RESPIRATORY SYSTEM DIAGNOSIS W VENTILATOR SUPPORT <96 HOURS | 2.1202 | 5.7 | 4.1 | 1 |
| 209 | No | No | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 0-17 | 0.3296 | 1.9 | 1.8 | 1 |
| 210 | No | No | URETHRAL STRICTURE AGE 0-17 | 0.4991 | 2.0 | 2.0 | 2 |
| 211 | No | No | OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17 | 0.7980 | 3.5 | 2.5 | 1 |
| 212 | No | No | TESTES PROCEDURES AGE 0-17 | 0.7584 | 1.8 | 1.3 | 1 |
| 213 | No | No | SPLENECTOMY AGE 0-17 | 1.3551 | 2.5 | 2.0 | 1 |
| 214 | No | No | RED BLOOD CELL DISORDERS AGE 0-17 | 0.4861 | 3.0 | 2.4 | 1 |
| 215 | No | No | OTHER HEART ASSIST SYSTEM IMPLANT | 17.1326 | 17.3 | 11.3 | 2 |
| 216 | Yes | Yes | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W CARD CATH W MCC | 8.8248 | 15.0 | 11.5 | 2 |
| 217 | Yes | Yes | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W CARD CATH W CC | 6.3909 | 9.4 | 8.0 | 2 |
| 218 | Yes | Yes | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W CARD CATH W/O CC/MCC | 5.7281 | 6.8 | 5.2 | 1 |
| 219 | Yes | Yes | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W/O CARD CATH W MCC | 6.8039 | 10.1 | 8.2 | 2 |
| 220 | Yes | Yes | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W/O CARD CATH W CC | 5.0039 | 6.0 | 5.6 | 2 |
| 221 | Yes | Yes | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W/O CARD CATH W/O CC/MCC | 4.4621 | 4.7 | 4.3 | 1 |
| 222 | No | No | CARDIAC DEFIB IMPLANT W CARDIAC CATH W AMI/HF/SHOCK W MCC | 6.8221 | 10.6 | 8.7 | 2 |
| 223 | No | No | CARDIAC DEFIB IMPLANT W CARDIAC CATH W AMI/HF/SHOCK W/O MCC | 5.7877 | 5.5 | 4.5 | 1 |
| 224 | No | No | CARDIAC DEFIB IMPLANT W CARDIAC CATH W/O AMI/HF/SHOCK W MCC | 7.7173 | 8.2 | 7.7 | 3 |
| 225 | No | No | CARDIAC DEFIB IMPLANT W CARDIAC CATH W/O AMI/HF/SHOCK W/O MCC | 6.6837 | 5.6 | 4.8 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 226 | No | No | CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH W MCC | 5.7532 | 9.3 | 7.0 | 1 |
| 227 | No | No | CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH W/O MCC | 4.9720 | 3.3 | 2.4 | 1 |
| 228 | No | No | OTHER CARDIOTHORACIC PROCEDURES W MCC | 7.0084 | 9.5 | 7.9 | 2 |
| 229 | No | No | OTHER CARDIOTHORACIC PROCEDURES W CC | 4.2419 | 5.8 | 5.1 | 1 |
| 230 | No | No | OTHER CARDIOTHORACIC PROCEDURES W/O CC/MCC | 3.4230 | 4.2 | 3.6 | 1 |
| 231 | No | No | CORONARY BYPASS W PTCA W MCC | 8.8937 | 11.4 | 10.0 | 3 |
| 232 | No | No | CORONARY BYPASS W PTCA W/O MCC | 5.9371 | 8.2 | 7.8 | 4 |
| 233 | Yes | No | CORONARY BYPASS W CARDIAC CATH W MCC | 6.9308 | 11.1 | 10.1 | 4 |
| 234 | Yes | No | CORONARY BYPASS W CARDIAC CATH W/O MCC | 5.5836 | 7.5 | 7.0 | 3 |
| 235 | Yes | No | CORONARY BYPASS W/O CARDIAC CATH W MCC | 5.8608 | 8.1 | 7.1 | 2 |
| 236 | Yes | No | CORONARY BYPASS W/O CARDIAC CATH W/O MCC | 4.1400 | 5.7 | 5.3 | 2 |
| 237 | No | No | MAJOR CARDIOVASC PROCEDURES W MCC | 5.5432 | 9.7 | 6.7 | 1 |
| 238 | No | No | MAJOR CARDIOVASC PROCEDURES W/O MCC | 2.9639 | 4.0 | 2.9 | 1 |
| 239 | Yes | No | AMPUTATION FOR CIRC SYS DISORDERS EXC UPPER LIMB & TOE W MCC | 7.6746 | 23.1 | 17.9 | 4 |
| 240 | Yes | No | AMPUTATION FOR CIRC SYS DISORDERS EXC UPPER LIMB & TOE W CC | 3.2982 | 10.3 | 8.5 | 2 |
| 241 | Yes | No | AMPUTATION FOR CIRC SYS DISORDERS EXC UPPER LIMB & TOE W/O CC/MCC | 1.5663 | 5.2 | 4.4 | 3 |
| 242 | Yes | No | PERMANENT CARDIAC PACEMAKER IMPLANT W MCC | 2.8362 | 5.4 | 4.3 | 1 |
| 243 | Yes | No | PERMANENT CARDIAC PACEMAKER IMPLANT W CC | 2.7891 | 3.9 | 3.2 | 1 |
| 244 | Yes | No | PERMANENT CARDIAC PACEMAKER IMPLANT W/O CC/MCC | 2.2995 | 2.5 | 2.2 | 1 |
| 245 | No | No | AICD GENERATOR PROCEDURES | 5.4432 | 5.1 | 3.8 | 1 |
| 246 | No | No | PERC CARDIOVASC PROC W DRUG-ELUTING STENT W MCC OR 4+ VESSELS/STENTS | 3.3596 | 3.8 | 3.1 | 1 |
| 247 | No | No | PERC CARDIOVASC PROC W DRUG-ELUTING STENT W/O MCC | 2.6070 | 2.3 | 2.1 | 1 |
| 248 | No | No | PERC CARDIOVASC PROC W NON-DRUG-ELUTING STENT W MCC OR 4+ VES/STENTS | 3.6424 | 5.6 | 4.4 | 1 |
| 249 | No | No | PERC CARDIOVASC PROC W NON-DRUG-ELUTING STENT W/O MCC | 2.2571 | 2.6 | 2.3 | 1 |
| 250 | No | No | PERC CARDIOVASC PROC W/O CORONARY ARTERY STENT W MCC | 3.2611 | 4.5 | 3.3 | 1 |
| 251 | No | No | PERC CARDIOVASC PROC W/O CORONARY ARTERY STENT W/O MCC | 2.5958 | 2.3 | 1.8 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 252 | No | No | OTHER VASCULAR PROCEDURES W MCC | 3.5270 | 7.0 | 4.9 | 1 |
| 253 | No | No | OTHER VASCULAR PROCEDURES W CC | 2.6713 | 5.2 | 3.7 | 1 |
| 254 | No | No | OTHER VASCULAR PROCEDURES W/O CC/MCC | 1.9817 | 2.5 | 2.0 | 1 |
| 255 | Yes | No | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS W MCC | 2.8917 | 8.4 | 6.5 | 2 |
| 256 | Yes | No | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS W CC | 1.8854 | 6.5 | 5.3 | 1 |
| 257 | Yes | No | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS W/O CC/MCC | 1.1719 | 3.9 | 3.0 | 2 |
| 258 | No | No | CARDIAC PACEMAKER DEVICE REPLACEMENT W MCC | 3.0650 | 6.2 | 4.9 | 1 |
| 259 | No | No | CARDIAC PACEMAKER DEVICE REPLACEMENT W/O MCC | 2.2116 | 3.4 | 2.6 | 1 |
| 260 | No | No | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT W MCC | 4.1576 | 10.6 | 7.9 | 1 |
| 261 | No | No | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT W CC | 1.5817 | 4.4 | 3.1 | 1 |
| 262 | No | No | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT W/O CC/MCC | 1.6012 | 2.3 | 2.0 | 1 |
| 263 | No | No | VEIN LIGATION & STRIPPING | 2.0717 | 5.3 | 3.4 | 1 |
| 264 | Yes | No | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 2.2674 | 6.8 | 5.0 | 1 |
| 265 | No | No | AICD LEAD PROCEDURES | 3.1792 | 4.1 | 2.7 | 1 |
| 266 | Yes | Yes | ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE 0-17 | 3.4285 | 11.8 | 8.7 | 1 |
| 267 | Yes | Yes | VIRAL ILLNESS & FEVER AGE 0-17 | 0.3890 | 2.4 | 2.0 | 1 |
| 268 | No | No | SEPTICEMIA OR SEVERE SEPSIS AGE 0-17 | 1.6451 | 6.5 | 4.3 | 1 |
| 269 | No | No | TRAUMATIC INJURY AGE 0-17 | 0.4149 | 1.4 | 1.3 | 1 |
| 270 | No | No | ALLERGIC REACTIONS AGE 0-17 | 0.2241 | 1.4 | 1.3 | 1 |
| 271 | No | No | POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17 | 0.4009 | 1.9 | 1.5 | 1 |
| 280 | Yes | No | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE W MCC | 2.2977 | 5.5 | 4.0 | 1 |
| 281 | Yes | No | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE W CC | 1.4211 | 3.1 | 2.5 | 1 |
| 282 | Yes | No | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE W/O CC/MCC | 1.1091 | 2.0 | 1.7 | 1 |
| 283 | No | No | ACUTE MYOCARDIAL INFARCTION, EXPIRED W MCC | 3.6451 | 4.2 | 2.2 | 1 |
| 284 | No | No | ACUTE MYOCARDIAL INFARCTION, EXPIRED W CC | 0.8550 | 2.4 | 1.8 | 1 |
| 285 | No | No | ACUTE MYOCARDIAL INFARCTION, EXPIRED W/O CC/MCC | 0.5622 | 1.6 | 1.3 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 286 | No | No | CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W MCC | 2.4026 | 6.3 | 4.7 | 1 |
| 287 | No | No | CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O MCC | 1.2197 | 2.4 | 1.9 | 1 |
| 288 | Yes | No | ACUTE & SUBACUTE ENDOCARDITIS W MCC | 2.3800 | 9.6 | 5.7 | 1 |
| 289 | Yes | No | ACUTE & SUBACUTE ENDOCARDITIS W CC | 1.7187 | 10.0 | 7.0 | 1 |
| 290 | Yes | No | ACUTE & SUBACUTE ENDOCARDITIS W/O CC/MCC | 1.3848 | 4.9 | 3.9 | 2 |
| 291 | Yes | No | HEART FAILURE & SHOCK W MCC | 1.4370 | 5.6 | 4.2 | 1 |
| 292 | Yes | No | HEART FAILURE & SHOCK W CC | 0.9628 | 4.2 | 3.4 | 1 |
| 293 | Yes | No | HEART FAILURE & SHOCK W/O CC/MCC | 0.6511 | 2.6 | 2.2 | 1 |
| 294 | No | No | DEEP VEIN THROMBOPHLEBITIS W CC/MCC | 1.1633 | 5.0 | 4.1 | 1 |
| 295 | No | No | DEEP VEIN THROMBOPHLEBITIS W/O CC/MCC | 0.7688 | 3.7 | 3.1 | 1 |
| 296 | No | No | CARDIAC ARREST, UNEXPLAINED W MCC | 1.5106 | 2.6 | 2.1 | 1 |
| 297 | No | No | CARDIAC ARREST, UNEXPLAINED W CC | 0.7187 | 1.6 | 1.3 | 1 |
| 298 | No | No | CARDIAC ARREST, UNEXPLAINED W/O CC/MCC | 0.4692 | 1.2 | 1.1 | 1 |
| 299 | Yes | No | PERIPHERAL VASCULAR DISORDERS W MCC | 1.4407 | 4.8 | 3.4 | 1 |
| 300 | Yes | No | PERIPHERAL VASCULAR DISORDERS W CC | 0.9930 | 3.7 | 2.8 | 1 |
| 301 | Yes | No | PERIPHERAL VASCULAR DISORDERS W/O CC/MCC | 0.7116 | 2.6 | 2.1 | 1 |
| 302 | No | No | ATHEROSCLEROSIS W MCC | 4.7244 | 8.6 | 4.9 | 1 |
| 303 | No | No | ATHEROSCLEROSIS W/O MCC | 1.3310 | 2.5 | 1.9 | 1 |
| 304 | No | No | HYPERTENSION W MCC | 1.0236 | 3.9 | 3.1 | 1 |
| 305 | No | No | HYPERTENSION W/O MCC | 0.6402 | 2.1 | 1.8 | 1 |
| 306 | No | No | CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W MCC | 7.5888 | 10.5 | 8.8 | 3 |
| 307 | No | No | CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W/O MCC | 2.3230 | 3.7 | 2.8 | 1 |
| 308 | No | No | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W MCC | 1.1198 | 4.2 | 3.2 | 1 |
| 309 | No | No | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC | 0.7841 | 2.6 | 2.1 | 1 |
| 310 | No | No | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC/MCC | 0.4852 | 1.8 | 1.6 | 1 |
| 311 | No | No | ANGINA PECTORIS | 0.5978 | 1.8 | 1.5 | 1 |
| 312 | No | No | SYNCOPE & COLLAPSE | 0.7288 | 2.2 | 1.8 | 1 |
| 313 | No | No | CHEST PAIN | 0.6344 | 1.6 | 1.4 | 1 |
| 314 | Yes | No | OTHER CIRCULATORY SYSTEM DIAGNOSES W MCC | 2.0559 | 7.1 | 5.1 | 1 |
| 315 | Yes | No | OTHER CIRCULATORY SYSTEM DIAGNOSES W CC | 1.1325 | 4.1 | 3.0 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|--|------------|----------|--|----------------|----------------|---------------|----------------------|
| 316 | Yes | No | OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC/ MCC | 0.7063 | 2.3 | 1.8 | 1 |
| 317 | No | No | ENDOVASCULAR CARDIAC VALVE REPLACEMENT W MCC | 9.1553 | 19.0 | 10.0 | 1 |
| 318 | No | No | ENDOVASCULAR CARDIAC VALVE REPLACEMENT W/O MCC | 3.8482 | 5.3 | 3.7 | 1 |
| 326 | Yes | No | STOMACH, ESOPHAGEAL & DUODENAL PROC AGE >17 W MCC | 5.5529 | 13.6 | 9.8 | 1 |
| 327 | Yes | No | STOMACH, ESOPHAGEAL & DUODENAL PROC AGE >17 W CC | 2.4400 | 5.8 | 4.3 | 1 |
| 328 | Yes | No | STOMACH, ESOPHAGEAL & DUODENAL PROC AGE >17 W/O CC/MCC | 1.5968 | 2.7 | 2.1 | 1 |
| 329 | Yes | No | MAJOR SMALL & LARGE BOWEL PROCEDURES W MCC | 4.5958 | 12.9 | 10.0 | 2 |
| 330 | Yes | No | MAJOR SMALL & LARGE BOWEL PROCEDURES W CC | 2.3268 | 7.2 | 6.1 | 2 |
| 331 | Yes | No | MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC/ MCC | 1.6899 | 4.3 | 3.8 | 1 |
| 332 | Yes | No | RECTAL RESECTION W MCC | 6.6903 | 15.6 | 13.5 | 4 |
| 333 | Yes | No | RECTAL RESECTION W CC | 2.3094 | 6.0 | 5.2 | 1 |
| 334 | Yes | No | RECTAL RESECTION W/O CC/MCC | 2.1079 | 4.4 | 4.0 | 1 |
| 335 | Yes | No | PERITONEAL ADHESIONOLYSIS W MCC | 4.2874 | 13.0 | 10.9 | 3 |
| 336 | Yes | No | PERITONEAL ADHESIONOLYSIS W CC | 2.1022 | 6.8 | 5.4 | 1 |
| 337 | Yes | No | PERITONEAL ADHESIONOLYSIS W/O CC/MCC | 1.4946 | 3.7 | 3.0 | 1 |
| 338 | No | No | APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W MCC | 2.4834 | 7.4 | 6.5 | 2 |
| 339 | No | No | APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC | 1.6681 | 5.7 | 4.9 | 1 |
| 340 | No | No | APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/ O CC/MCC | 1.2058 | 3.4 | 2.9 | 1 |
| 341 | No | No | APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W MCC | 2.4413 | 6.0 | 4.5 | 1 |
| 342 | No | No | APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC | 1.2691 | 2.6 | 2.1 | 1 |
| 343 | No | No | APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC/MCC | 0.9851 | 1.5 | 1.3 | 1 |
| 344 | No | No | MINOR SMALL & LARGE BOWEL PROCEDURES W MCC | 1.7612 | 6.5 | 6.0 | 2 |
| 345 | No | No | MINOR SMALL & LARGE BOWEL PROCEDURES W CC | 1.3707 | 5.1 | 4.2 | 1 |
| 346 | No | No | MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC/ MCC | 1.0941 | 3.8 | 3.3 | 1 |
| 347 | No | No | ANAL & STOMAL PROCEDURES W MCC | 3.5288 | 10.8 | 7.9 | 1 |
| Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs. (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs. (3) w CC = with Complications or Comorbidities. (4) w/o CC = without Complications or Comorbidities. | | | | | | | |

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 348 | No | No | ANAL & STOMAL PROCEDURES W CC | 1.5054 | 4.2 | 3.1 | 1 |
| 349 | No | No | ANAL & STOMAL PROCEDURES W/O CC/MCC | 0.7852 | 2.3 | 1.9 | 1 |
| 350 | No | No | INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W MCC | 2.3629 | 5.2 | 4.0 | 1 |
| 351 | No | No | INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W CC | 1.5961 | 4.0 | 3.3 | 1 |
| 352 | No | No | INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W/O CC/MCC | 1.1597 | 2.0 | 1.6 | 1 |
| 353 | No | No | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W MCC | 2.6596 | 7.1 | 5.8 | 1 |
| 354 | No | No | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W CC | 1.5890 | 4.1 | 3.3 | 1 |
| 355 | No | No | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W/O CC/MCC | 1.2893 | 2.5 | 2.1 | 1 |
| 356 | Yes | No | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W MCC | 3.2767 | 10.7 | 7.5 | 1 |
| 357 | Yes | No | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC | 1.7620 | 5.5 | 4.4 | 1 |
| 358 | Yes | No | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC/MCC | 1.2894 | 3.6 | 2.7 | 1 |
| 368 | No | No | MAJOR ESOPHAGEAL DISORDERS W MCC | 2.0107 | 6.2 | 4.6 | 1 |
| 369 | No | No | MAJOR ESOPHAGEAL DISORDERS W CC | 1.0435 | 3.6 | 2.9 | 1 |
| 370 | No | No | MAJOR ESOPHAGEAL DISORDERS W/O CC/MCC | 0.8434 | 2.7 | 1.9 | 1 |
| 371 | Yes | No | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS W MCC | 1.6156 | 7.8 | 5.5 | 1 |
| 372 | Yes | No | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS W CC | 0.9890 | 4.9 | 4.0 | 1 |
| 373 | Yes | No | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS W/O CC/MCC | 0.6283 | 3.3 | 2.8 | 1 |
| 374 | Yes | No | DIGESTIVE MALIGNANCY W MCC | 2.7965 | 9.8 | 6.6 | 1 |
| 375 | Yes | No | DIGESTIVE MALIGNANCY W CC | 1.2918 | 5.2 | 3.6 | 1 |
| 376 | Yes | No | DIGESTIVE MALIGNANCY W/O CC/MCC | 1.2163 | 4.1 | 3.2 | 1 |
| 377 | Yes | No | G.I. HEMORRHAGE W MCC | 1.7064 | 5.0 | 3.9 | 1 |
| 378 | Yes | No | G.I. HEMORRHAGE W CC | 0.8875 | 3.1 | 2.6 | 1 |
| 379 | Yes | No | G.I. HEMORRHAGE W/O CC/MCC | 0.6037 | 2.2 | 1.9 | 1 |
| 380 | Yes | No | COMPLICATED PEPTIC ULCER W MCC | 2.8993 | 8.8 | 6.3 | 1 |
| 381 | Yes | No | COMPLICATED PEPTIC ULCER W CC | 0.9905 | 4.2 | 3.3 | 1 |
| 382 | Yes | No | COMPLICATED PEPTIC ULCER W/O CC/MCC | 0.7404 | 3.0 | 2.4 | 1 |
| 383 | No | No | UNCOMPLICATED PEPTIC ULCER W MCC | 1.1072 | 3.1 | 2.5 | 1 |
| 384 | No | No | UNCOMPLICATED PEPTIC ULCER W/O MCC | 0.7785 | 2.8 | 2.4 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 385 | No | No | INFLAMMATORY BOWEL DISEASE W MCC | 1.4935 | 6.8 | 5.5 | 1 |
| 386 | No | No | INFLAMMATORY BOWEL DISEASE W CC | 0.9904 | 4.6 | 3.6 | 1 |
| 387 | No | No | INFLAMMATORY BOWEL DISEASE W/O CC/MCC | 0.7023 | 3.6 | 2.9 | 1 |
| 388 | Yes | No | G.I. OBSTRUCTION W MCC | 1.4586 | 6.4 | 4.5 | 1 |
| 389 | Yes | No | G.I. OBSTRUCTION W CC | 0.7946 | 3.8 | 3.0 | 1 |
| 390 | Yes | No | G.I. OBSTRUCTION W/O CC/MCC | 0.5173 | 2.6 | 2.2 | 1 |
| 391 | No | No | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W MCC | 1.2420 | 4.6 | 3.4 | 1 |
| 392 | No | No | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O MCC | 0.7011 | 2.9 | 2.4 | 1 |
| 393 | No | No | OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W MCC | 2.0570 | 6.8 | 4.8 | 1 |
| 394 | No | No | OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC | 0.9903 | 4.0 | 3.1 | 1 |
| 395 | No | No | OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC/MCC | 0.7988 | 2.6 | 2.1 | 1 |
| 405 | Yes | No | PANCREAS, LIVER & SHUNT PROCEDURES W MCC | 5.3283 | 13.9 | 9.9 | 1 |
| 406 | Yes | No | PANCREAS, LIVER & SHUNT PROCEDURES W CC | 2.7459 | 7.2 | 5.9 | 1 |
| 407 | Yes | No | PANCREAS, LIVER & SHUNT PROCEDURES W/O CC/MCC | 1.9571 | 4.4 | 3.7 | 1 |
| 408 | No | No | BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W MCC | 4.7622 | 20.1 | 15.5 | 3 |
| 409 | No | No | BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W CC | 2.5262 | 8.4 | 7.7 | 3 |
| 410 | No | No | BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC/MCC | 2.1155 | 5.5 | 5.3 | 3 |
| 411 | No | No | CHOLECYSTECTOMY W C.D.E. W MCC | 4.0250 | 11.6 | 9.4 | 1 |
| 412 | No | No | CHOLECYSTECTOMY W C.D.E. W CC | 2.6824 | 7.4 | 6.3 | 1 |
| 413 | No | No | CHOLECYSTECTOMY W C.D.E. W/O CC/MCC | 1.9656 | 5.1 | 4.2 | 1 |
| 414 | Yes | No | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W MCC | 3.3309 | 8.3 | 6.4 | 1 |
| 415 | Yes | No | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC | 2.0726 | 5.3 | 4.5 | 1 |
| 416 | Yes | No | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC/MCC | 1.3906 | 3.8 | 3.3 | 1 |
| 417 | No | No | LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W MCC | 2.0417 | 5.0 | 4.2 | 1 |
| 418 | No | No | LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC | 1.6043 | 3.5 | 2.9 | 1 |
| 419 | No | No | LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC/MCC | 1.2443 | 2.4 | 2.0 | 1 |
| 420 | No | No | HEPATOBILIARY DIAGNOSTIC PROCEDURES W MCC | 3.8429 | 11.3 | 8.0 | 1 |
| 421 | No | No | HEPATOBILIARY DIAGNOSTIC PROCEDURES W CC | 2.0436 | 5.7 | 4.4 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 422 | No | No | HEPATOBIILIARY DIAGNOSTIC PROCEDURES W/O CC/ MCC | 1.3711 | 3.2 | 2.7 | 2 |
| 423 | No | No | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES W MCC | 5.0700 | 14.0 | 10.9 | 2 |
| 424 | No | No | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES W CC | 1.4518 | 4.9 | 4.5 | 2 |
| 425 | No | No | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES W/O CC/MCC | 1.5310 | 4.4 | 3.7 | 3 |
| 432 | No | No | CIRRHOSIS & ALCOHOLIC HEPATITIS W MCC | 1.5851 | 6.6 | 5.1 | 1 |
| 433 | No | No | CIRRHOSIS & ALCOHOLIC HEPATITIS W CC | 0.9042 | 3.8 | 3.0 | 1 |
| 434 | No | No | CIRRHOSIS & ALCOHOLIC HEPATITIS W/O CC/MCC | 0.6914 | 2.8 | 2.3 | 1 |
| 435 | No | No | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS W MCC | 1.6431 | 6.4 | 4.6 | 1 |
| 436 | No | No | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS W CC | 1.2263 | 4.8 | 3.5 | 1 |
| 437 | No | No | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS W/O CC/MCC | 0.8478 | 3.4 | 2.9 | 1 |
| 438 | No | No | DISORDERS OF PANCREAS EXCEPT MALIGNANCY W MCC | 2.0877 | 7.9 | 5.8 | 1 |
| 439 | No | No | DISORDERS OF PANCREAS EXCEPT MALIGNANCY W CC | 0.9251 | 4.5 | 3.5 | 1 |
| 440 | No | No | DISORDERS OF PANCREAS EXCEPT MALIGNANCY W/O CC/MCC | 0.6315 | 3.0 | 2.6 | 1 |
| 441 | Yes | No | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W MCC | 2.0785 | 7.5 | 5.2 | 1 |
| 442 | Yes | No | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W CC | 0.9910 | 4.3 | 3.3 | 1 |
| 443 | Yes | No | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W/ O CC/MCC | 0.6749 | 2.8 | 2.4 | 1 |
| 444 | No | No | DISORDERS OF THE BILIARY TRACT W MCC | 1.4340 | 4.6 | 3.5 | 1 |
| 445 | No | No | DISORDERS OF THE BILIARY TRACT W CC | 1.1030 | 3.4 | 2.7 | 1 |
| 446 | No | No | DISORDERS OF THE BILIARY TRACT W/O CC/MCC | 0.7423 | 2.1 | 1.8 | 1 |
| 453 | No | No | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION W MCC | 10.3131 | 7.2 | 6.1 | 1 |
| 454 | No | No | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION W CC | 7.5257 | 5.0 | 4.2 | 1 |
| 455 | No | No | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION W/O CC/MCC | 5.4971 | 3.0 | 2.6 | 1 |
| 456 | No | No | SPINAL FUS EXC CERV W SPINAL CURV/MALIG/INFEK OR 9+ FUS W MCC | 9.4548 | 8.7 | 7.1 | 2 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 457 | No | No | SPINAL FUS EXC CERV W SPINAL CURV/MALIG/INFEC OR 9+ FUS W CC | 7.2061 | 6.5 | 5.5 | 2 |
| 458 | No | No | SPINAL FUS EXC CERV W SPINAL CURV/MALIG/INFEC OR 9+ FUS W/O CC/MCC | 5.3177 | 4.1 | 3.6 | 1 |
| 459 | Yes | No | SPINAL FUSION EXCEPT CERVICAL W MCC | 7.1893 | 6.9 | 5.5 | 1 |
| 460 | Yes | No | SPINAL FUSION EXCEPT CERVICAL W/O MCC | 3.8470 | 2.8 | 2.4 | 1 |
| 461 | No | No | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY W MCC | 5.5724 | 7.6 | 6.3 | 2 |
| 462 | No | No | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY W/O MCC | 3.2564 | 3.8 | 3.5 | 1 |
| 463 | Yes | No | WND DEBRID & SKN GRFT EXC HAND, FOR MUSCULO-CONN TISS DIS W MCC | 4.7805 | 11.5 | 9.0 | 2 |
| 464 | Yes | No | WND DEBRID & SKN GRFT EXC HAND, FOR MUSCULO-CONN TISS DIS W CC | 3.3945 | 8.2 | 5.9 | 1 |
| 465 | Yes | No | WND DEBRID & SKN GRFT EXC HAND, FOR MUSCULO-CONN TISS DIS W/O CC/MCC | 1.9175 | 4.4 | 3.4 | 1 |
| 466 | Yes | No | REVISION OF HIP OR KNEE REPLACEMENT W MCC | 4.3894 | 7.2 | 6.2 | 2 |
| 467 | Yes | No | REVISION OF HIP OR KNEE REPLACEMENT W CC | 3.0454 | 3.7 | 3.2 | 1 |
| 468 | Yes | No | REVISION OF HIP OR KNEE REPLACEMENT W/O CC/MCC | 2.6027 | 2.7 | 2.4 | 1 |
| 469 | Yes | No | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY W MCC | 3.0875 | 5.9 | 5.0 | 1 |
| 470 | Yes | No | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY W/O MCC | 2.0237 | 2.7 | 2.5 | 1 |
| 471 | No | No | CERVICAL SPINAL FUSION W MCC | 3.6538 | 4.4 | 3.1 | 1 |
| 472 | No | No | CERVICAL SPINAL FUSION W CC | 2.5755 | 2.0 | 1.5 | 1 |
| 473 | No | No | CERVICAL SPINAL FUSION W/O CC/MCC | 2.1233 | 1.3 | 1.2 | 1 |
| 474 | Yes | No | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS W MCC | 3.9897 | 10.9 | 8.5 | 2 |
| 475 | Yes | No | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS W CC | 2.2628 | 6.4 | 4.7 | 1 |
| 476 | Yes | No | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS W/O CC/MCC | 1.1700 | 2.9 | 2.4 | 1 |
| 477 | Yes | Yes | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W MCC | 3.8504 | 11.4 | 10.0 | 3 |
| 478 | Yes | Yes | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W CC | 1.9688 | 5.9 | 4.3 | 1 |
| 479 | Yes | Yes | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W/O CC/MCC | 1.4974 | 3.6 | 2.7 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 480 | Yes | Yes | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W MCC | 3.6186 | 7.6 | 6.5 | 2 |
| 481 | Yes | Yes | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC | 2.2356 | 5.2 | 4.5 | 1 |
| 482 | Yes | Yes | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC/MCC | 1.6381 | 3.0 | 2.5 | 1 |
| 483 | No | No | MAJOR JOINT/LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITIES | 2.2200 | 1.9 | 1.6 | 1 |
| 485 | No | No | KNEE PROCEDURES W PDX OF INFECTION W MCC | 3.4353 | 9.5 | 7.9 | 4 |
| 486 | No | No | KNEE PROCEDURES W PDX OF INFECTION W CC | 1.7454 | 5.5 | 4.8 | 1 |
| 487 | No | No | KNEE PROCEDURES W PDX OF INFECTION W/O CC/MCC | 1.4914 | 4.9 | 4.5 | 1 |
| 488 | Yes | No | KNEE PROCEDURES W/O PDX OF INFECTION W CC/MCC | 1.9144 | 4.0 | 3.2 | 1 |
| 489 | Yes | No | KNEE PROCEDURES W/O PDX OF INFECTION W/O CC/MCC | 1.4857 | 2.1 | 1.9 | 1 |
| 492 | Yes | Yes | LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR AGE >17 W MCC | 3.1893 | 7.3 | 6.1 | 2 |
| 493 | Yes | Yes | LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR AGE >17 W CC | 2.4117 | 4.6 | 3.6 | 1 |
| 494 | Yes | Yes | LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR AGE >17 W/O CC/MCC | 1.5510 | 2.5 | 2.1 | 1 |
| 495 | Yes | Yes | LOCAL EXCISION & REMOVAL INT FIX DEVICES EXC HIP & FEMUR W MCC | 2.9130 | 9.9 | 5.8 | 1 |
| 496 | Yes | Yes | LOCAL EXCISION & REMOVAL INT FIX DEVICES EXC HIP & FEMUR W CC | 1.5383 | 3.7 | 2.9 | 1 |
| 497 | Yes | Yes | LOCAL EXCISION & REMOVAL INT FIX DEVICES EXC HIP & FEMUR W/O CC/MCC | 1.2903 | 2.2 | 1.8 | 1 |
| 498 | No | No | LOCAL EXCISION & REMOVAL INT FIX DEVICES OF HIP & FEMUR W CC/MCC | 1.5879 | 4.2 | 3.1 | 1 |
| 499 | No | No | LOCAL EXCISION & REMOVAL INT FIX DEVICES OF HIP & FEMUR W/O CC/MCC | 0.7340 | 1.4 | 1.3 | 1 |
| 500 | Yes | Yes | SOFT TISSUE PROCEDURES W MCC | 2.9634 | 10.4 | 6.8 | 1 |
| 501 | Yes | Yes | SOFT TISSUE PROCEDURES W CC | 1.6515 | 4.2 | 3.1 | 1 |
| 502 | Yes | Yes | SOFT TISSUE PROCEDURES W/O CC/MCC | 1.2064 | 2.5 | 2.0 | 1 |
| 503 | No | No | FOOT PROCEDURES W MCC | 2.5905 | 8.4 | 6.8 | 1 |
| 504 | No | No | FOOT PROCEDURES W CC | 1.6168 | 3.7 | 3.2 | 1 |
| 505 | No | No | FOOT PROCEDURES W/O CC/MCC | 1.3356 | 2.1 | 1.7 | 1 |
| 506 | No | No | MAJOR THUMB OR JOINT PROCEDURES | 1.2098 | 3.4 | 2.8 | 1 |
| 507 | No | No | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES W CC/MCC | 1.0214 | 2.9 | 2.3 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 508 | No | No | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES W/O CC/MCC | 1.4841 | 1.9 | 1.6 | 1 |
| 509 | No | No | ARTHROSCOPY | 1.7198 | 4.1 | 3.1 | 1 |
| 510 | Yes | No | SHOULDER,ELBOW OR FOREARM PROC,EXC MAJOR JOINT PROC W MCC | 2.4388 | 4.5 | 3.9 | 1 |
| 511 | Yes | No | SHOULDER,ELBOW OR FOREARM PROC,EXC MAJOR JOINT PROC W CC | 1.6350 | 2.5 | 2.2 | 1 |
| 512 | Yes | No | SHOULDER,ELBOW OR FOREARM PROC,EXC MAJOR JOINT PROC W/O CC/MCC | 1.3129 | 1.9 | 1.6 | 1 |
| 513 | No | No | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROC W CC/MCC | 1.6642 | 3.8 | 3.1 | 1 |
| 514 | No | No | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROC W/O CC/MCC | 0.8283 | 1.9 | 1.7 | 1 |
| 515 | Yes | Yes | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W MCC | 4.1551 | 7.7 | 5.7 | 1 |
| 516 | Yes | Yes | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC | 2.2845 | 4.9 | 3.5 | 1 |
| 517 | Yes | Yes | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC/MCC | 1.9028 | 2.6 | 2.0 | 1 |
| 518 | Yes | Yes | BACK & NECK PROC EXC SPINAL FUSION W MCC OR DISC DEVICE/NEUROSTIM | 2.9124 | 2.6 | 1.7 | 1 |
| 519 | Yes | Yes | BACK & NECK PROC EXC SPINAL FUSION W CC | 1.6344 | 3.1 | 2.4 | 1 |
| 520 | Yes | Yes | BACK & NECK PROC EXC SPINAL FUSION W/O CC/MCC | 1.2714 | 1.6 | 1.4 | 1 |
| 533 | Yes | No | FRACTURES OF FEMUR W MCC | 1.6089 | 5.7 | 4.3 | 1 |
| 534 | Yes | No | FRACTURES OF FEMUR W/O MCC | 0.9031 | 3.4 | 2.2 | 1 |
| 535 | Yes | No | FRACTURES OF HIP & PELVIS W MCC | 1.7392 | 5.7 | 4.5 | 1 |
| 536 | Yes | No | FRACTURES OF HIP & PELVIS W/O MCC | 0.9979 | 3.9 | 3.2 | 1 |
| 537 | No | No | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH W CC/MCC | 0.9962 | 4.0 | 3.3 | 1 |
| 538 | No | No | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH W/O CC/MCC | 0.7678 | 3.0 | 2.5 | 1 |
| 539 | Yes | No | OSTEOMYELITIS W MCC | 1.3956 | 6.8 | 5.3 | 1 |
| 540 | Yes | No | OSTEOMYELITIS W CC | 1.4933 | 7.4 | 5.6 | 1 |
| 541 | Yes | No | OSTEOMYELITIS W/O CC/MCC | 0.9577 | 3.9 | 2.9 | 1 |
| 542 | Yes | No | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIG W MCC | 3.1623 | 8.0 | 6.3 | 1 |
| 543 | Yes | No | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIG W CC | 1.4782 | 5.4 | 4.3 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 544 | Yes | No | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIG W/O CC/MCC | 0.8880 | 2.8 | 2.3 | 1 |
| 545 | Yes | No | CONNECTIVE TISSUE DISORDERS W MCC | 2.5970 | 8.6 | 6.2 | 1 |
| 546 | Yes | No | CONNECTIVE TISSUE DISORDERS W CC | 1.4980 | 5.7 | 4.0 | 1 |
| 547 | Yes | No | CONNECTIVE TISSUE DISORDERS W/O CC/MCC | 0.8875 | 3.3 | 2.6 | 1 |
| 548 | No | No | SEPTIC ARTHRITIS W MCC | 2.1227 | 7.7 | 6.1 | 1 |
| 549 | No | No | SEPTIC ARTHRITIS W CC | 1.2743 | 6.0 | 5.0 | 1 |
| 550 | No | No | SEPTIC ARTHRITIS W/O CC/MCC | 0.6754 | 2.8 | 2.4 | 1 |
| 551 | Yes | No | MEDICAL BACK PROBLEMS W MCC | 2.4941 | 5.5 | 4.3 | 1 |
| 552 | Yes | No | MEDICAL BACK PROBLEMS W/O MCC | 1.7411 | 2.7 | 2.1 | 1 |
| 553 | No | No | BONE DISEASES & ARTHROPATHIES W MCC | 2.6056 | 4.7 | 4.0 | 1 |
| 554 | No | No | BONE DISEASES & ARTHROPATHIES W/O MCC | 2.0434 | 2.8 | 2.5 | 1 |
| 555 | No | No | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE W MCC | 1.4545 | 6.6 | 4.5 | 1 |
| 556 | No | No | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE W/O MCC | 0.7787 | 2.8 | 2.1 | 1 |
| 557 | Yes | No | TENDONITIS, MYOSITIS & BURSITIS W MCC | 1.3082 | 5.7 | 4.4 | 1 |
| 558 | Yes | No | TENDONITIS, MYOSITIS & BURSITIS W/O MCC | 0.6332 | 3.2 | 2.6 | 1 |
| 559 | Yes | No | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W MCC | 3.8738 | 7.7 | 6.1 | 1 |
| 560 | Yes | No | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W CC | 2.5672 | 4.1 | 3.3 | 1 |
| 561 | Yes | No | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W/O CC/MCC | 2.2421 | 2.7 | 2.4 | 1 |
| 562 | Yes | No | FX, SPRN, STRN & DISL EXCEPT FEMUR, HIP, PELVIS & THIGH AGE >17 W MCC | 1.7415 | 5.3 | 4.0 | 1 |
| 563 | Yes | No | FX, SPRN, STRN & DISL EXCEPT FEMUR, HIP, PELVIS & THIGH AGE >17 W/O MCC | 0.8940 | 2.6 | 2.0 | 1 |
| 564 | No | No | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSES W MCC | 1.4741 | 5.0 | 3.8 | 1 |
| 565 | No | No | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSES W CC | 1.2187 | 3.2 | 2.4 | 1 |
| 566 | No | No | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSES W/O CC/MCC | 0.9441 | 2.5 | 1.9 | 1 |
| 570 | Yes | No | SKIN DEBRIDEMENT W MCC | 2.0603 | 8.1 | 5.8 | 1 |
| 571 | Yes | No | SKIN DEBRIDEMENT W CC | 1.2557 | 5.4 | 4.1 | 1 |
| 572 | Yes | No | SKIN DEBRIDEMENT W/O CC/MCC | 0.7984 | 3.2 | 2.8 | 1 |
| 573 | Yes | No | SKIN GRAFT FOR SKIN ULCER OR CELLULITIS W MCC | 3.2556 | 16.6 | 8.3 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|--|------------|----------|--|----------------|----------------|---------------|----------------------|
| 574 | Yes | No | SKIN GRAFT FOR SKIN ULCER OR CELLULITIS W CC | 1.9057 | 5.1 | 4.2 | 1 |
| 575 | Yes | No | SKIN GRAFT FOR SKIN ULCER OR CELLULITIS W/O CC/ MCC | 1.6568 | 5.4 | 4.2 | 1 |
| 576 | No | No | SKIN GRAFT EXC FOR SKIN ULCER OR CELLULITIS W MCC | 4.5980 | 11.3 | 7.6 | 1 |
| 577 | No | No | SKIN GRAFT EXC FOR SKIN ULCER OR CELLULITIS W CC | 2.0442 | 4.6 | 2.9 | 1 |
| 578 | No | No | SKIN GRAFT EXC FOR SKIN ULCER OR CELLULITIS W/O CC/MCC | 1.9693 | 2.6 | 2.1 | 1 |
| 579 | Yes | No | OTHER SKIN, SUBCUT TISS & BREAST PROC W MCC | 2.4156 | 8.9 | 6.7 | 1 |
| 580 | Yes | No | OTHER SKIN, SUBCUT TISS & BREAST PROC W CC | 1.8193 | 4.0 | 3.0 | 1 |
| 581 | Yes | No | OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC/MCC | 1.5754 | 2.5 | 2.0 | 1 |
| 582 | No | No | MASTECTOMY FOR MALIGNANCY W CC/MCC | 2.6187 | 2.7 | 2.1 | 1 |
| 583 | No | No | MASTECTOMY FOR MALIGNANCY W/O CC/MCC | 2.2594 | 2.1 | 1.8 | 1 |
| 584 | No | No | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES W CC/MCC | 3.0538 | 3.7 | 3.2 | 1 |
| 585 | No | No | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES W/O CC/MCC | 2.1407 | 2.6 | 2.1 | 1 |
| 592 | Yes | No | SKIN ULCERS W MCC | 2.1277 | 8.3 | 6.5 | 1 |
| 593 | Yes | No | SKIN ULCERS W CC | 0.7941 | 5.8 | 4.3 | 1 |
| 594 | Yes | No | SKIN ULCERS W/O CC/MCC | 0.7908 | 3.8 | 3.0 | 2 |
| 595 | No | No | MAJOR SKIN DISORDERS W MCC | 4.4463 | 10.8 | 7.7 | 1 |
| 596 | No | No | MAJOR SKIN DISORDERS W/O MCC | 0.7680 | 4.0 | 3.0 | 1 |
| 597 | No | No | MALIGNANT BREAST DISORDERS W MCC | 1.9966 | 10.2 | 5.5 | 1 |
| 598 | No | No | MALIGNANT BREAST DISORDERS W CC | 1.4316 | 4.9 | 3.7 | 1 |
| 599 | No | No | MALIGNANT BREAST DISORDERS W/O CC/MCC | 0.8057 | 3.0 | 2.4 | 1 |
| 600 | No | No | NON-MALIGNANT BREAST DISORDERS W CC/MCC | 0.8461 | 3.8 | 3.0 | 1 |
| 601 | No | No | NON-MALIGNANT BREAST DISORDERS W/O CC/MCC | 0.6292 | 2.9 | 2.4 | 1 |
| 602 | Yes | No | CELLULITIS AGE >17 W MCC | 1.4578 | 6.2 | 4.8 | 1 |
| 603 | Yes | No | CELLULITIS AGE >17 W/O MCC | 0.6343 | 3.4 | 2.8 | 1 |
| 604 | No | No | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W MCC | 1.1285 | 3.6 | 2.9 | 1 |
| 605 | No | No | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W/O MCC | 0.7844 | 2.0 | 1.6 | 1 |
| 606 | No | No | MINOR SKIN DISORDERS W MCC | 2.9814 | 8.9 | 4.8 | 1 |
| 607 | No | No | MINOR SKIN DISORDERS W/O MCC | 0.5046 | 2.6 | 2.1 | 1 |
| 608 | No | No | BPD & OTH CHRONIC RESPIRATORY DISEASES ARISING IN PERINATAL PERIOD | 0.9880 | 5.4 | 3.9 | 1 |
| 609 | No | No | OTHER RESPIRATORY PROBLEMS AFTER BIRTH | 0.9659 | 6.5 | 3.4 | 1 |
| Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs. (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs. (3) w CC = with Complications or Comorbidities. (4) w/o CC = without Complications or Comorbidities. | | | | | | | |

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|--|------------|----------|---|----------------|----------------|---------------|----------------------|
| 610 | No | No | NEONATE, DIED W/IN ONE DAY OF BIRTH | 0.1798 | 1.0 | 1.0 | 1 |
| 611 | No | No | NEONATE, TRANSFERRED <5 DAYS OLD | 0.2078 | 1.2 | 1.1 | 1 |
| 612 | No | No | NEONATE, BIRTHWT <750G, DISCHARGED ALIVE | 24.4301 | 88.8 | 69.0 | 10 |
| 613 | No | No | NEONATE, BIRTHWT <750G, DIED | 5.0585 | 9.0 | 4.5 | 1 |
| 614 | No | No | ADRENAL & PITUITARY PROCEDURES W CC/MCC | 2.1847 | 4.8 | 3.5 | 1 |
| 615 | No | No | ADRENAL & PITUITARY PROCEDURES W/O CC/MCC | 1.5254 | 2.5 | 2.1 | 1 |
| 616 | Yes | No | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS W MCC | 4.6188 | 13.1 | 10.7 | 2 |
| 617 | Yes | No | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS W CC | 1.8516 | 7.5 | 5.5 | 1 |
| 618 | Yes | No | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS W/O CC/MCC | 1.4998 | 5.0 | 4.0 | 2 |
| 619 | No | No | O.R. PROCEDURES FOR OBESITY W MCC | 4.2430 | 6.6 | 4.6 | 1 |
| 620 | No | No | O.R. PROCEDURES FOR OBESITY W CC | 2.0838 | 2.7 | 2.3 | 1 |
| 621 | No | No | O.R. PROCEDURES FOR OBESITY W/O CC/MCC | 1.8501 | 1.9 | 1.7 | 1 |
| 622 | Yes | No | SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DIS W MCC | 2.5087 | 14.0 | 10.5 | 2 |
| 623 | Yes | No | SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DIS W CC | 1.5363 | 6.5 | 4.9 | 1 |
| 624 | Yes | No | SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DIS W/O CC/MCC | 1.2559 | 4.3 | 3.6 | 2 |
| 625 | No | No | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES W MCC | 2.9343 | 6.3 | 5.0 | 1 |
| 626 | No | No | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES W CC | 1.3466 | 2.2 | 1.8 | 1 |
| 627 | No | No | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES W/O CC/MCC | 1.0204 | 1.5 | 1.3 | 1 |
| 628 | Yes | No | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W MCC | 3.0001 | 10.1 | 6.7 | 1 |
| 629 | Yes | No | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC | 1.9585 | 7.4 | 5.7 | 1 |
| 630 | Yes | No | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC/MCC | 1.3631 | 2.8 | 2.5 | 1 |
| 631 | No | No | NEONATE, BIRTHWT 750-999G, DISCHARGED ALIVE | 16.3551 | 76.0 | 68.5 | 23 |
| 632 | No | No | NEONATE, BIRTHWT 750-999G, DIED | 4.1795 | 9.4 | 4.2 | 1 |
| 633 | No | No | NEONATE, BIRTHWT 1000-1499G, W SIGNIF O.R. PROC, DISCHARGED ALIVE | 20.0562 | 89.1 | 76.0 | 19 |
| 634 | No | No | NEONATE, BIRTHWT 1000-1499G, W/O SIGNIF O.R. PROC, DISCHARGED ALIVE | 9.1265 | 45.4 | 39.7 | 13 |
| 635 | No | No | NEONATE, BIRTHWT 1000-1499G, DIED | 5.7060 | 14.1 | 4.8 | 1 |
| Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs. (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs. (3) w CC = with Complications or Comorbidities. (4) w/o CC = without Complications or Comorbidities. | | | | | | | |

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|--|------------|----------|--|----------------|----------------|---------------|----------------------|
| 636 | No | No | NEONATE, BIRTHWT 1500-1999G, W SIGNIF O.R. PROC, W MULT MAJOR PROB | 8.2484 | 33.7 | 24.6 | 3 |
| 637 | Yes | No | DIABETES W MCC | 1.5433 | 5.1 | 3.9 | 1 |
| 638 | Yes | No | DIABETES W CC | 0.6727 | 3.0 | 2.5 | 1 |
| 639 | Yes | No | DIABETES W/O CC/MCC | 0.4504 | 2.1 | 1.8 | 1 |
| 640 | Yes | No | MISC DISORDERS OF NUTRITION,METABOLISM,FLUIDS/ELECTROLYTES >17 W MCC | 1.1926 | 4.8 | 3.4 | 1 |
| 641 | Yes | No | MISC DISORDERS OF NUTRITION,METABOLISM,FLUIDS/ELECTROLYTES >17 W/O MCC | 0.7662 | 2.8 | 2.2 | 1 |
| 642 | No | No | INBORN AND OTHER DISORDERS OF METABOLISM | 1.2609 | 4.4 | 3.1 | 1 |
| 643 | Yes | No | ENDOCRINE DISORDERS W MCC | 1.5122 | 6.0 | 4.5 | 1 |
| 644 | Yes | No | ENDOCRINE DISORDERS W CC | 0.9728 | 3.9 | 2.9 | 1 |
| 645 | Yes | No | ENDOCRINE DISORDERS W/O CC/MCC | 0.7008 | 2.8 | 2.2 | 1 |
| 646 | No | No | NEONATE, BIRTHWT 1500-1999G, W SIGNIF O.R. PROC, W/O MULT MAJOR PROB | 10.9150 | 38.5 | 36.8 | 27 |
| 647 | No | No | NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF O.R. PROC, W MULT MAJOR PROB | 6.0089 | 31.0 | 26.4 | 7 |
| 648 | No | No | NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF O.R. PROC, W MAJOR PROB | 4.0557 | 23.9 | 20.3 | 6 |
| 649 | No | No | NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF O.R. PROC, W MINOR PROB | 2.2391 | 15.3 | 11.0 | 1 |
| 650 | No | No | NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF O.R. PROC, W OTHER PROB | 2.6004 | 15.6 | 12.4 | 3 |
| 651 | No | No | NEONATE, BIRTHWT 2000-2499G, W SIGNIF O.R. PROC, W MULT MAJOR PROB | 11.5420 | 45.7 | 39.6 | 13 |
| 652 | No | No | KIDNEY TRANSPLANT | 3.1232 | 5.8 | 5.3 | 2 |
| 653 | Yes | No | MAJOR BLADDER PROCEDURES W MCC | 4.7539 | 14.0 | 11.4 | 3 |
| 654 | Yes | No | MAJOR BLADDER PROCEDURES W CC | 2.6484 | 6.6 | 6.0 | 2 |
| 655 | Yes | No | MAJOR BLADDER PROCEDURES W/O CC/MCC | 2.0320 | 4.7 | 3.6 | 1 |
| 656 | No | No | KIDNEY & URETER PROCEDURES FOR NEOPLASM W MCC | 3.2331 | 6.5 | 5.5 | 1 |
| 657 | No | No | KIDNEY & URETER PROCEDURES FOR NEOPLASM W CC | 2.2317 | 4.7 | 3.9 | 1 |
| 658 | No | No | KIDNEY & URETER PROCEDURES FOR NEOPLASM W/O CC/MCC | 1.7465 | 2.6 | 2.3 | 1 |
| 659 | Yes | No | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM W MCC | 3.0459 | 7.8 | 5.6 | 1 |
| 660 | Yes | No | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM W CC | 1.6607 | 3.4 | 2.6 | 1 |
| Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs. (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs. (3) w CC = with Complications or Comorbidities. (4) w/o CC = without Complications or Comorbidities. | | | | | | | |

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|--|------------|----------|--|----------------|----------------|---------------|----------------------|
| 661 | Yes | No | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM W/O CC/MCC | 1.4009 | 2.3 | 1.9 | 1 |
| 662 | No | No | MINOR BLADDER PROCEDURES W MCC | 3.3347 | 10.2 | 7.7 | 1 |
| 663 | No | No | MINOR BLADDER PROCEDURES W CC | 1.9733 | 4.4 | 3.3 | 1 |
| 664 | No | No | MINOR BLADDER PROCEDURES W/O CC/MCC | 1.1709 | 2.2 | 1.9 | 1 |
| 665 | No | No | PROSTATECTOMY W MCC | 3.5059 | 11.7 | 9.1 | 1 |
| 666 | No | No | PROSTATECTOMY W CC | 1.9438 | 6.1 | 4.5 | 1 |
| 667 | No | No | PROSTATECTOMY W/O CC/MCC | 1.0756 | 2.6 | 2.0 | 1 |
| 668 | No | No | TRANSURETHRAL PROCEDURES W MCC | 2.0050 | 5.0 | 4.1 | 1 |
| 669 | No | No | TRANSURETHRAL PROCEDURES W CC | 1.0240 | 2.2 | 1.8 | 1 |
| 670 | No | No | TRANSURETHRAL PROCEDURES W/O CC/MCC | 0.8545 | 1.6 | 1.4 | 1 |
| 671 | No | No | URETHRAL PROCEDURES AGE >17 W CC/MCC | 1.3101 | 4.0 | 3.0 | 1 |
| 672 | No | No | URETHRAL PROCEDURES AGE >17 W/O CC/MCC | 0.8747 | 1.9 | 1.6 | 1 |
| 673 | No | No | OTHER KIDNEY & URINARY TRACT PROCEDURES W MCC | 3.4384 | 11.6 | 6.9 | 1 |
| 674 | No | No | OTHER KIDNEY & URINARY TRACT PROCEDURES W CC | 2.5006 | 6.8 | 5.1 | 1 |
| 675 | No | No | OTHER KIDNEY & URINARY TRACT PROCEDURES W/O CC/MCC | 1.7531 | 3.3 | 2.1 | 1 |
| 676 | No | No | NEONATE, BIRTHWT 2000-2499G, W SIGNIF O.R. PROC, W/O MULT MAJOR PROB | 5.1201 | 24.9 | 21.6 | 7 |
| 677 | No | No | NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF O.R. PROC, W MULT MAJOR PROB | 3.5040 | 17.2 | 13.8 | 3 |
| 678 | No | No | NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF O.R. PROC, W MAJOR PROB | 2.3638 | 14.0 | 11.1 | 2 |
| 679 | No | No | NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF O.R. PROC, W MINOR PROB | 1.1838 | 9.7 | 7.2 | 1 |
| 680 | No | No | NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF O.R. PROC, W OTHER PROB | 1.0041 | 7.3 | 5.2 | 1 |
| 681 | No | No | NEONATE, BIRTHWT >2499G, W SIGNIF O.R. PROC, W MULT MAJOR PROB | 11.6527 | 35.1 | 23.2 | 3 |
| 682 | Yes | No | RENAL FAILURE W MCC | 1.6052 | 5.7 | 4.3 | 1 |
| 683 | Yes | No | RENAL FAILURE W CC | 0.8807 | 3.9 | 3.1 | 1 |
| 684 | Yes | No | RENAL FAILURE W/O CC/MCC | 0.5471 | 2.4 | 2.1 | 1 |
| 685 | No | No | ADMIT FOR RENAL DIALYSIS | 0.6421 | 2.8 | 2.2 | 1 |
| 686 | No | No | KIDNEY & URINARY TRACT NEOPLASMS W MCC | 3.7623 | 12.0 | 6.1 | 1 |
| 687 | No | No | KIDNEY & URINARY TRACT NEOPLASMS W CC | 1.1295 | 4.1 | 3.1 | 1 |
| 688 | No | No | KIDNEY & URINARY TRACT NEOPLASMS W/O CC/MCC | 1.4598 | 2.6 | 2.3 | 1 |
| 689 | Yes | No | KIDNEY & URINARY TRACT INFECTIONS AGE >17 W MCC | 1.1155 | 5.2 | 4.0 | 1 |
| Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs. (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs. (3) w CC = with Complications or Comorbidities. (4) w/o CC = without Complications or Comorbidities. | | | | | | | |

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 690 | Yes | No | KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O MCC | 0.6708 | 3.1 | 2.6 | 1 |
| 691 | No | No | URINARY STONES W ESW LITHOTRIPSY W CC/MCC | 1.3517 | 2.2 | 1.8 | 1 |
| 692 | No | No | URINARY STONES W ESW LITHOTRIPSY W/O CC/MCC | 0.7309 | 1.5 | 1.3 | 1 |
| 693 | No | No | URINARY STONES W/O ESW LITHOTRIPSY W MCC | 1.1788 | 5.0 | 3.2 | 1 |
| 694 | No | No | URINARY STONES W/O ESW LITHOTRIPSY W/O MCC | 0.6779 | 1.9 | 1.6 | 1 |
| 695 | No | No | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W MCC | 1.1027 | 4.2 | 3.4 | 1 |
| 696 | No | No | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W/O MCC | 0.5107 | 2.5 | 2.1 | 1 |
| 697 | No | No | URETHRAL STRICTURE AGE >17 | 0.8601 | 2.5 | 2.1 | 1 |
| 698 | Yes | No | OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W MCC | 1.5582 | 6.3 | 4.7 | 1 |
| 699 | Yes | No | OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W CC | 1.2639 | 4.6 | 3.4 | 1 |
| 700 | Yes | No | OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W/O CC/MCC | 0.8592 | 2.8 | 2.2 | 1 |
| 707 | No | No | MAJOR MALE PELVIC PROCEDURES W CC/MCC | 2.0156 | 3.0 | 2.3 | 1 |
| 708 | No | No | MAJOR MALE PELVIC PROCEDURES W/O CC/MCC | 1.7645 | 1.5 | 1.4 | 1 |
| 709 | No | No | PENIS PROCEDURES W CC/MCC | 2.3689 | 6.7 | 4.0 | 1 |
| 710 | No | No | PENIS PROCEDURES W/O CC/MCC | 1.8320 | 1.9 | 1.5 | 1 |
| 711 | No | No | TESTES PROCEDURES AGE >17 W CC/MCC | 2.0381 | 6.6 | 4.5 | 1 |
| 712 | No | No | TESTES PROCEDURES AGE >17 W/O CC/MCC | 0.9019 | 1.6 | 1.3 | 1 |
| 713 | No | No | TRANSURETHRAL PROSTATECTOMY W CC/MCC | 1.1627 | 3.3 | 2.4 | 1 |
| 714 | No | No | TRANSURETHRAL PROSTATECTOMY W/O CC/MCC | 1.0335 | 1.5 | 1.3 | 1 |
| 715 | No | No | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC FOR MALIGNANCY W CC/MCC | 2.2257 | 6.4 | 4.6 | 1 |
| 716 | No | No | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC FOR MALIGNANCY W/O CC/MCC | 1.3161 | 1.7 | 1.5 | 1 |
| 717 | No | No | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXC MALIGNANCY W CC/MCC | 1.9666 | 6.5 | 4.6 | 1 |
| 718 | No | No | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXC MALIGNANCY W/O CC/MCC | 1.1210 | 2.8 | 2.2 | 1 |
| 722 | No | No | MALIGNANCY, MALE REPRODUCTIVE SYSTEM W MCC | 1.9502 | 7.4 | 5.6 | 1 |
| 723 | No | No | MALIGNANCY, MALE REPRODUCTIVE SYSTEM W CC | 1.4091 | 5.2 | 3.9 | 1 |
| 724 | No | No | MALIGNANCY, MALE REPRODUCTIVE SYSTEM W/O CC/MCC | 1.0932 | 1.3 | 1.2 | 1 |
| 725 | No | No | BENIGN PROSTATIC HYPERTROPHY W MCC | 1.3087 | 5.6 | 4.3 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 726 | No | No | BENIGN PROSTATIC HYPERTROPHY W/O MCC | 0.9994 | 2.7 | 2.2 | 1 |
| 727 | No | No | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM W MCC | 1.5756 | 6.2 | 4.9 | 1 |
| 728 | No | No | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM W/O MCC | 0.6367 | 3.0 | 2.4 | 1 |
| 729 | No | No | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES W CC/MCC | 0.9569 | 2.8 | 2.5 | 1 |
| 730 | No | No | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES W/O CC/MCC | 0.7393 | 2.9 | 2.2 | 1 |
| 734 | No | No | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY W CC/MCC | 3.0616 | 6.0 | 3.9 | 1 |
| 735 | No | No | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY W/O CC/MCC | 1.4522 | 1.8 | 1.6 | 1 |
| 736 | No | No | UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY W MCC | 2.7378 | 7.8 | 6.6 | 1 |
| 737 | No | No | UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY W CC | 1.9817 | 5.5 | 4.6 | 1 |
| 738 | No | No | UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY W/O CC/MCC | 1.3979 | 2.9 | 2.5 | 1 |
| 739 | No | No | UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W MCC | 3.6778 | 9.1 | 6.6 | 1 |
| 740 | No | No | UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC | 1.5379 | 3.3 | 2.6 | 1 |
| 741 | No | No | UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC/MCC | 1.1718 | 1.7 | 1.5 | 1 |
| 742 | No | No | UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC/MCC | 1.4604 | 3.0 | 2.5 | 1 |
| 743 | No | No | UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC/MCC | 1.1878 | 1.8 | 1.6 | 1 |
| 744 | No | No | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION W CC/MCC | 1.5762 | 3.4 | 2.7 | 1 |
| 745 | No | No | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION W/O CC/MCC | 0.9693 | 2.0 | 1.7 | 1 |
| 746 | No | No | VAGINA, CERVIX & VULVA PROCEDURES W CC/MCC | 1.1033 | 3.2 | 2.3 | 1 |
| 747 | No | No | VAGINA, CERVIX & VULVA PROCEDURES W/O CC/MCC | 1.0007 | 1.6 | 1.4 | 1 |
| 748 | No | No | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 1.2615 | 1.5 | 1.3 | 1 |
| 749 | No | No | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES W CC/MCC | 1.9310 | 4.7 | 4.0 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 750 | No | No | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES W/O CC/MCC | 0.9596 | 1.8 | 1.6 | 1 |
| 754 | No | No | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W MCC | 2.7521 | 9.6 | 5.7 | 1 |
| 755 | No | No | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC | 1.0540 | 4.3 | 3.2 | 1 |
| 756 | No | No | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC/MCC | 0.4718 | 2.2 | 1.9 | 1 |
| 757 | No | No | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W MCC | 1.1987 | 4.8 | 3.7 | 1 |
| 758 | No | No | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W CC | 1.0587 | 4.8 | 3.6 | 1 |
| 759 | No | No | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W/O CC/MCC | 0.5602 | 2.8 | 2.3 | 1 |
| 760 | No | No | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS W CC/MCC | 0.8338 | 2.6 | 2.0 | 1 |
| 761 | No | No | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS W/O CC/MCC | 0.5158 | 1.8 | 1.6 | 1 |
| 765 | No | No | CESAREAN SECTION W CC/MCC | 0.8634 | 4.1 | 3.5 | 1 |
| 766 | No | No | CESAREAN SECTION W/O CC/MCC | 0.6834 | 2.9 | 2.8 | 1 |
| 767 | No | No | VAGINAL DELIVERY W STERILIZATION &/OR D&C | 0.7477 | 2.5 | 2.2 | 1 |
| 768 | No | No | VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C | 0.9902 | 3.3 | 2.6 | 1 |
| 769 | No | No | POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE | 1.6474 | 3.9 | 2.9 | 1 |
| 770 | No | No | ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 0.6229 | 1.5 | 1.3 | 1 |
| 774 | No | No | VAGINAL DELIVERY W COMPLICATING DIAGNOSES | 0.5027 | 2.6 | 2.4 | 1 |
| 775 | No | No | VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES | 0.4030 | 2.1 | 2.0 | 1 |
| 776 | No | No | POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE | 0.5009 | 2.7 | 2.2 | 1 |
| 777 | No | No | ECTOPIC PREGNANCY | 0.9088 | 1.7 | 1.4 | 1 |
| 778 | No | No | THREATENED ABORTION | 0.4068 | 3.2 | 2.2 | 1 |
| 779 | No | No | ABORTION W/O D&C | 0.4469 | 1.7 | 1.4 | 1 |
| 780 | No | No | FALSE LABOR | 0.2317 | 1.9 | 1.3 | 1 |
| 781 | No | No | OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS | 0.4898 | 3.1 | 2.1 | 1 |
| 782 | No | No | OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS | 0.3772 | 2.5 | 1.7 | 1 |
| 787 | No | No | NEONATE, BIRTHWT >2499G, W SIGNIF O.R. PROC, W/O MULT MAJOR PROB | 2.4199 | 9.0 | 4.6 | 1 |
| 788 | No | No | NEONATE, BIRTHWT >2499G, W MINOR ABDOM PROCEDURE | 0.7465 | 2.3 | 2.1 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 789 | No | No | NEONATE, BIRTHWT >2499G, W/O SIGNIF O.R. PROC, W MULT MAJOR PROB | 2.3626 | 10.3 | 6.3 | 1 |
| 790 | No | No | NEONATE, BIRTHWT >2499G, W/O SIGNIF O.R. PROC, W MAJOR PROB | 0.7162 | 4.6 | 3.4 | 1 |
| 791 | No | No | NEONATE, BIRTHWT >2499G, W/O SIGNIF O.R. PROC, W MINOR PROB | 0.3646 | 3.1 | 2.6 | 1 |
| 792 | No | No | NEONATE, BIRTHWT >2499G, W/O SIGNIF O.R. PROC, W OTHER PROB | 0.2116 | 2.5 | 2.2 | 1 |
| 793 | No | No | NEONATAL AFTERCARE FOR WEIGHT GAIN | 0.8269 | 5.6 | 3.9 | 2 |
| 794 | No | No | NEONATAL DIAGNOSIS, AGE > 28 DAYS | 2.3405 | 13.2 | 6.0 | 1 |
| 795 | No | No | NORMAL NEWBORN | 0.1157 | 2.0 | 1.8 | 1 |
| 796 | No | No | MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W CC/MCC | 2.9299 | 6.3 | 3.8 | 1 |
| 797 | No | No | MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W/O CC/MCC | 0.3539 | 1.7 | 1.6 | 1 |
| 799 | No | No | SPLENECTOMY AGE >17 W MCC | 4.2316 | 10.3 | 8.8 | 2 |
| 800 | No | No | SPLENECTOMY AGE >17 W CC | 2.3394 | 5.2 | 4.0 | 1 |
| 801 | No | No | SPLENECTOMY AGE >17 W/O CC/MCC | 1.5483 | 3.3 | 2.5 | 1 |
| 802 | No | No | OTHER O.R. PROC OF THE BLOOD & BLOOD FORMING ORGANS W MCC | 16.4187 | 39.1 | 7.2 | 1 |
| 803 | No | No | OTHER O.R. PROC OF THE BLOOD & BLOOD FORMING ORGANS W CC | 1.7919 | 4.6 | 3.8 | 1 |
| 804 | No | No | OTHER O.R. PROC OF THE BLOOD & BLOOD FORMING ORGANS W/O CC/MCC | 1.3000 | 2.4 | 1.9 | 1 |
| 808 | No | No | MAJOR HEMATOL/IMMUN DIAG EXC SICKLE CELL CRISIS & COAGUL W MCC | 3.0803 | 10.0 | 6.8 | 1 |
| 809 | No | No | MAJOR HEMATOL/IMMUN DIAG EXC SICKLE CELL CRISIS & COAGUL W CC | 1.0875 | 4.9 | 3.8 | 1 |
| 810 | No | No | MAJOR HEMATOL/IMMUN DIAG EXC SICKLE CELL CRISIS & COAGUL W/O CC/MCC | 0.9686 | 3.3 | 2.8 | 1 |
| 811 | No | No | RED BLOOD CELL DISORDERS AGE >17 W MCC | 1.3280 | 4.8 | 3.5 | 1 |
| 812 | No | No | RED BLOOD CELL DISORDERS AGE >17 W/O MCC | 0.7450 | 3.3 | 2.4 | 1 |
| 813 | No | No | COAGULATION DISORDERS | 1.2820 | 3.4 | 2.4 | 1 |
| 814 | No | No | RETICULOENDOTHELIAL & IMMUNITY DISORDERS W MCC | 2.5069 | 8.5 | 5.5 | 1 |
| 815 | No | No | RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC | 0.8403 | 3.5 | 2.7 | 1 |
| 816 | No | No | RETICULOENDOTHELIAL & IMMUNITY DISORDERS W/O CC/MCC | 0.6278 | 2.6 | 2.2 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 820 | No | No | LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W MCC | 8.7297 | 27.3 | 19.9 | 3 |
| 821 | No | No | LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W CC | 2.5297 | 5.9 | 4.8 | 1 |
| 822 | No | No | LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W/O CC/MCC | 1.3243 | 2.3 | 1.9 | 1 |
| 823 | No | No | LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W MCC | 5.3325 | 15.9 | 12.8 | 3 |
| 824 | No | No | LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W CC | 2.7162 | 7.4 | 5.3 | 1 |
| 825 | No | No | LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W/O CC/MCC | 1.9248 | 4.9 | 3.4 | 1 |
| 826 | No | No | MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R. PROC W MCC | 5.0002 | 13.9 | 10.3 | 2 |
| 827 | No | No | MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R. PROC W CC | 2.1308 | 5.1 | 4.1 | 1 |
| 828 | No | No | MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R. PROC W/O CC/MCC | 1.7852 | 3.7 | 3.1 | 1 |
| 829 | No | No | MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R. PROC W CC/MCC | 3.6995 | 11.1 | 7.2 | 1 |
| 830 | No | No | MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R. PROC W/O CC/MCC | 1.2950 | 3.4 | 2.8 | 1 |
| 834 | No | No | ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17 W MCC | 7.7969 | 28.1 | 20.3 | 3 |
| 835 | No | No | ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17 W CC | 3.4509 | 12.8 | 6.7 | 1 |
| 836 | No | No | ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17 W/O CC/MCC | 1.6235 | 5.1 | 3.2 | 1 |
| 837 | No | No | CHEMO W ACUTE LEUKEMIA AS SDX OR W HIGH DOSE CHEMO AGENT W MCC | 4.8551 | 18.6 | 13.2 | 2 |
| 838 | No | No | CHEMO W ACUTE LEUKEMIA AS SDX W CC OR HIGH DOSE CHEMO AGENT | 2.4587 | 7.7 | 5.4 | 1 |
| 839 | No | No | CHEMO W ACUTE LEUKEMIA AS SDX W/O CC/MCC | 0.9133 | 4.1 | 3.3 | 1 |
| 840 | Yes | No | LYMPHOMA & NON-ACUTE LEUKEMIA W MCC | 3.3640 | 10.3 | 7.4 | 1 |
| 841 | Yes | No | LYMPHOMA & NON-ACUTE LEUKEMIA W CC | 2.0128 | 6.3 | 4.6 | 1 |
| 842 | Yes | No | LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC/MCC | 1.4446 | 3.9 | 2.9 | 1 |
| 843 | No | No | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W MCC | 1.3776 | 6.6 | 5.3 | 1 |
| 844 | No | No | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC | 1.4122 | 5.9 | 4.2 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 845 | No | No | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC/MCC | 0.8549 | 3.4 | 2.7 | 1 |
| 846 | No | No | CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS W MCC | 1.8193 | 7.3 | 5.1 | 1 |
| 847 | No | No | CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS W CC | 1.0160 | 3.5 | 3.0 | 1 |
| 848 | No | No | CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS W/O CC/MCC | 0.7369 | 2.7 | 2.2 | 1 |
| 849 | No | No | RADIOTHERAPY | 0.9690 | 6.0 | 2.8 | 1 |
| 853 | Yes | No | INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE W MCC | 6.0405 | 14.5 | 11.0 | 2 |
| 854 | Yes | No | INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE W CC | 2.2773 | 6.6 | 5.3 | 1 |
| 855 | Yes | No | INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE W/O CC/MCC | 1.2573 | 4.3 | 3.4 | 1 |
| 856 | Yes | No | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS W O.R. PROC W MCC | 3.8939 | 11.7 | 9.2 | 2 |
| 857 | Yes | No | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS W O.R. PROC W CC | 1.7683 | 6.2 | 4.8 | 1 |
| 858 | Yes | No | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS W O.R. PROC W/O CC/MCC | 1.1893 | 3.9 | 3.2 | 1 |
| 862 | Yes | No | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS W MCC | 1.3317 | 6.1 | 4.6 | 1 |
| 863 | Yes | No | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS W/O MCC | 0.7987 | 3.9 | 3.2 | 1 |
| 864 | No | No | FEVER AGE > 17 | 0.7762 | 3.2 | 2.5 | 1 |
| 865 | No | No | VIRAL ILLNESS AGE >17 W MCC | 0.8650 | 4.0 | 3.6 | 1 |
| 866 | No | No | VIRAL ILLNESS AGE >17 W/O MCC | 0.6527 | 3.0 | 2.4 | 1 |
| 867 | Yes | No | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES W MCC | 2.7142 | 8.5 | 6.0 | 1 |
| 868 | Yes | No | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES W CC | 0.7756 | 3.6 | 3.0 | 1 |
| 869 | Yes | No | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES W/O CC/MCC | 0.9864 | 3.3 | 2.5 | 1 |
| 870 | Yes | No | SEPTICEMIA OR SEVERE SEPSIS W MV 96+ HOURS AGE >17 | 6.6002 | 15.3 | 13.1 | 4 |
| 871 | Yes | No | SEPTICEMIA OR SEVERE SEPSIS W/O MV 96+ HOURS AGE >17 W MCC | 1.9742 | 6.8 | 5.0 | 1 |
| 872 | Yes | No | SEPTICEMIA OR SEVERE SEPSIS W/O MV 96+ HOURS AGE >17 W/O MCC | 0.9061 | 4.0 | 3.3 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|--|------------|----------|---|----------------|----------------|---------------|----------------------|
| 876 | No | No | O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS | 3.7222 | 14.9 | 7.4 | 2 |
| 880 | No | No | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 0.6214 | 3.1 | 2.3 | 1 |
| 881 | No | No | DEPRESSIVE NEUROSES | 0.5668 | 6.0 | 4.4 | 1 |
| 882 | No | No | NEUROSES EXCEPT DEPRESSIVE | 0.5765 | 5.8 | 4.1 | 1 |
| 883 | No | No | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 0.8275 | 7.9 | 4.9 | 1 |
| 884 | Yes | No | ORGANIC DISTURBANCES & MENTAL RETARDATION | 0.7112 | 4.6 | 3.1 | 1 |
| 885 | No | No | PSYCHOSES | 0.5349 | 6.4 | 4.9 | 1 |
| 886 | No | No | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 0.5949 | 7.0 | 5.6 | 1 |
| 887 | No | No | OTHER MENTAL DISORDER DIAGNOSES | 1.0992 | 16.7 | 9.6 | 1 |
| 894 | No | No | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 0.3203 | 2.7 | 1.9 | 1 |
| 895 | No | No | ALCOHOL/DRUG ABUSE OR DEPENDENCE W REHABILITATION THERAPY | 0.9056 | 16.7 | 13.5 | 3 |
| 896 | Yes | No | ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY W MCC | 1.3346 | 5.7 | 4.2 | 1 |
| 898 | No | No | ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY AGE >21 W/O MCC | 0.4173 | 4.5 | 3.3 | 1 |
| 899 | No | No | ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY AGE <=21 W/O MC | 0.3281 | 5.4 | 3.4 | 1 |
| 901 | No | No | WOUND DEBRIDEMENTS FOR INJURIES W MCC | 6.7214 | 20.3 | 14.1 | 1 |
| 902 | No | No | WOUND DEBRIDEMENTS FOR INJURIES W CC | 1.6186 | 6.6 | 4.6 | 1 |
| 903 | No | No | WOUND DEBRIDEMENTS FOR INJURIES W/O CC/MCC | 0.8826 | 3.9 | 3.0 | 1 |
| 904 | No | No | SKIN GRAFTS FOR INJURIES W CC/MCC | 2.8783 | 10.0 | 6.8 | 1 |
| 905 | No | No | SKIN GRAFTS FOR INJURIES W/O CC/MCC | 1.3260 | 4.4 | 3.5 | 1 |
| 906 | No | No | HAND PROCEDURES FOR INJURIES | 1.4169 | 3.1 | 2.4 | 1 |
| 907 | Yes | No | OTHER O.R. PROCEDURES FOR INJURIES W MCC | 3.5630 | 9.7 | 6.9 | 1 |
| 908 | Yes | No | OTHER O.R. PROCEDURES FOR INJURIES W CC | 1.7898 | 4.8 | 3.6 | 1 |
| 909 | Yes | No | OTHER O.R. PROCEDURES FOR INJURIES W/O CC/MCC | 1.1599 | 2.7 | 2.2 | 1 |
| 913 | No | No | TRAUMATIC INJURY AGE >17 W MCC | 1.6275 | 5.2 | 3.3 | 1 |
| 914 | No | No | TRAUMATIC INJURY AGE >17 W/O MCC | 0.6670 | 2.0 | 1.6 | 1 |
| 915 | No | No | ALLERGIC REACTIONS AGE >17 W MCC | 1.0001 | 3.6 | 2.9 | 1 |
| 916 | No | No | ALLERGIC REACTIONS AGE >17 W/O MCC | 0.4651 | 1.9 | 1.6 | 1 |
| 917 | Yes | No | POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W MCC | 1.3184 | 4.1 | 2.9 | 1 |
| 918 | Yes | No | POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W/O MCC | 0.5366 | 2.2 | 1.8 | 1 |
| Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs. (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs. (3) w CC = with Complications or Comorbidities. (4) w/o CC = without Complications or Comorbidities. | | | | | | | |

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|---|----------------|----------------|---------------|----------------------|
| 919 | No | No | COMPLICATIONS OF TREATMENT W MCC | 1.7489 | 6.5 | 3.7 | 1 |
| 920 | No | No | COMPLICATIONS OF TREATMENT W CC | 0.9535 | 3.7 | 2.8 | 1 |
| 921 | No | No | COMPLICATIONS OF TREATMENT W/O CC/MCC | 0.5348 | 2.2 | 1.8 | 1 |
| 922 | No | No | OTHER INJURY, POISONING & TOXIC EFFECT DIAG W MCC | 1.7113 | 5.1 | 3.3 | 1 |
| 923 | No | No | OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O MCC | 0.4665 | 1.9 | 1.4 | 1 |
| 927 | No | No | EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W SKIN GRAFT | 17.2604 | 29.0 | 23.0 | 3 |
| 928 | No | No | FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W CC/MCC | 3.9501 | 15.8 | 10.8 | 1 |
| 929 | No | No | FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W/O CC/MCC | 1.6997 | 6.6 | 4.8 | 1 |
| 933 | No | No | EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W/O SKIN GRAFT | 3.0588 | 5.5 | 2.3 | 1 |
| 934 | No | No | FULL THICKNESS BURN W/O SKIN GRFT OR INHAL INJ | 0.9920 | 4.1 | 2.9 | 1 |
| 935 | No | No | NON-EXTENSIVE BURNS | 0.9669 | 3.2 | 2.1 | 1 |
| 939 | No | No | O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES W MCC | 4.1953 | 18.7 | 11.9 | 1 |
| 940 | No | No | O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES W CC | 2.6046 | 10.8 | 5.0 | 1 |
| 941 | No | No | O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES W/O CC/MCC | 1.8070 | 3.2 | 2.1 | 1 |
| 945 | Yes | No | REHABILITATION W CC/MCC | 2.0350 | 17.5 | 14.1 | 3 |
| 946 | Yes | No | REHABILITATION W/O CC/MCC | 0.7729 | 9.9 | 7.6 | 1 |
| 947 | Yes | No | SIGNS & SYMPTOMS W MCC | 0.9340 | 4.6 | 3.2 | 1 |
| 948 | Yes | No | SIGNS & SYMPTOMS W/O MCC | 0.7132 | 3.2 | 2.3 | 1 |
| 949 | No | No | AFTERCARE W CC/MCC | 0.9820 | 5.1 | 2.6 | 1 |
| 950 | No | No | AFTERCARE W/O CC/MCC | 0.4763 | 2.8 | 1.8 | 1 |
| 951 | No | No | OTHER FACTORS INFLUENCING HEALTH STATUS | 0.3955 | 1.9 | 1.5 | 1 |
| 955 | No | No | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 7.0537 | 12.2 | 8.8 | 1 |
| 956 | Yes | No | LIMB REATTACHMENT, HIP & FEMUR PROC FOR MULTIPLE SIGNIFICANT TRAUMA | 6.2472 | 11.9 | 8.8 | 1 |
| 957 | No | No | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA W MCC | 7.5291 | 13.2 | 9.5 | 1 |
| 958 | No | No | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA W CC | 4.7051 | 9.5 | 7.5 | 1 |
| 959 | No | No | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA W/O CC/MCC | 2.6680 | 5.8 | 5.0 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

TRICARE Reimbursement Manual 6010.61-M, April 1, 2015

Chapter 6, Addendum C (FY 2015)

Diagnosis Related Groups (DRGs), DRG Relative Weights, Arithmetic And Geometric Mean Lengths-Of-Stay (LOS), And Short-Stay Outlier Thresholds - FY 2015

| DRG # | POST ACUTE | SPEC PAY | DESCRIPTION | TRICARE WEIGHT | ARITH MEAN LOS | GEOM MEAN LOS | SHORT-STAY THRESHOLD |
|-------|------------|----------|--|----------------|----------------|---------------|----------------------|
| 963 | No | No | OTHER MULTIPLE SIGNIFICANT TRAUMA W MCC | 3.8639 | 10.7 | 6.3 | 1 |
| 964 | No | No | OTHER MULTIPLE SIGNIFICANT TRAUMA W CC | 1.2701 | 4.4 | 3.7 | 1 |
| 965 | No | No | OTHER MULTIPLE SIGNIFICANT TRAUMA W/O CC/MCC | 1.1798 | 3.6 | 2.4 | 1 |
| 969 | No | No | HIV W EXTENSIVE O.R. PROCEDURE W MCC | 6.7505 | 16.9 | 12.3 | 3 |
| 970 | No | No | HIV W EXTENSIVE O.R. PROCEDURE W/O MCC | 2.4514 | 7.1 | 5.4 | 3 |
| 974 | No | No | HIV W MAJOR RELATED CONDITION W MCC | 3.3029 | 15.1 | 10.3 | 1 |
| 975 | No | No | HIV W MAJOR RELATED CONDITION W CC | 1.2424 | 5.3 | 4.4 | 1 |
| 976 | No | No | HIV W MAJOR RELATED CONDITION W/O CC/MCC | 0.9804 | 4.9 | 3.8 | 1 |
| 977 | No | No | HIV W OR W/O OTHER RELATED CONDITION | 1.5068 | 4.4 | 3.2 | 1 |
| 981 | Yes | No | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W MCC | 5.2513 | 13.1 | 9.2 | 1 |
| 982 | Yes | No | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W CC | 2.3103 | 5.6 | 4.2 | 1 |
| 983 | Yes | No | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W/O CC/MCC | 1.4299 | 2.9 | 2.3 | 1 |
| 984 | No | No | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W MCC | 3.8122 | 12.9 | 9.4 | 2 |
| 985 | No | No | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W CC | 2.0545 | 6.9 | 5.0 | 2 |
| 986 | No | No | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W/O CC/MCC | 1.1603 | 3.2 | 2.4 | 2 |
| 987 | Yes | No | NON-EXTENSIVE O.R. PROC UNRELATED TO PRINCIPAL DIAGNOSIS W MCC | 3.3523 | 10.2 | 7.3 | 1 |
| 988 | Yes | No | NON-EXTENSIVE O.R. PROC UNRELATED TO PRINCIPAL DIAGNOSIS W CC | 1.8439 | 6.0 | 3.7 | 1 |
| 989 | Yes | No | NON-EXTENSIVE O.R. PROC UNRELATED TO PRINCIPAL DIAGNOSIS W/O CC/MCC | 1.1594 | 2.4 | 1.9 | 1 |
| 998 | No | No | PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | 0.0000 | 0.0 | 0.0 | 1 |
| 999 | No | No | UNGROUPABLE | 0.0000 | 0.0 | 0.0 | 1 |

Notes:

- (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
- (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past five years is used for these DRGs.
- (3) w CC = with Complications or Comorbidities.
- (4) w/o CC = without Complications or Comorbidities.

- END -