

Electronic Record Transfer Procedures

Revision: C-26, May 30, 2018

1.0 GENERAL

The Defense Health Agency (DHA) Records Management (RM) Office has provided the contractor two options to manage Government records, either in paper (reference [Addendum A](#)) or electronic (reference this Addendum) format.

1.1 Acceptable storage media shall be used for any transfer of electronic records. Acceptable storage media for electronic transfers are Compact Disc-Read Only Memory (CD-ROM), Digital Versatile Disk-Recordable (DVD-R), or on external terabyte drives. If there is a need for other storage media not identified, contact the DHA RM Officer.

1.2 The contractor shall use the existing Standard Form 135 (SF-135) (Records Transmittal and Receipt) to communicate specific transfer information for electronic records. The SF-135 is specific to paper records; however, with specific electronic record details in the same form (reference [Figure 9.B-1](#) for more details) it may be used to initiate a request to transfer electronic records. The DHA RM Officer shall receive the SF-135 Portable Document Format (PDF) via e-mail from the contractor. Once the transfer is approved, the DHA RM Officer will send the annotated SF-135 PDF via e-mail to the contractor. The contractor shall include the e-copy of the SF-135 PDF in the transfer package.

2.0 VALIDATOR UTILITY

The Validator utility and documentation shall be provided by the DHA RM Officer. It is a free tool provided to contractors by DHA. The purpose of the Validator utility is to provide the quality assurance necessary to ensure trustworthy electronic records by performing low-level validation, analyzing a sampling of the records, identifying the possible errors/omissions, and conducting a Validation Survey for 20 randomly selected record objects. The Validator will produce an audit log to document the success of the transfer package validation and this log is required as part of the final transfer package. The DHA RM Officer will provide the Validator deployment package. The contractor shall run the validator tool prior to shipping the transfer package to DHA. The DHA **will** run the Validator upon receiving the transfer package to perform the quality assurance process. Errors **will** be communicated back to the contractor for resolution. Updates to the Validator tool will be provided to contractors as necessary.

3.0 TRANSFER PACKAGE PREPARATION AND LABELING OF ELECTRONIC RECORDS

3.1 DHA accepts electronic record transfers. An important aspect of preparing electronic records for transfer is proper preparation. Improper preparation of the transfer package may result in the

transfer package being rejected by the DHA RM Officer. The transfer package consists of the following files:

3.1.1 eXtensible Markup Language (XML) Transfer Specification File

This file displays, in XML format, the information that the contractor provided on the SF-135 and the transfer number. It describes how to locate the Record Object Metadata File (ROMF). DHA provides the XML file to the contractor.

3.1.2 ROMF

A character-delimited text file that contains the metadata field values from each of the record objects that is included in the transfer package. The metadata fields are identified in the XML transfer specification metadata file. In addition to the identified metadata elements by the contractor, the Validator also requires the following metadata fields:

- The Record Object File Type is Image, Text, or None

Note: When a record in the ROMF has a Record Object File Type of None, no corresponding record object file exists in the transfer package.

- The Record Object File Name.
- The Record Object File Format. The acceptable Record Object File Formats are TIF, TIFF, PDF (image based), JPEG, JPG, GIF, TXT, RTF, HTML, DOC, DOCX, PDF (text based), XML, XLS, XLSX, CSV, MSG, PPT, PPTX, VSD, or VSDX.
- The Record Object File Format Version.
- The View Type tag is specific to check record objects to indicate the front or back of the check image. The values are FBW, BBW.

Note: The View Type tag is required in the ROMF when a check image is broken down into two separate record objects to indicate the front or back of the check. This is not required when a check image is not separated into two record objects. If View Type tag is available in the ROMF, the Validator will display the front of the check image for the validation survey.

3.1.3 Record Objects

Computer files that contain a group of related information. The information can be formatted as either text or images, and the computer file-type indicates the format of the information. For example, scanned images are typically stored in Tagged Image File Format (TIFF) or PDF files. For more specific guidance on digital images (TIFF/PDF), reference [Section 3](#).

3.1.4 e-Copy of SF-135 (PDF format).

3.1.5 Audit Log of Validation

The Validator generates an audit log file that provides detailed information about any

ROMF data errors, data entry errors that occurred during the validation process and the final validation result.

3.2 When preparing to transfer files for validation and the eventual transfer to the media device, the user creates a folder on their computer and transfers the XML Transfer Specification file and ROMF to that folder. Contact the DHA RM Officer for specific instructions for using the Validator utility.

3.3 After the electronic records are stored on the media device, the label shall include the following information.

- Contractor, region, and information
- For Official Use Only (FOUO)
- Identify the sequential order of the media set, if applicable (e.g., 1 of 10, 2 of 10, 3 of 10, etc.)
- Include the date media was created
- Records series, transfer number(s), and file formats

For more specific instruction on labeling of storage media contact the DHA RM Officer.

3.4 A list of the required/visible metadata elements that will be included in the metadata file shall be listed on the electronic SF-135. An electronic copy shall be retained by the contractor so that documents needed for future reference can be identified clearly by requesting officials.

4.0 PREPARING TRANSMITTAL DOCUMENT AND LOADING PACKAGE PROCESS

4.1 The contractor shall obtain permission from DHA to transfer a group of records. DHA will verify that the repository has adequate storage space for the records and that the records are structured in the manner that the DHA Records Officer requires.

4.2 DHA has defined a process for transferring a group of records and it is described in the following paragraphs. The process helps ensure that the records meet the quality requirements and specifications. [Figure 9.B-1](#) illustrates the SF-135 form described in [paragraph 4.2.1](#) for transferring electronic records to the DHA RM Office.

4.2.1 When transferring electronic records to the DHA RM Office, the contractor shall prepare and e-mail the SF-135 to the DHA RM Officer prior to shipping the electronic transfer package. In the SF-135 "From" block (Block 5) the contractor shall enter the following: Defense Health Agency, ATTN: Records Management, 16401 East Centretech Parkway, Aurora, Colorado 80011-9066. The contractor shall insert its own address below the DHA address. The contractor shall state in the Series Description Block, the description of the records, the contract number, record series, and specific metadata elements, indicators for required or visible, and delimiter that will be in the metadata file of the transfer package. The contractor shall state in the volume and agency box number columns the storage size, and total number of rows in the metadata file respectively. Instructions for completing the remainder of the form are printed on the reverse side of the SF-135.

4.2.2 When records are transferred, they must be scheduled for disposal using the applicable disposition schedule referenced in DHA Records Retention Schedule (RRS). When the disposal authority is not cited, the SF-135 will be returned for completion.

TRICARE Operations Manual 6010.59-M, April 1, 2015

Chapter 9, Addendum B

Electronic Record Transfer Procedures

4.2.3 Upon receipt of the SF-135, the DHA staff reviews it for completeness for transfer. If approved, the DHA RM Officer annotates the official transfer number on the form and returns it to the contractor for continued processing.

4.2.4 The original SF-135 is retained by the DHA; one copy of the annotated SF-135, showing transfer number(s) will be e-mailed to the contractor, indicating the approval of the transfer.

4.2.5 After receiving the copy of the approved SF-135 PDF document, the contractor shall prepare the transfer package. The contractor shall place the electronic copy of the SF-135 PDF document on the first media device of each transfer and the records shall be shipped to the DHA RM Officer in accordance with Protected Health Information (PHI)/ Personally Identifiable Information (PII) guidance. A copy of the SF-135 PDF document shall be retained by the contractor for its reference and use.

4.2.6 The shipment of the transfer package of electronic records shall be accomplished as soon as the contractor has successfully run the Validator utility. The contractor can receive the Validator Installation program and the installation instruction from the DHA RM Officer.

4.2.7 After successful validation the contractor shall send the transfer package to the DHA RM Officer.

4.2.8 The DHA RM Officer uses the Validator to verify that the transfer package meets the requirements and specifications.

4.2.9 If the Validator identifies no errors, the DHA RM Officer proceeds to next step.

4.2.10 If the Validator identifies one or more errors, the DHA RM Officer returns the transfer package to the contractor for corrections.

4.2.11 The DHA RM Officer adds the successful Validator audit log file to the transfer package.

5.0 SHIPPING RECORDS

5.1 Sensitive data (PII/PHI) shall follow the transfer protocol instructions available from the DHA RM Officer. All sensitive data that includes PII or PHI shall be encrypted on the media device prior to shipping the transfer package to DHA. Contact the DHA RM Office for guidance on the use for sensitive data. The contractor shall comply with the following instructions:

- Double wrapping shall be used for shipment.
- Recommended shipment methods are United States Postal Service (USPS), FedEx, and UPS along with the tracking number and delivery signature confirmation.
- Use opaque envelopes or containers.
- Complete Chain of Custody template along with the paper copy of the SF-135.
- Inner envelope/container has classification and handling markings (i.e., unclassified, FOUO).

TRICARE Operations Manual 6010.59-M, April 1, 2015

Chapter 9, Addendum B
Electronic Record Transfer Procedures

- Outer envelope/container has full address for DHA RM Officer.
- Outer envelope/container has no classification markings.
- For hard drive media encryption guidance contact the DHA RM Officer.

5.2 Non-sensitive data shall be shipped to DHA RM Officer using normal shipment methods and sensitive data transfer protocol is not necessary.

6.0 RETRIEVING RECORDS

6.1 DHA provides reference services which include search, retrieval, and providing authorized requesters with a copy of the electronic records stored in the repository.

6.2 Recall of an electronic record from DHA does not include a permanent recall. The copy of an electronic record shall be managed as a convenience copy and destroyed when no longer needed. Remember, if the content of the recalled record is re-utilized for other business purposes, it becomes a new record and shall be managed and maintained as such.

6.3 The best method to recall records from DHA is with the use of the Optional Form 11 (OF-11) (Reference Request-Federal Records Center). Use the electronic form OF-11 per request and e-mail it to the DHA RM Officer.

6.4 The following information shall always be furnished when preparing a reference request:

- Transfer Number.
- Metadata elements used for Search Criteria.
- Record Series.
- Description of Records or Information Requested.
- Name, Address, and Telephone Number of Requester.

TRICARE Operations Manual 6010.59-M, April 1, 2015

Chapter 9, Addendum B
Electronic Record Transfer Procedures

FIGURE 9.B-1 RECORDS TRANSMITTAL AND RECEIPT (SF-135)

RECORDS TRANSMITTAL AND RECEIPT		Complete and send original and one copy of this form to the appropriate Federal Records Center for approval prior to shipment of records. See specific instructions on reverse.		PAGE	OF
1 TO		(Complete the address for the records center serving your area as shown in 36 CFR 1228.150.)		1	1
DHA Records Management Office					
2	AGENCY TRANSFER AUTHORIZATION	TRANSFERRING AGENCY OFFICIAL (signature and title) Glinda Hodgkin will sign electronically in SF135 in PDF	DATE	Defense Health Agency Attn: Records Management 16401 E Centretech Parkway Aurora, CO 80011	
3	AGENCY CONTACT	TRANSFERRING AGENCY LIAISON OFFICIAL (Name, office and telephone No) Records Manager Name, Records Manager Contact Phone	DATE	Contractor Record Center Contractor Address 1 Contractor Address 2 Phone: E-mail Date:	
4	RECORDS CENTER RECEIPT	RECORDS RECEIVED BY (Signature and Title)	DATE	Fold Line	
RECORDS DATA					
6	ACCESSION NUMBER				
RG	FY	NUMBER	VOLUME (cu. ft.)	AGENCY BOX NUMBERS	SERIES DESCRIPTION (with inclusive dates of records)
(a)	(b)	(c)	(d)	(e)	(f)
135	2014	1234	150 MB	3 TB External Hard Drive, Transfer 1 of 1	Contract Number: Region: Record: NC1-330-92-5 Record Series: 911-01.3 TRICARE Contractor Claims Description: This data file includes scammed claims. from 01/01/10 thru 01/31/10 Closed Date: December 31, 2010 Metadata - Datatype(length) Required, Visible Sponsor First Name - Char(20);F,F Sponsor Last Name - Char(20);T,T Sponsor SSN - Char(9);T,T Beneficiary First Name - Char(20);F,F Beneficiary Last Name - Char(20);T,T Beneficiary DOB - Date, yyyy-mm-dd.T.T Image Control Number (Claim Number) - Char(9), T,T Provider Name - Char(20);F,F Provider Taxpayer Identification Number (TIN)- Char(20);T,F National Provider Identifier (NPI)- Char(20);F,F ROMF Type - Char(5), T, F ROMF Name - Char(20), T, F ROMF Format - Char(8), T, F ROMF Format Version - Char(7), T, F ROMF Delimiter & Type: -(Tilde) (Ld) Records are currently frozen - Tobacco Litigation
					DISPOSAL AUTHORITY (schedule and item number) (b)
					DISPOSAL DATE (f)
					LOCATION (f)
					COMPLETED BY RECORDS CENTER SHELF PLAN CONT. TYPE AUTO. DISP.
					DISPOSAL AUTHORITY (m)
					OSD A1-15 Para. 911.01.3 (6 years) DEST 6 years after COFF.
					W
					135-107
					Standard Form 135 (Rev. 7-85) Facs Prescribed by NARA 36 CFR 1228.152

- END -