

CHAPTER 6
 ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
1	CRANIOTOMY AGE >17 W CC	3.8351	8.5	6.0	1
2	CRANIOTOMY AGE >17 W/O CC	2.4196	4.3	3.4	1
3	CRANIOTOMY AGE 0-17	2.2548	7.1	4.1	1
4	NO LONGER VALID	-	-	-	-
5	NO LONGER VALID	-	-	-	-
6	CARPAL TUNNEL RELEASE	0.8713*	3.4	2.2	1
7	PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W CC	2.4576	7.2	4.2	1
8	PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W/O CC	1.3394	2.1	1.6	1
9	SPINAL DISORDERS & INJURIES	1.1153	15.1	4.7	1
10	NERVOUS SYSTEM NEOPLASMS W CC	1.3031	6.7	4.0	1
11	NERVOUS SYSTEM NEOPLASMS W/O CC	0.8093	4.6	2.7	1
12	DEGENERATIVE NERVOUS SYSTEM DISORDERS	1.2570	12.1	5.3	1
13	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA	0.8495	7.6	3.9	1
14	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION	1.5033	5.8	3.9	1
15	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION W/O INFARCT	1.1124	9.3	4.3	1
16	NONSPECIFIC CEREBROVASCULAR DISORDERS W CC	1.2866	5.7	4.0	1
17	NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC	0.7046	2.6	2.0	1
18	CRANIAL & PERIPHERAL NERVE DISORDERS W CC	1.2844	6.1	4.2	1
19	CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC	0.7269	3.2	2.3	1
20	NERVOUS SYSTEM INFECTION EXCEPT VIRAL MENINGITIS	2.3026	8.5	6.0	1
21	VIRAL MENINGITIS	0.6571	3.1	2.6	1
22	HYPERTENSIVE ENCEPHALOPATHY	0.7670	3.1	2.8	1
23	NONTRAUMATIC STUPOR & COMA	1.1736	3.9	2.6	1
24	SEIZURE & HEADACHE AGE >17 W CC	0.9536	4.2	2.9	1
25	SEIZURE & HEADACHE AGE >17 W/O CC	0.6471	2.8	2.3	1
26	SEIZURE & HEADACHE AGE 0-17	0.5228	2.5	2.0	1
27	TRAUMATIC STUPOR & COMA, COMA >1 HR	1.2227	5.7	2.9	1
28	TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W CC	1.3259	6.6	3.2	1
29	TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W/O CC	0.8517	3.2	2.2	1
30	TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 0-17	0.6221	3.1	1.9	1
31	CONCUSSION AGE >17 W CC	1.1301	2.6	1.8	1
32	CONCUSSION AGE >17 W/O CC	0.6868	1.8	1.5	1
33	CONCUSSION AGE 0-17	0.4543	1.3	1.2	1
34	OTHER DISORDERS OF NERVOUS SYSTEM W CC	1.2462	9.4	3.3	1
35	OTHER DISORDERS OF NERVOUS SYSTEM W/O CC	0.6902	3.8	2.2	1
36	RETINAL PROCEDURES	1.3663	2.4	1.6	1
37	ORBITAL PROCEDURES	1.2308	2.7	2.1	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
 (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
 (3) w CC = with Complications or Comorbidities.
 (4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
38	PRIMARY IRIS PROCEDURES	0.5847*	2.3	1.7	1
39	LENS PROCEDURES WITH OR WITHOUT VITRECTOMY	0.6973*	2.2	1.6	1
40	EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17	1.0652	4.0	2.8	1
41	EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE 0-17	1.2131	2.8	2.0	1
42	INTRAOCULAR PROCEDURES EXCEPT RETINA, IRIS & LENS	0.8823	3.7	2.6	1
43	HYPHEMA	0.7161*	3.5	2.7	1
44	ACUTE MAJOR EYE INFECTIONS	0.4007	3.2	2.8	1
45	NEUROLOGICAL EYE DISORDERS	0.6549	3.1	2.5	1
46	OTHER DISORDERS OF THE EYE AGE >17 W CC	0.6788	4.5	3.2	1
47	OTHER DISORDERS OF THE EYE AGE >17 W/O CC	0.6095	6.0	2.7	1
48	OTHER DISORDERS OF THE EYE AGE 0-17	0.4176	2.7	2.1	1
49	MAJOR HEAD & NECK PROCEDURES	1.6479	2.8	2.1	1
50	SIALOADENECTOMY	0.9367	1.6	1.4	1
51	SALIVARY GLAND PROCEDURES EXCEPT SIALOADENECTOMY	0.8833*	2.9	1.8	1
52	CLEFT LIP & PALATE REPAIR	0.7198	1.7	1.4	1
53	SINUS & MASTOID PROCEDURES AGE >17	1.2340	2.5	2.0	1
54	SINUS & MASTOID PROCEDURES AGE 0-17	1.5617	4.7	3.2	1
55	MISCELLANEOUS EAR, NOSE, MOUTH & THROAT PROCEDURES	1.2638	3.6	2.3	1
56	RHINOPLASTY	0.7807	1.4	1.3	1
57	T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17	0.6838	2.1	1.7	1
58	T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17	0.6062	2.5	2.1	1
59	TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17	0.7320	1.9	1.6	1
60	TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17	0.5480	2.0	1.5	1
61	MYRINGOTOMY W TUBE INSERTION AGE >17	1.7002*	5.8	3.3	1
62	MYRINGOTOMY W TUBE INSERTION AGE 0-17	0.5559	1.7	1.4	1
63	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES	1.4441	2.5	1.9	1
64	EAR, NOSE, MOUTH & THROAT MALIGNANCY	1.3521	6.1	3.9	1
65	DYSEQUILIBRIUM	0.6084	2.4	2.0	1
66	EPISTAXIS	0.6171	2.9	2.2	1
67	EPIGLOTTITIS	0.6628	2.6	2.3	1
68	OTITIS MEDIA & URI AGE >17 W CC	0.5748	2.8	2.2	1
69	OTITIS MEDIA & URI AGE >17 W/O CC	0.4566	2.4	2.0	1
70	OTITIS MEDIA & URI AGE 0-17	0.3260	2.4	2.0	1
71	LARYNGOTRACHEITIS	0.2751	1.7	1.5	1
72	NASAL TRAUMA & DEFORMITY	0.6582	1.3	1.2	1
73	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17	0.7315	3.0	2.4	1
74	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17	0.4743	2.7	2.1	1
75	MAJOR CHEST PROCEDURES	2.6879	8.0	6.1	1
76	OTHER RESP SYSTEM O.R. PROCEDURES W CC	2.8213	9.2	6.6	1
77	OTHER RESP SYSTEM O.R. PROCEDURES W/O CC	1.2767	3.8	2.9	1
78	PULMONARY EMBOLISM	1.2881	5.7	4.9	1
79	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC	1.9988	8.7	6.7	1
80	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC	1.0680	5.7	4.6	1
81	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17	1.8108	7.9	5.8	1
82	RESPIRATORY NEOPLASMS	1.6527	6.8	4.7	1
83	MAJOR CHEST TRAUMA W CC	0.9330	3.7	2.9	1
84	MAJOR CHEST TRAUMA W/O CC	0.7188	2.9	2.2	1
85	PLEURAL EFFUSION W CC	1.1773	4.9	3.8	1
86	PLEURAL EFFUSION W/O CC	0.6395	4.0	2.9	1
87	PULMONARY EDEMA & RESPIRATORY FAILURE	1.4830	7.0	4.7	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
88	CHRONIC OBSTRUCTIVE PULMONARY DISEASE	0.9703	4.6	3.6	1
89	SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC	1.0803	4.9	4.0	1
90	SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC	0.6502	3.6	2.9	1
91	SIMPLE PNEUMONIA & PLEURISY AGE 0-17	0.4795	2.9	2.4	1
92	INTERSTITIAL LUNG DISEASE W CC	1.1157	5.2	4.3	1
93	INTERSTITIAL LUNG DISEASE W/O CC	0.8893	4.7	3.3	1
94	PNEUMOTHORAX W CC	1.1242	5.3	4.1	1
95	PNEUMOTHORAX W/O CC	0.5042	3.1	2.6	1
96	BRONCHITIS & ASTHMA AGE >17 W CC	0.7870	3.7	3.0	1
97	BRONCHITIS & ASTHMA AGE >17 W/O CC	0.5374	2.8	2.4	1
98	BRONCHITIS & ASTHMA AGE 0-17	0.4225	2.5	2.1	1
99	RESPIRATORY SIGNS & SYMPTOMS W CC	0.6580	3.1	2.2	1
100	RESPIRATORY SIGNS & SYMPTOMS W/O CC	0.5395	1.9	1.6	1
101	OTHER RESPIRATORY SYSTEM DIAGNOSES W CC	1.0222	3.9	2.8	1
102	OTHER RESPIRATORY SYSTEM DIAGNOSES W/O CC	0.5970	2.4	1.8	1
103	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM	14.4156	28.8	16.9	1
104	CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W CARDIAC CATH	7.9550	11.8	10.2	3
105	CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH	5.6011	8.0	6.6	2
106	CORONARY BYPASS W PTCA	6.7356	8.5	6.8	1
107	CORONARY BYPASS W CARDIAC CATH	5.4261	8.5	7.7	3
108	OTHER CARDIOTHORACIC PROCEDURES	4.1617	6.5	4.7	1
109	CORONARY BYPASS W/O CARDIAC CATH	4.2440	6.2	5.6	2
110	MAJOR CARDIOVASCULAR PROCEDURES W CC	3.9499	7.9	5.7	1
111	MAJOR CARDIOVASCULAR PROCEDURES W/O CC	2.4156	4.1	3.3	1
112	NO LONGER VALID	-	-	-	-
113	AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE	4.0456	13.4	10.5	2
114	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS	2.3745	9.5	6.8	1
115	PRM CARD PACEM IMPL W AMI/HF/SHOCK OR AICD LEAD OR GNRTR PROC	4.7265	4.5	2.7	1
116	OTHER PERMANENT CARDIAC PACEMAKER IMPLANT	2.7221	3.3	2.4	1
117	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT	2.0738	3.9	2.7	1
118	CARDIAC PACEMAKER DEVICE REPLACEMENT	2.0471	2.6	1.6	1
119	VEIN LIGATION & STRIPPING	2.2844	4.7	2.8	1
120	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	2.9445	8.4	4.9	1
121	CIRCULATORY DISORDERS W AMI & MAJOR COMP, DISCHARGED ALIVE	1.6274	4.5	3.4	1
122	CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE	1.1169	2.5	2.1	1
123	CIRCULATORY DISORDERS W AMI, EXPIRED	2.0239	3.8	2.3	1
124	CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH & COMPLEX DIAG	1.3745	3.1	2.4	1
125	CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG	1.1687	2.2	1.8	1
126	ACUTE & SUBACUTE ENDOCARDITIS	2.5663	9.6	6.7	1
127	HEART FAILURE & SHOCK	1.1203	4.8	3.6	1
128	DEEP VEIN THROMBOPHLEBITIS	0.8020	4.6	3.8	1
129	CARDIAC ARREST, UNEXPLAINED	0.7169	1.6	1.3	1
130	PERIPHERAL VASCULAR DISORDERS W CC	1.0130	5.5	3.9	1
131	PERIPHERAL VASCULAR DISORDERS W/O CC	0.7194	3.9	2.9	1
132	ATHEROSCLEROSIS W CC	0.6516	2.3	1.8	1
133	ATHEROSCLEROSIS W/O CC	0.8057	3.1	1.8	1
134	HYPERTENSION	0.7012	3.6	2.2	1
135	CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W CC	0.7462	2.9	2.2	1
136	CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W/O CC	0.5575	2.9	2.0	1
137	CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 0-17	0.8710	3.9	2.6	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
138	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC	0.7830	2.9	2.3	1
139	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC	0.5100	2.0	1.7	1
140	ANGINA PECTORIS	0.5475	1.8	1.5	1
141	SYNCOPE & COLLAPSE W CC	0.7507	2.8	2.2	1
142	SYNCOPE & COLLAPSE W/O CC	0.6279	2.0	1.7	1
143	CHEST PAIN	0.5883	1.6	1.4	1
144	OTHER CIRCULATORY SYSTEM DIAGNOSES W CC	1.4595	5.5	3.7	1
145	OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC	0.6133	2.5	1.9	1
146	RECTAL RESECTION W CC	2.8039	8.6	7.7	3
147	RECTAL RESECTION W/O CC	1.8190	5.7	5.4	2
148	MAJOR SMALL & LARGE BOWEL PROCEDURES W CC	3.4012	10.6	8.6	2
149	MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC	1.6850	5.5	5.0	1
150	PERITONEAL ADHESIOLYSIS W CC	2.4636	8.6	6.4	1
151	PERITONEAL ADHESIOLYSIS W/O CC	1.3410	4.2	3.3	1
152	MINOR SMALL & LARGE BOWEL PROCEDURES W CC	1.7992	6.8	5.8	2
153	MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC	1.1772	4.7	4.1	1
154	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W CC	3.3977	9.6	7.0	1
155	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W/O CC	1.2981	2.7	2.1	1
156	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE 0-17	0.9691	4.2	3.0	1
157	ANAL & STOMAL PROCEDURES W CC	1.2351	4.5	3.3	1
158	ANAL & STOMAL PROCEDURES W/O CC	0.7053	2.4	2.0	1
159	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W CC	1.4619	4.3	3.5	1
160	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W/O CC	0.9965	2.5	2.1	1
161	INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W CC	1.4002	4.1	2.8	1
162	INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W/O CC	0.8169	1.7	1.5	1
163	HERNIA PROCEDURES AGE 0-17	0.5741	1.9	1.6	1
164	APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC	1.9958	6.6	5.6	1
165	APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC	1.2493	3.9	3.3	1
166	APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC	1.2183	3.1	2.5	1
167	APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC	0.9158	1.8	1.6	1
168	MOUTH PROCEDURES W CC	1.2380	3.6	2.6	1
169	MOUTH PROCEDURES W/O CC	1.0603	2.2	1.8	1
170	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC	2.7245	9.0	5.9	1
171	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC	1.2833	4.3	3.2	1
172	DIGESTIVE MALIGNANCY W CC	1.5523	6.8	4.6	1
173	DIGESTIVE MALIGNANCY W/O CC	0.7668	4.6	3.5	1
174	G.I. HEMORRHAGE W CC	0.9757	3.7	3.0	1
175	G.I. HEMORRHAGE W/O CC	0.5880	2.4	2.0	1
176	COMPLICATED PEPTIC ULCER	1.4912	5.0	3.6	1
177	UNCOMPLICATED PEPTIC ULCER W CC	0.8917	3.8	2.9	1
178	UNCOMPLICATED PEPTIC ULCER W/O CC	0.7121	2.6	2.2	1
179	INFLAMMATORY BOWEL DISEASE	1.0551	5.1	4.0	1
180	G.I. OBSTRUCTION W CC	0.9532	4.7	3.5	1
181	G.I. OBSTRUCTION W/O CC	0.5630	2.9	2.4	1
182	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC	0.8028	3.6	2.8	1
183	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC	0.6381	2.6	2.1	1
184	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17	0.3308	2.4	2.0	1
185	DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17	1.1531	3.9	2.5	1
186	DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17	0.4237	2.3	1.9	1
187	DENTAL EXTRACTIONS & RESTORATIONS	0.7643	3.8	2.8	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
 (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
 (3) w CC = with Complications or Comorbidities.
 (4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
188	OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC	1.0488	4.6	3.4	1
189	OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC	0.6064	2.6	2.1	1
190	OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17	0.5644	3.0	2.1	1
191	PANCREAS, LIVER & SHUNT PROCEDURES W CC	5.2528	13.8	9.9	1
192	PANCREAS, LIVER & SHUNT PROCEDURES W/O CC	2.2012	6.4	5.2	1
193	BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W CC	4.1095	10.5	7.7	1
194	BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC	1.5772	5.8	4.7	1
195	CHOLECYSTECTOMY W C.D.E. W CC	2.2282	5.5	4.7	1
196	CHOLECYSTECTOMY W C.D.E. W/O CC	1.4375	4.2	3.7	1
197	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC	2.2343	6.8	5.7	1
198	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC	1.3767	4.0	3.4	1
199	HEPATOBIILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY	3.0277	10.2	7.9	1
200	HEPATOBIILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY	3.5369	9.1	5.1	1
201	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES	5.0395	11.6	7.9	1
202	CIRRHOSIS & ALCOHOLIC HEPATITIS	1.5437	6.4	4.6	1
203	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS	1.5431	6.0	4.1	1
204	DISORDERS OF PANCREAS EXCEPT MALIGNANCY	1.1632	5.1	3.8	1
205	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W CC	1.4797	5.9	4.2	1
206	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W/O CC	0.8037	3.5	2.6	1
207	DISORDERS OF THE BILIARY TRACT W CC	1.0621	3.8	3.0	1
208	DISORDERS OF THE BILIARY TRACT W/O CC	0.6330	2.5	2.0	1
209	MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF LOWER EXTREMITY	2.3663	4.0	3.7	1
210	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC	2.5261	7.0	5.8	1
211	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC	1.4977	3.7	3.2	1
212	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17	1.1360	3.1	2.5	1
213	AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS	2.0865	7.4	5.2	1
214	NO LONGER VALID	-	-	-	-
215	NO LONGER VALID	-	-	-	-
216	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	1.8635	5.6	3.6	1
217	WND DEBRID & SKN GRFT EXCEPT HAND, FOR MUSCSKELET & CONN TISS DIS	3.0143	8.7	5.9	1
218	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W CC	1.8364	4.6	3.5	1
219	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W/O CC	1.2527	2.7	2.3	1
220	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE 0-17	0.8860	1.9	1.6	1
221	NO LONGER VALID	-	-	-	-
222	NO LONGER VALID	-	-	-	-
223	MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMITY PROC W CC	1.2396	2.5	1.9	1
224	SHOULDER, ELBOW OR FOREARM PROC, EXC MAJOR JOINT PROC, W/O CC	1.0679	1.7	1.5	1
225	FOOT PROCEDURES	1.2154	2.7	2.1	1
226	SOFT TISSUE PROCEDURES W CC	1.6100	5.1	3.5	1
227	SOFT TISSUE PROCEDURES W/O CC	0.9988	2.1	1.7	1
228	MAJOR THUMB OR JOINT PROC, OR OTH HAND OR WRIST PROC W CC	1.2369	2.7	2.1	1
229	HAND OR WRIST PROC, EXCEPT MAJOR JOINT PROC, W/O CC	0.8938	2.1	1.7	1
230	LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR	0.8968	2.5	1.9	1
231	NO LONGER VALID	-	-	-	-
232	ARTHROSCOPY	1.1804	1.6	1.4	1
233	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC	2.8631	7.1	5.1	1
234	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC	1.4052	2.7	2.1	1
235	FRACTURES OF FEMUR	0.5754	4.0	2.1	1
236	FRACTURES OF HIP & PELVIS	0.6692	9.1	4.7	1
237	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH	0.7354	5.1	2.3	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
238	OSTEOMYELITIS	1.0683	7.8	5.3	1
239	PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY	1.4459	6.2	4.4	1
240	CONNECTIVE TISSUE DISORDERS W CC	1.6643	6.6	4.6	1
241	CONNECTIVE TISSUE DISORDERS W/O CC	0.8546	4.5	3.1	1
242	SEPTIC ARTHRITIS	1.0593	7.4	4.6	1
243	MEDICAL BACK PROBLEMS	0.6868	3.5	2.5	1
244	BONE DISEASES & SPECIFIC ARTHROPATHIES W CC	0.9261	5.8	4.3	1
245	BONE DISEASES & SPECIFIC ARTHROPATHIES W/O CC	0.5508	10.7	4.9	1
246	NON-SPECIFIC ARTHROPATHIES	0.7425	5.8	3.4	1
247	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE	0.5234	3.5	2.2	1
248	TENDONITIS, MYOSITIS & BURSTITIS	0.7336	3.9	2.9	1
249	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	0.7991	10.7	4.6	1
250	FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W CC	0.6512	5.1	3.0	1
251	FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W/O CC	0.6179	2.7	1.8	1
252	FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE 0-17	0.3598	1.3	1.2	1
253	FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W CC	0.7637	9.4	4.4	1
254	FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W/O CC	0.5968	4.9	2.4	1
255	FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE 0-17	0.4701	1.9	1.5	1
256	OTHER MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DIAGNOSES	0.6396	4.8	2.8	1
257	TOTAL MASTECTOMY FOR MALIGNANCY W CC	1.2570	2.3	1.9	1
258	TOTAL MASTECTOMY FOR MALIGNANCY W/O CC	1.2274	2.1	1.8	1
259	SUBTOTAL MASTECTOMY FOR MALIGNANCY W CC	1.2925	2.1	1.6	1
260	SUBTOTAL MASTECTOMY FOR MALIGNANCY W/O CC	0.8850	1.4	1.3	1
261	BREAST PROC FOR NON-MALIGNANCY EXCEPT BIOPSY & LOCAL EXCISION	1.1200	1.5	1.3	1
262	BREAST BIOPSY & LOCAL EXCISION FOR NON-MALIGNANCY	0.9249	3.4	2.8	1
263	SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W CC	2.5337	10.4	8.0	1
264	SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W/O CC	1.1251	5.4	4.3	1
265	SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W CC	1.9676	5.9	4.2	1
266	SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W/O C	1.2622	3.2	2.4	1
267	PERIANAL & PILONIDAL PROCEDURES	0.6118	2.8	2.2	1
268	SKIN, SUBCUTANEOUS TISSUE & BREAST PLASTIC PROCEDURES	1.4066	2.1	1.8	1
269	OTHER SKIN, SUBCUT TISS & BREAST PROC W CC	1.8101	7.1	4.8	1
270	OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC	0.9967	3.4	2.6	1
271	SKIN ULCERS	2.0811	18.0	8.8	1
272	MAJOR SKIN DISORDERS W CC	1.5499	7.8	5.4	1
273	MAJOR SKIN DISORDERS W/O CC	0.6562	3.7	3.0	1
274	MALIGNANT BREAST DISORDERS W CC	1.0271	5.7	3.8	1
275	MALIGNANT BREAST DISORDERS W/O CC	0.6366*	3.0	2.2	1
276	NON-MALIGANT BREAST DISORDERS	0.4607	3.2	2.6	1
277	CELLULITIS AGE >17 W CC	0.9218	5.5	4.2	1
278	CELLULITIS AGE >17 W/O CC	0.5565	3.8	3.0	1
279	CELLULITIS AGE 0-17	0.4356	3.0	2.6	1
280	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W CC	0.6313	2.3	1.8	1
281	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W/O CC	0.5243	2.2	1.5	1
282	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 0-17	0.4901	1.8	1.5	1
283	MINOR SKIN DISORDERS W CC	0.6495	4.6	3.0	1
284	MINOR SKIN DISORDERS W/O CC	0.3726	3.0	2.3	1
285	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DISORDERS	2.2711	9.7	8.1	2
286	ADRENAL & PITUITARY PROCEDURES	1.9796	4.2	3.6	1
287	SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS	2.0654	8.9	6.4	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
 (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
 (3) w CC = with Complications or Comorbidities.
 (4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
288	O.R. PROCEDURES FOR OBESITY	2.1521	3.2	2.9	1
289	PARATHYROID PROCEDURES	0.9102	1.7	1.4	1
290	THYROID PROCEDURES	0.9497	1.6	1.4	1
291	THYROGLOSSAL PROCEDURES	0.7712*	1.5	1.3	1
292	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC	3.3267	9.7	6.7	1
293	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC	1.4962	2.6	2.1	1
294	DIABETES AGE >35	0.7881	4.0	2.9	1
295	DIABETES AGE 0-35	0.5061	2.7	2.3	1
296	NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC	0.8223	4.5	3.1	1
297	NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC	0.4638	3.0	2.1	1
298	NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17	0.2782	2.2	1.8	1
299	INBORN ERRORS OF METABOLISM	0.6501	3.8	2.6	1
300	ENDOCRINE DISORDERS W CC	0.8640	4.3	3.2	1
301	ENDOCRINE DISORDERS W/O CC	0.5564	2.3	1.8	1
302	KIDNEY TRANSPLANT	3.4651	7.6	6.8	2
303	KIDNEY,URETER & MAJOR BLADDER PROCEDURES FOR NEOPLASM	2.1921	5.6	4.6	1
304	KIDNEY,URETER & MAJOR BLADDER PROC FOR NON-NEOPL W CC	1.6210	4.7	3.8	1
305	KIDNEY,URETER & MAJOR BLADDER PROC FOR NON-NEOPL W/O CC	1.0512	2.6	2.2	1
306	PROSTATECTOMY W CC	0.9710	3.1	2.4	1
307	PROSTATECTOMY W/O CC	0.6248	1.9	1.7	1
308	MINOR BLADDER PROCEDURES W CC	1.9253	4.4	3.0	1
309	MINOR BLADDER PROCEDURES W/O CC	1.0820	2.0	1.6	1
310	TRANSURETHRAL PROCEDURES W CC	1.1112	2.4	1.9	1
311	TRANSURETHRAL PROCEDURES W/O CC	0.8923	1.8	1.6	1
312	URETHRAL PROCEDURES, AGE >17 W CC	1.5849	4.6	3.0	1
313	URETHRAL PROCEDURES, AGE >17 W/O CC	0.7298*	2.2	1.7	1
314	URETHRAL PROCEDURES, AGE 0-17	0.5537*	2.3	2.3	1
315	OTHER KIDNEY & URINARY TRACT PROCEDURES	2.0618	5.9	3.4	1
316	RENAL FAILURE	1.4990	6.8	4.6	1
317	ADMIT FOR RENAL DIALYSIS	1.0645	4.0	3.0	1
318	KIDNEY & URINARY TRACT NEOPLASMS W CC	1.8528	6.0	4.5	1
319	KIDNEY & URINARY TRACT NEOPLASMS W/O CC	1.1770	4.4	3.1	1
320	KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC	0.8577	4.4	3.3	1
321	KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O CC	0.5942	3.1	2.6	1
322	KIDNEY & URINARY TRACT INFECTIONS AGE 0-17	0.4106	3.0	2.6	1
323	URINARY STONES W CC, &/OR ESW LITHOTRIPSY	0.7455	2.2	1.8	1
324	URINARY STONES W/O CC	0.4680	1.6	1.4	1
325	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W CC	0.6443	3.3	2.4	1
326	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W/O CC	0.5192	2.0	1.6	1
327	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 0-17	0.4140*	3.1	3.1	1
328	URETHRAL STRICTURE AGE >17 W CC	0.7529*	3.4	2.5	1
329	URETHRAL STRICTURE AGE >17 W/O CC	0.5052*	2.2	1.6	1
330	URETHRAL STRICTURE AGE 0-17	0.3565*	1.6	1.6	1
331	OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W CC	1.1872	4.8	3.6	1
332	OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W/O CC	0.8056	5.1	2.8	1
333	OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17	0.5541	3.2	2.6	1
334	MAJOR MALE PELVIC PROCEDURES W CC	1.5198	3.5	3.1	1
335	MAJOR MALE PELVIC PROCEDURES W/O CC	1.3756	2.8	2.6	1
336	TRANSURETHRAL PROSTATECTOMY W CC	0.8524	2.6	2.1	1
337	TRANSURETHRAL PROSTATECTOMY W/O CC	0.6852	1.7	1.5	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
338	TESTES PROCEDURES, FOR MALIGNANCY	1.3472*	5.7	3.4	1
339	TESTES PROCEDURES, NON-MALIGNANCY AGE >17	0.8531	2.5	1.8	1
340	TESTES PROCEDURES, NON-MALIGNANCY AGE 0-17	0.4929	1.5	1.3	1
341	PENIS PROCEDURES	1.5012	2.4	1.8	1
342	CIRCUMCISION AGE >17	0.8819*	3.2	2.4	1
343	CIRCUMCISION AGE 0-17	0.1723*	1.7	1.7	1
344	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY	1.2311	2.2	1.7	1
345	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXCEPT FOR MALIGNANCY	1.3245*	4.9	3.1	1
346	MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W CC	1.4376	5.3	3.5	1
347	MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W/O CC	0.5847*	2.7	2.0	1
348	BENIGN PROSTATIC HYPERTROPHY W CC	0.8092*	4.1	3.2	1
349	BENIGN PROSTATIC HYPERTROPHY W/O CC	0.4972*	2.5	2.0	1
350	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM	0.5706	3.0	2.4	1
351	STERILIZATION, MALE	0.2643*	1.3	1.3	1
352	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES	0.7149	4.3	3.2	1
353	PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY	1.4749	4.2	3.6	1
354	UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC	1.3336	4.1	3.5	1
355	UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC	1.0169	2.5	2.3	1
356	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	0.9196	1.7	1.5	1
357	UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY	1.8015	5.5	4.5	1
358	UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC	1.1502	3.0	2.6	1
359	UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC	0.9454	2.2	2.0	1
360	VAGINA, CERVIX & VULVA PROCEDURES	1.0523	2.3	2.0	1
361	LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION	1.0039	2.3	2.0	1
362	ENDOSCOPIC TUBAL INTERRUPTION	0.3378*	1.4	1.4	1
363	D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY	0.9929	3.1	2.5	1
364	D&C, CONIZATION EXCEPT FOR MALIGNANCY	0.6519	1.8	1.5	1
365	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES	1.3388	3.7	3.0	1
366	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC	1.2776	5.0	3.7	1
367	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC	0.8237	5.3	2.9	1
368	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM	0.6239	3.1	2.6	1
369	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS	0.5620	1.9	1.6	1
370	CESAREAN SECTION W CC	0.8948	4.4	3.8	1
371	CESAREAN SECTION W/O CC	0.7280	3.3	3.1	1
372	VAGINAL DELIVERY W COMPLICATING DIAGNOSES	0.5016	2.7	2.4	1
373	VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES	0.4039	2.1	1.9	1
374	VAGINAL DELIVERY W STERILIZATION &/OR D&C	0.6709	2.3	2.1	1
375	VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C	0.4285	2.5	2.2	1
376	POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE	0.4867	2.7	2.2	1
377	POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE	1.2715	3.6	2.7	1
378	ECTOPIC PREGNANCY	0.8952	1.9	1.7	1
379	THREATENED ABORTION	0.4990	3.7	2.4	1
380	ABORTION W/O D&C	0.3612	1.5	1.3	1
381	ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	0.5644	1.5	1.3	1
382	FALSE LABOR	0.3446	1.8	1.5	1
383	OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS	0.4419	2.9	2.2	1
384	OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS	0.4473	3.1	2.1	1
385	NO LONGER VALID	-	-	-	-
386	NO LONGER VALID	-	-	-	-
387	NO LONGER VALID	-	-	-	-

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
 (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
 (3) w CC = with Complications or Comorbidities.
 (4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
388	NO LONGER VALID	-	-	-	-
389	NO LONGER VALID	-	-	-	-
390	NO LONGER VALID	-	-	-	-
391	NORMAL NEWBORN	0.1054	2.0	1.9	1
392	SPLENECTOMY AGE >17	2.4149	5.8	4.5	1
393	SPLENECTOMY AGE 0-17	1.6390	5.4	3.6	1
394	OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS	1.6418	5.4	3.3	1
395	RED BLOOD CELL DISORDERS AGE >17	0.9157	4.0	2.9	1
396	RED BLOOD CELL DISORDERS AGE 0-17	0.6104	3.8	2.9	1
397	COAGULATION DISORDERS	1.1113	3.4	2.6	1
398	RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC	1.1268	4.8	3.7	1
399	RETICULOENDOTHELIAL & IMMUNITY DISORDERS W/O CC	0.4914	3.1	2.6	1
400	NO LONGER VALID	-	-	-	-
401	LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W CC	4.4470	12.2	7.9	1
402	LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W/O CC	1.1703	3.0	2.4	1
403	LYMPHOMA & NON-ACUTE LEUKEMIA W CC	2.1533	8.2	5.4	1
404	LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC	1.1459	4.6	3.3	1
405	ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE 0-17	2.9558	10.8	6.1	1
406	MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W CC	2.8984	6.2	4.7	1
407	MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W/O CC	1.7207	3.7	3.1	1
408	MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R.PROC	2.9763	7.8	4.4	1
409	RADIOTHERAPY	0.7457	3.4	2.5	1
410	CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS	1.2227	3.7	3.0	1
411	HISTORY OF MALIGNANCY W/O ENDOSCOPY	0.4386*	4.7	4.7	1
412	HISTORY OF MALIGNANCY W ENDOSCOPY	0.7131*	1.6	1.2	1
413	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC	1.7475	5.9	4.3	1
414	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC	0.8820	4.8	2.8	1
415	O.R. PROCEDURE FOR INFECTIOUS & PARASITIC DISEASES	3.2980	10.4	6.8	1
416	SEPTICEMIA AGE >17	2.1723	8.5	5.4	1
417	SEPTICEMIA AGE 0-17	1.0781	5.3	3.8	1
418	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS	0.9082	4.8	3.8	1
419	FEVER OF UNKNOWN ORIGIN AGE >17 W CC	0.8334	3.9	3.0	1
420	FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC	0.8007	3.4	2.9	1
421	VIRAL ILLNESS AGE >17	0.7430	3.3	2.5	1
422	VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17	0.3313	2.4	2.1	1
423	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES	1.2082	6.9	4.3	1
424	O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS	2.7003*	13.0	7.6	1
425	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	0.5237	3.0	2.1	1
426	DEPRESSIVE NEUROSES	0.4101	4.3	3.0	1
427	NEUROSES EXCEPT DEPRESSIVE	0.4115	3.9	2.9	1
428	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1.0609	13.4	6.9	1
429	ORGANIC DISTURBANCES & MENTAL RETARDATION	0.8142	10.4	4.6	1
430	PSYCHOSES	0.5463	6.3	4.7	1
431	CHILDHOOD MENTAL DISORDERS	0.6430	7.6	6.0	1
432	OTHER MENTAL DISORDER DIAGNOSES	0.7199*	4.5	3.1	1
433	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	0.2943	5.3	4.1	1
434	NO LONGER VALID	-	-	-	-
435	NO LONGER VALID	-	-	-	-
436	NO LONGER VALID	-	-	-	-
437	NO LONGER VALID	-	-	-	-

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
438	NO LONGER VALID	-	-	-	-
439	SKIN GRAFTS FOR INJURIES	2.5677	8.7	6.2	1
440	WOUND DEBRIDEMENTS FOR INJURIES	1.7550	6.7	4.2	1
441	HAND PROCEDURES FOR INJURIES	0.9904	2.4	2.0	1
442	OTHER O.R. PROCEDURES FOR INJURIES W CC	2.5049	7.3	4.8	1
443	OTHER O.R. PROCEDURES FOR INJURIES W/O CC	1.0913	2.7	2.1	1
444	TRAUMATIC INJURY AGE >17 W CC	0.7678	5.4	2.6	1
445	TRAUMATIC INJURY AGE >17 W/O CC	0.7616	4.1	2.1	1
446	TRAUMATIC INJURY AGE 0-17	0.5054	1.3	1.3	1
447	ALLERGIC REACTIONS AGE >17	0.4836	2.0	1.6	1
448	ALLERGIC REACTIONS AGE 0-17	0.1939	1.5	1.4	1
449	POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC	0.8935	2.9	2.1	1
450	POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W/O CC	0.3965	1.8	1.4	1
451	POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17	0.3910	1.9	1.5	1
452	COMPLICATIONS OF TREATMENT W CC	0.9356	4.2	2.9	1
453	COMPLICATIONS OF TREATMENT W/O CC	0.5869	2.7	2.1	1
454	OTHER INJURY, POISONING & TOXIC EFFECT DIAG W CC	1.1806	3.5	2.3	1
455	OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O CC	0.4645	2.2	1.5	1
456	NO LONGER VALID	-	-	-	-
457	NO LONGER VALID	-	-	-	-
458	NO LONGER VALID	-	-	-	-
459	NO LONGER VALID	-	-	-	-
460	NO LONGER VALID	-	-	-	-
461	O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES	1.5562	3.8	2.3	1
462	REHABILITATION	1.4243	14.9	10.8	2
463	SIGNS & SYMPTOMS W CC	0.6400	4.8	3.0	1
464	SIGNS & SYMPTOMS W/O CC	0.5568	7.6	2.9	1
465	AFTERCARE W HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS	0.6633*	2.9	2.0	1
466	AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS	1.1805	12.5	5.6	1
467	OTHER FACTORS INFLUENCING HEALTH STATUS	0.4387	4.5	2.8	1
468	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	2.8872	8.0	4.7	1
469	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	-	-	-	-
470	UNGROUPABLE	-	-	-	-
471	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY	3.4037	4.7	4.4	2
472	NO LONGER VALID	-	-	-	-
473	ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17	6.0576	15.3	8.0	1
474	NO LONGER VALID	-	-	-	-
475	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT	3.9489	10.0	7.1	1
476	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	1.5143	6.5	4.4	1
477	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS	1.7528	6.1	3.7	1
478	OTHER VASCULAR PROCEDURES W CC	2.5142	5.4	3.6	1
479	OTHER VASCULAR PROCEDURES W/O CC	1.6402	2.6	2.1	1
480	LIVER TRANSPLANT AND/OR INTESTINAL TRANSPLANT	11.0289	19.5	14.4	3
481	BONE MARROW TRANSPLANT	9.5722	26.9	23.7	8
482	TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSES	3.1309	9.3	7.5	2
483	NO LONGER VALID	-	-	-	-
484	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	6.2416	10.6	6.9	1
485	LIMB REATTACHMENT, HIP AND FEMUR PROC FOR MULTIPLE SIGNIFICANT T	5.3796	10.9	8.1	1
486	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA	5.0738	11.4	8.4	1
487	OTHER MULTIPLE SIGNIFICANT TRAUMA	1.9553	6.7	4.5	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
 (2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
 (3) w CC = with Complications or Comorbidities.
 (4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
488	HIV W EXTENSIVE O.R. PROCEDURE	5.4269*	17.0	11.9	1
489	HIV W MAJOR RELATED CONDITION	2.2745	8.3	6.2	1
490	HIV W OR W/O OTHER RELATED CONDITION	0.8082	4.5	3.5	1
491	MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITY	2.0655	2.4	2.1	1
492	CHEMO W ACUTE LEUKEMIA AS SDX OR W USE OF HIGH DOSE CHEMO AGENT	2.2683	6.9	4.2	1
493	LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC	1.7743	4.6	3.8	1
494	LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC	1.1972	2.4	2.1	1
495	LUNG TRANSPLANT	10.0058	19.8	14.9	3
496	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION	5.9578	5.9	4.8	1
497	SPINAL FUSION EXCEPT CERVICAL W CC	4.7402	5.3	4.6	1
498	SPINAL FUSION EXCEPT CERVICAL W/O CC	3.5924	3.5	3.1	1
499	BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W CC	1.4991	3.3	2.4	1
500	BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC	1.0673	1.8	1.5	1
501	KNEE PROCEDURES W PDX OF INFECTION W CC	1.8604	7.2	5.2	1
502	KNEE PROCEDURES W PDX OF INFECTION W/O CC	1.7178	4.8	4.1	1
503	KNEE PROCEDURES W/O PDX OF INFECTION	1.3331	2.2	1.8	1
504	EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W SKIN GRAF	14.4370*	29.3	23.1	1
505	EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W/O SKIN GR	2.0787*	4.4	2.3	1
506	FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W CC OR SIG TRAUMA	6.2669	16.7	11.6	1
507	FULL THICKNESS BURN W SKIN GRFT OR INHAL INJ W/O CC OR SIG TRAUM	1.4504	5.4	3.9	1
508	FULL THICKNESS BURN W/O SKIN GRFT OR INHAL INJ W CC OR SIG TRAUM	1.4827*	7.3	5.1	1
509	FULL THICKNESS BURN W/O SKIN GRFT OR INH INJ W/O CC OR SIG TRAUM	0.8456	7.3	4.2	1
510	NON-EXTENSIVE BURNS W CC OR SIGNIFICANT TRAUMA	2.4186	8.4	5.5	1
511	NON-EXTENSIVE BURNS W/O CC OR SIGNIFICANT TRAUMA	0.9100	4.0	2.7	1
512	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	6.6824*	13.9	11.4	1
513	PANCREAS TRANSPLANT	7.0165*	10.0	8.9	1
514	NO LONGER VALID	-	-	-	-
515	CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH	5.9091	3.6	2.2	1
516	PERCUTANEOUS CARDIOVASCULAR PROCEDURES W AMI	2.6398	3.4	3.0	1
517	PERCUTANEOUS CARDIOVASCULAR PROC W NON-DRUG ELUTING STENT W/O AM	2.3462	2.0	1.6	1
518	PERCUTANEOUS CARDIOVASC PROC W/O CORONARY ARTERY STENT OR AMI	1.9962	2.3	1.7	1
519	CERVICAL SPINAL FUSION W CC	2.3043	2.8	2.0	1
520	CERVICAL SPINAL FUSION W/O CC	1.9552	1.5	1.3	1
521	ALCOHOL/DRUG ABUSE OR DEPENDENCE W CC	0.8712	5.6	3.8	1
522	ALCOHOL/DRUG ABUSE OR DEPENDENCE W REHABILITATION THERAPY W/O CC	0.8530	15.5	13.2	3
523	NO LONGER VALID	-	-	-	-
524	TRANSIENT ISCHEMIA	0.7741	2.5	2.0	1
525	OTHER HEART ASSIST SYSTEM IMPLANT	12.6261*	15.8	8.2	1
526	PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W AMI	3.2171	3.2	2.8	1
527	PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W/O AMI	2.6738	1.8	1.5	1
528	INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE	8.6261	15.1	12.2	3
529	VENTRICULAR SHUNT PROCEDURES W CC	2.3718	6.7	3.9	1
530	VENTRICULAR SHUNT PROCEDURES W/O CC	1.2933	3.3	2.5	1
531	SPINAL PROCEDURES W CC	3.3624	7.7	5.7	1
532	SPINAL PROCEDURES W/O CC	1.7700	3.4	2.7	1
533	EXTRACRANIAL PROCEDURES W CC	1.7079	3.1	2.1	1
534	EXTRACRANIAL PROCEDURES W/O CC	1.3261	1.8	1.5	1
535	CARDIAC DEFIB IMPLANT W CARDIAC CATH W AMI/HF/SHOCK	8.2611	8.4	5.3	1
536	CARDIAC DEFIB IMPLANT W CARDIAC CATH W/O AMI/HF/SHOCK	6.9381	4.7	3.0	1
537	LOCAL EXCISION & REMOVAL OF INT FIX DEVICES EXCEPT HIP & FEMUR W	1.8522	4.9	3.5	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.

TRICARE REIMBURSEMENT MANUAL 6010.53-M, MARCH 15, 2002

CHAPTER 6, ADDENDUM C (FY 2005)

DIAGNOSIS RELATED GROUPS (DRGs), DRG RELATIVE WEIGHTS, ARITHMETIC AND GEOMETRIC MEAN LENGTHS-OF-STAY, AND SHORT-STAY OUTLIER THRESHOLDS (EFFECTIVE FOR ADMISSIONS ON OR AFTER 10/01/2004)

DRG #	DESCRIPTION	TRICARE/CHAMPUS WEIGHT	ARITH MEAN LOS	GEOM MEAN LOS	SHORT-STAY THRESHOLD
538	LOCAL EXCISION & REMOVAL OF INT FIX DEVICES EXCEPT HIP & FEMUR W	1.1280	2.3	1.8	1
539	LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W CC	3.2395	10.2	6.6	1
540	LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W/O CC	1.5817	4.0	2.9	1
541	TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK DIAG W MAJ O.R.	21.3636	42.9	34.9	9
542	TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK DIAG W/O MAJ O.	16.1059	34.1	26.5	5
543	CRANIOTOMY W IMPLANT OF CHEMO AGENT OR ACUTE COMPLEX CNS PDX	5.8985	12.3	8.5	1
600	NEONATE, DIED W/IN ONE DAY OF BIRTH	0.3876	1.0	1.0	1
601	NEONATE, TRANSFERRED <5 DAYS OLD	0.3460	1.5	1.3	1
602	NEONATE, BIRTHWT <750G, DISCHARGED ALIVE	25.9273	94.3	75.2	16
603	NEONATE, BIRTHWT <750G, DIED	8.0397	12.7	9.3	1
604	NEONATE, BIRTHWT 750-999G, DISCHARGED ALIVE	19.2858	70.1	62.4	21
605	NEONATE, BIRTHWT 750-999G, DIED	9.0579#	24.7	10.7	1
606	NEONATE, BIRTHWT 1000-1499G, W SIGNIF OR PROC, DISCHARGED ALIVE	15.9796	72.0	59.9	14
607	NEONATE, BIRTHWT 1000-1499G, W/O SIGNIF OR PROC, DISCHARGED ALIV	7.6152	39.8	35.5	13
608	NEONATE, BIRTHWT 1000-1499G, DIED	7.0837#	20.1	10.1	1
609	NEONATE, BIRTHWT 1500-1999G, W SIGNIF OR PROC, W MULT MAJOR PROB	9.9933#	39.7	28.9	4
610	NEONATE, BIRTHWT 1500-1999G, W SIGNIF OR PROC, W/O MULT MAJOR PR	3.6770#	23.7	23.1	16
611	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MULT MAJOR PR	5.3098	27.0	22.8	6
612	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MAJOR PROB	3.1109	19.2	16.9	5
613	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W MINOR PROB	4.2425	27.0	22.6	6
614	NEONATE, BIRTHWT 1500-1999G, W/O SIGNIF OR PROC, W OTHER PROB	1.9143	13.9	11.1	2
615	NEONATE, BIRTHWT 2000-2499G, W SIGNIF OR PROC, W MULT MAJOR PROB	7.3683	36.0	26.4	3
616	NEONATE, BIRTHWT 2000-2499G, W SIGNIF OR PROC, W/O MULT MAJOR PR	4.2335#	20.3	17.7	5
617	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MULT MAJOR PR	3.5590	16.0	12.8	3
618	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MAJOR PROB	2.2219	12.7	10.2	2
619	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W MINOR PROB	1.7085	9.8	7.3	1
620	NO LONGER VALID	-	-	-	-
621	NEONATE, BIRTHWT 2000-2499G, W/O SIGNIF OR PROC, W OTHER PROB	0.8084	6.3	4.6	1
622	NEONATE, BIRTHWT >2499G, W SIGNIF OR PROC, W MULT MAJOR PROB	10.1763	29.2	19.3	3
623	NEONATE, BIRTHWT >2499G, W SIGNIF OR PROC, W/O MULT MAJOR PROB	2.2182	8.3	4.9	1
624	NEONATE, BIRTHWT >2499G, W MINOR ABDOM PROCEDURE	0.5399	2.5	2.3	1
625	NO LONGER VALID	-	-	-	-
626	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MULT MAJOR PROB	2.8381	10.6	6.9	1
627	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MAJOR PROB	0.8182	4.7	3.7	1
628	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W MINOR PROB	0.3536	3.0	2.5	1
629	NO LONGER VALID	-	-	-	-
630	NEONATE, BIRTHWT >2499G, W/O SIGNIF OR PROC, W OTHER PROB	0.2285	2.6	2.3	1
631	BPD AND OTH CHRONIC RESPIRATORY DISEASES ARISING IN PERINATAL PE	1.7751	21.9	6.3	1
632	OTHER RESPIRATORY PROBLEMS AFTER BIRTH	0.7216	5.4	3.1	1
633	MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W CC	1.5422#	7.4	7.4	4
634	MULTIPLE, OTHER AND UNSPECIFIED CONGENITAL ANOMALIES, W/O CC	0.8244#	5.0	3.4	1
635	NEONATAL AFTERCARE FOR WEIGHT GAIN	0.4409#	3.4	3.2	3
636	NEONATAL DIAGNOSIS, AGE > 28 DAYS	1.0751	6.7	3.4	1
900	ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY AGE	0.4595	7.1	4.4	1
901	ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY AGE	0.4660	6.2	4.1	1

Notes: (1) * = low volume DRG with fewer than 10 cases. The Medicare weights are used for these DRGs.
(2) # = PM-DRGs with fewer than 10 cases. An average weight over the past 5 years were used for these DRGs.
(3) w CC = with Complications or Comorbidities.
(4) w/o CC = without Complications or Comorbidities.